

Assignment

Commands

(1) System name

⇒ Full Name → Hostname

Purpose : → The hostname command is used to display the name of the computer (host) on a network.

⇒ Detail : →

A hostname is a label that assigned to a device (computer, server), identify it on a network.

⇒ Commands

C:\Users\User > hostname

⇒ Output

2) whoami

Full name : —
whoami

Purpose

The whoami command is used to display the "current users" who is logged into the system.

It tells which user is currently active in command prompt session

Command

```
C: \Users \User > whoami
```

Output

3) ~ Getmac

→ Full name ~

Get Media Access Control (MAC) Address

→ Purpose ~

The `getmac` command is used to display the **MAC** address of your computer's network interfaces.

A **Mac** address is a unique identifier assigned to a network adapter, like (Wi-Fi, Ethernet, VPN)

→ Command ~

```
C:\Users\Users>getmac
```

→ Output ~

4) ipconfig

→ Full name

Internet Protocol Configuration

→ Purpose

The ipconfig command is used to display and manage **IP** addresses configuration of your computer's network interfaces. It shows detail like:

- IP address (IPv4, IPv6)
- Default Gateways
- DNS servers

→ Command

```
C:\Users\User> ipconfig
```

→ Specific Tasks

We can use optional switches for more specific tasks:

≡ ipconfig /all

Shows detail configuration, mode type for all networks interface, including those that are *inactive*

C: | Users | User > ipconfig - /all

Output of ipconfig:

5) ping :

→ Full Name :

"Packet Internet Groper"

→ Purpose :

The **ping** command is used to "test network connectivity" between your computer and other devices like; a website or server.

It checks if a "target system is reachable" and "measures how long it takes data to travel back and forth"

Pings give how many packet sent, how many lost and how many received.

→ Command :

```
C: \ Users \ User > ping 8-8-8-8
```

→ Detail :-

• Reply from : — The IP responded meaning it's reachable.

• Bytes:- Size of test data packets sent

• Time:- Round trip time in milliseconds (ms)

• TTL:- (Time To Live), Number of hops the packet can make before being discarded.

→ Optional parameters:-
ping -t, -a, -R etc.

→ Output:-

6s- systeminfo

Full Name :-

System Information

Purpose :-

"The systeminfo command displays detailed configuration information" about your Windows system, including:

- Operating System version and build
- System manufacturer and model
- Processor and BIOS detail

Command :-

```
C:\Users\User>systeminfo
```

Explanation :-

- | | |
|--------------------|---------------------|
| ▢ Host Name | ▢ OS Name / Version |
| ▢ System Model | ▢ System Type |
| ▢ Available Memory | ▢ Processor |

Outputs

To cls

→ Full Name : —

Clear Screen

→ Purpose

The cls command is used to clear the Command Prompt window. It removes all the previous displayed commands and output from view, giving you a clean clear screen to work with.

→ Command

C: \ Users \ User > cls

→ Output

8) net user

→ Full Name :-

Network User Account Manager

→ Purpose :-

Use to "viewed, add, modify or delete users accounts" on a Windows system (especially useful in administrator mode)

Manage users

→ Command :-

```
C:\Users\User> net user
```

• Add New user

To add new user account we use this command

```
C:\Users\User> net user /add
```

like net user [username] [password] /add

→ Output :-

(9) netsh wlan

→ Full Name :

Network Shell Wireless Local
Area Network

→ Purpose : C:\Users\User>netsh wlan

The netsh wlan command is used to manage wireless (Wi-Fi) settings on your Windows system. It allows you;

- Viewed / Save Wi-Fi profiles
- Show Networks connection
- Start / Stop Wi-Fi hosted networks (hotspot)

→ Output :

• netsh wlan show profiles &

- It shows all the saved networks, Wi-Fi (profiles) that has previously connected

E- Name :— Network Shell - Wireless LAN -
Show Saved WiFi Profiles ✓

Command &—

C:\Users\User> netsh wlan show profiles

Output &

• netsh wlan show profile name
= " " Key=clear

• Purpose

This command display detailed configuration of the saved networks

• Command

C:\Users\User> netsh wlan show profile
name = "healme 58" Key = Clear.

Output

10 :- netstat :-

Full Name :-

Network Statistics

Purpose :-

netstat is a command-line tool that displays network connections, routing tables, interface statistics and network protocol activity.

It is useful for:

- Viewing active TCP/UDP connections
- Checking which protocols are open
- Finding which applications/processes are using the network.

Command :-

```
C:\Users\User> netstat
```

Parameters :-

netstat -a : Show all connections of ports

netstat -s : Show protocols statistics
(TCP, UDP)

Output :