

File 2: Sub-Phase 1.2 — Empathy Map

PHASE 1: BRAINSTORMING AND IDEATION

Sub-Phase 1.2: User Empathy Map

Field	Details
Date	28-09-2026
Team ID	SWTID-2026-8733
Project Name	Implement Client Script & UI Policy (Incident)
Document Type	Sub-Phase Deliverable 1.2 — Empathy Map Analysis

1. Target User Profile: Service Desk Agent / Incident Resolver

The Empathy Map focuses on the primary user of the ServiceNow Incident Management module—the **Service Desk Agent**. Understanding their environment, frustrations, and daily workflow needs ensures that our client-side validations improve productivity without creating unnecessary software friction.

2. Empathy Map Quadrants

Quadrant	User Perspective & Behavioral Observations
SAYS	• "I want high-impact incidents to automatically prompt me for necessary routing details." • "Manual priority calculations take extra time when handling urgent customer calls." • "I shouldn't be allowed to submit a major incident without assigning it to someone." • "Error messages should tell me exactly what field is missing before I try to save."

Quadrant	User Perspective & Behavioral Observations
THINKS	• <i>Will this ticket reach the right support group on time?</i> • <i>Did I remember to change Urgency after marking the ticket as High Impact?</i> • <i>Why does the platform let me save incomplete tickets and cause rework later?</i> • <i>Editing fields in list view is faster, but am I breaking workflow rules by changing State here?</i>
DOES	• Rapidly fills out Incident forms while handling live calls or chat requests. • Selects Impact = 1 - High and expects the platform to guide necessary field inputs. • Attempts to edit ticket State directly in List View to save time during queue cleanups. • Resubmits forms repeatedly if server-side validation messages are unclear or delayed.
FEELS	• Frustrated when forms allow submission with missing mandatory data, causing bounce-backs. • Anxious about missing critical SLA targets on high-impact service outages • Overwhelmed by manual repetitive field updates that could easily be automated. • Confident when real-time visual banners and prompts guide them through ticket logging.

3. Pain Points vs. Gain Points Summary

User Pains (Current State)	User Gains (Future State with Client-Side Rules)
• Frequent record bounce-backs due to unassigned high-impact tickets.	• Instant real-time feedback stopping invalid submissions on the client browser.
• Miscalculated priority levels caused by manual Urgency field selection.	• Automatic Urgency population and locking to guarantee accurate priority.
• Accidental workflow violations from list-view State editing.	• Controlled list-view behavior protecting data governance across views.

User Pains (Current State)	User Gains (Future State with Client-Side Rules)
• Time wasted waiting for server error responses after clicking save.	• Zero-delay browser validations using native g_form APIs.