

Epilepsy Quality-of-Life Assessment (QNR) - Visit 02/12

Assessment Date: 28-Jan-2026 | Based on QOLIE-31 / PIES-style domains

Name: Jordan A. Sample (SYNTHETIC PATIENT)	Patient ID: SYN-100482
Age/Sex: 34/M	Diagnosis Date: 01-Jan-2026
Current Meds: Levetiracetam 1000mg BID, Lamotrigine 150mg BID	
Seizure History: Focal Impaired Awareness, Secondary Generalized Tonic-Clonic	

Domain	Score
Seizure Frequency & Types	68.3/100
Aura & Prodromal Symptoms	60.0/100
Medication Side Effects	63.3/100
Sleep Quality & Architecture	71.7/100
Epileptic Triggers	68.3/100
Cognitive & Executive Function	83.3/100
Lab Biomarkers & Lifestyle	75.0/100

Seizure Frequency & Types	
Question	Response
How many Focal Aware Seizures (FAS) occurred this month?	0
How many Focal Impaired Awareness Seizures (FIAS) occurred this month?	0
How many Bilateral Motor Tonic-Clonic (GTC) seizures occurred this month?	0
What was the average duration of the longest convulsive episode?	<1 minute
How many nocturnal (during sleep) seizure episodes were tracked or suspected?	None
Did any seizure clusters occur within a single 24-hour window?	1 cluster event
What was the average recovery time (post-ictal state) to regain full baseline consciousness?	Prolonged (>4 hours)
Were any physical injuries sustained during an episode this month?	None
Did any daytime absence or "blank staring" episodes occur?	Multiple times daily
Rate the overall change in seizure severity compared to the previous month:	Worse

Aura & Prodromal Symptoms	
Question	Response
Did you experience an epigastric "rising" sensation in the stomach?	Mild/Rare
Frequency of sudden, unprovoked psychological anxiety or panic feelings (ictal fear):	None
Frequency of sudden Deja vu or Jamais vu experiences:	Weekly
Did you notice an anomalous metallic, chemical, or bitter taste in your mouth?	Frequent sensory distortion
Did you experience unprovoked olfactory distortions (strange, non-existent smells)?	Once or twice
Presence of visual distortions (macropsia, micropsia, or localized flashing lights):	Absent
Did you experience localized muscle twitching or tingling in a limb prior to an event?	Occasional paresthesia

Frequency of sudden, unprovoked racing thoughts or forced thinking cycles:	None
Presence of auditory illusions (hearing non-existent buzzing, ringing, or muffled voices):	Absent
Rate your ability to safely implement first-aid position shifts upon recognizing an aura:	Poor (Seizure hits instantly)

Medication Side Effects

Question	Response
Rate the severity of daytime drowsiness or somnolence:	Severe (Inability to stay awake)
Experience of dizziness, vertigo, or lightheadedness after taking medication:	Never
Presence of physical instability, unsteadiness, or clumsy movements (ataxia):	Normal gait
Frequency of unprovoked irritability, anger, or mood volatility:	Severe/Aggressive outbursts
Signs of dermatological distress or unexplained skin rashes:	Clear skin
Presence of gastrointestinal distress, nausea, or loss of appetite:	None
Have you noticed swelling, tenderness, or bleeding in your gums (gum hypertrophy)?	Visible swelling/Overgrowth
Experience of fine tremors or involuntary shaking in the hands:	Absent
Presence of chronic headaches or unusual cranial pressure post-medication dose:	None
Did you experience generalized muscle weakness or profound physical lethargy?	Moderate weakness

Sleep Quality & Architecture

Question	Response
Average sleep latency (time taken to fall asleep at night):	15-30 minutes
Number of spontaneous nighttime awakenings (disruptive sleep fragmentation):	3-4 times
Total average duration of continuous nocturnal sleep achieved:	>8 hours
Severity of early morning exhaustion or feeling completely unrefreshed upon waking:	Alert
Occurrence of vivid, hyper-intense nightmares or disruptive night terrors:	Never
Presence of severe daytime sleepiness requiring unprompted afternoon naps:	No naps needed
Has a sleep partner reported heavy snoring, gasping, or pauses in breathing (apnea signs)?	No
Presence of restless, jerking legs or severe physical agitation while lying in bed:	Mild restlessness
Consistency of your weekend vs. weekday sleep schedule (sleep hygiene symmetry):	Highly erratic sleep shifts
Did you experience an absolute deprivation of sleep (<4 hours) at any point this month?	1 night

Epileptic Triggers

Question	Response
Rate your average psychological stress and workload level this month:	Moderate/Manageable
Did you experience a delayed or completely missed dose of your anti-seizure medication?	Zero missed doses
Exposure to flickering/flashing lights, high-contrast patterns, or prolonged screen glare:	Caused immediate dizziness
Daily average volume of dietary caffeine intake (coffee, tea, energy drinks):	None
Any consumption of alcoholic beverages or exposure to hangover states this month?	1 drink
Presence of concurrent physical illnesses accompanied by a systemic fever (>100F)?	Mild cold (no fever)
Did you experience prolonged fasting or skipped meals leading to hypoglycemia risk?	Skipped 1-2 meals

Total daily average screen time (phones, laptops, televisions):	<2 hours
Exposure to extreme environmental heat, dehydration, or physical over-exertion:	Mild exertion
Rate your exposure to intense emotional triggers (e.g., sudden grief, severe arguments):	Stable environment

Cognitive & Executive Function

Question	Response
Frequency of short-term memory gaps (forgetting conversations, misplaced objects):	Rare
Difficulty with word-finding or experiencing the "tip-of-the-tongue" phenomenon:	Normal speech
Severity of everyday "brain fog" or general lack of mental clarity:	Mild transient fog
Ability to sustain concentrated attention on a complex task for over 30 minutes:	Slightly easily distracted
Noted changes in reading comprehension or verbal processing speed:	No change
Spatial disorientation or brief confusion regarding familiar geographic locations:	Never
Difficulty planning, organizing daily schedules, or managing simple multi-step tasks:	Efficient
Frequency of calculation errors or difficulty processing basic numerical figures:	No issues
Have friends or family remarked on your slower cognitive response time during chat?	Infrequently
Rate your overall cognitive performance capacity compared to your pre-diagnosis baseline:	Intact (90-100%)

Lab Biomarkers & Lifestyle

Question	Response
Adherence to scheduled therapeutic drug monitoring and safety blood draws:	Fully compliant
White Blood Cell (WBC) count baseline trend from your latest Complete Blood Count (CBC):	Normal (4,000-11,000/uL)
Platelet Count profile stability from recent blood evaluations:	Elevated
Liver Function Test (LFT) - SGOT/AST status:	Mild Elevation (40-100 U/L)
Liver Function Test (LFT) - SGPT/ALT status:	Normal (<50 U/L)
Serum Sodium (Na+) electrolyte balance level (critical for seizure threshold):	Optimal (135-145 mEq/L)
Daily structural hydration index (average fresh water volume consumed per day):	Optimal (>2.5 Liters)
General emotional mood tracking index over the course of the month:	Severe clinical depression
Engagement level in low-impact physical exercise (walking, stretching):	Active (3+ times/week)
Compliance with updating your physical or digital Seizure Tracking Diary:	Logged every event