

# Epilepsy Quality-of-Life Assessment (QNR) - Visit 07/12

Assessment Date: 03-Apr-2026 | Based on QOLIE-31 / PIES-style domains

|                                                                                      |                                    |
|--------------------------------------------------------------------------------------|------------------------------------|
| <b>Name:</b> Jordan A. Sample (SYNTHETIC PATIENT)                                    | <b>Patient ID:</b> SYN-100482      |
| <b>Age/Sex:</b> 34/M                                                                 | <b>Diagnosis Date:</b> 01-Jan-2026 |
| <b>Current Meds:</b> Levetiracetam 1000mg BID, Lamotrigine 150mg BID                 |                                    |
| <b>Seizure History:</b> Focal Impaired Awareness, Secondary Generalized Tonic-Clonic |                                    |

| Domain                         | Score    |
|--------------------------------|----------|
| Seizure Frequency & Types      | 73.3/100 |
| Aura & Prodromal Symptoms      | 90.0/100 |
| Medication Side Effects        | 43.3/100 |
| Sleep Quality & Architecture   | 58.3/100 |
| Epileptic Triggers             | 65.0/100 |
| Cognitive & Executive Function | 73.3/100 |
| Lab Biomarkers & Lifestyle     | 71.7/100 |

| Seizure Frequency & Types                                                                    |               |
|----------------------------------------------------------------------------------------------|---------------|
| Question                                                                                     | Response      |
| How many Focal Aware Seizures (FAS) occurred this month?                                     | 1-2           |
| How many Focal Impaired Awareness Seizures (FIAS) occurred this month?                       | 1-2           |
| How many Bilateral Motor Tonic-Clonic (GTC) seizures occurred this month?                    | 1             |
| What was the average duration of the longest convulsive episode?                             | 3-5 minutes   |
| How many nocturnal (during sleep) seizure episodes were tracked or suspected?                | None          |
| Did any seizure clusters occur within a single 24-hour window?                               | No clusters   |
| What was the average recovery time (post-ictal state) to regain full baseline consciousness? | 15-60 minutes |
| Were any physical injuries sustained during an episode this month?                           | None          |
| Did any daytime absence or "blank staring" episodes occur?                                   | Rarely        |
| Rate the overall change in seizure severity compared to the previous month:                  | Stable        |

| Aura & Prodromal Symptoms                                                              |                         |
|----------------------------------------------------------------------------------------|-------------------------|
| Question                                                                               | Response                |
| Did you experience an epigastric "rising" sensation in the stomach?                    | Never                   |
| Frequency of sudden, unprovoked psychological anxiety or panic feelings (ictal fear):  | None                    |
| Frequency of sudden Deja vu or Jamais vu experiences:                                  | Never                   |
| Did you notice an anomalous metallic, chemical, or bitter taste in your mouth?         | Rare sensory distortion |
| Did you experience unprovoked olfactory distortions (strange, non-existent smells)?    | Never                   |
| Presence of visual distortions (macropsia, micropsia, or localized flashing lights):   | Absent                  |
| Did you experience localized muscle twitching or tingling in a limb prior to an event? | No                      |

|                                                                                            |                                |
|--------------------------------------------------------------------------------------------|--------------------------------|
| Frequency of sudden, unprovoked racing thoughts or forced thinking cycles:                 | None                           |
| Presence of auditory illusions (hearing non-existent buzzing, ringing, or muffled voices): | Occasional tinnitus-like sound |
| Rate your ability to safely implement first-aid position shifts upon recognizing an aura:  | Excellent (Always have time)   |

## Medication Side Effects

| Question                                                                           | Response                          |
|------------------------------------------------------------------------------------|-----------------------------------|
| Rate the severity of daytime drowsiness or somnolence:                             | Mild (Manageable)                 |
| Experience of dizziness, vertigo, or lightheadedness after taking medication:      | Frequent                          |
| Presence of physical instability, unsteadiness, or clumsy movements (ataxia):      | Slight imbalance                  |
| Frequency of unprovoked irritability, anger, or mood volatility:                   | Moderate mood swings              |
| Signs of dermatological distress or unexplained skin rashes:                       | Dryness/Itching                   |
| Presence of gastrointestinal distress, nausea, or loss of appetite:                | Chronic vomiting                  |
| Have you noticed swelling, tenderness, or bleeding in your gums (gum hypertrophy)? | Normal gums                       |
| Experience of fine tremors or involuntary shaking in the hands:                    | Moderate tremor affecting writing |
| Presence of chronic headaches or unusual cranial pressure post-medication dose:    | Disabling migraines               |
| Did you experience generalized muscle weakness or profound physical lethargy?      | Moderate weakness                 |

## Sleep Quality & Architecture

| Question                                                                                   | Response                    |
|--------------------------------------------------------------------------------------------|-----------------------------|
| Average sleep latency (time taken to fall asleep at night):                                | 30-60 minutes               |
| Number of spontaneous nighttime awakenings (disruptive sleep fragmentation):               | Frequent (>4 times)         |
| Total average duration of continuous nocturnal sleep achieved:                             | >8 hours                    |
| Severity of early morning exhaustion or feeling completely unrefreshed upon waking:        | Moderate fatigue            |
| Occurrence of vivid, hyper-intense nightmares or disruptive night terrors:                 | Never                       |
| Presence of severe daytime sleepiness requiring unprompted afternoon naps:                 | Occasional short nap        |
| Has a sleep partner reported heavy snoring, gasping, or pauses in breathing (apnea signs)? | Mild snoring                |
| Presence of restless, jerking legs or severe physical agitation while lying in bed:        | Quiet sleep                 |
| Consistency of your weekend vs. weekday sleep schedule (sleep hygiene symmetry):           | Highly erratic sleep shifts |
| Did you experience an absolute deprivation of sleep (<4 hours) at any point this month?    | Never                       |

## Epileptic Triggers

| Question                                                                                   | Response             |
|--------------------------------------------------------------------------------------------|----------------------|
| Rate your average psychological stress and workload level this month:                      | Low/Calm             |
| Did you experience a delayed or completely missed dose of your anti-seizure medication?    | 2 doses missed       |
| Exposure to flickering/flashing lights, high-contrast patterns, or prolonged screen glare: | Prolonged exposure   |
| Daily average volume of dietary caffeine intake (coffee, tea, energy drinks):              | None                 |
| Any consumption of alcoholic beverages or exposure to hangover states this month?          | Occasional drinking  |
| Presence of concurrent physical illnesses accompanied by a systemic fever (>100F)?         | Mild cold (no fever) |

|                                                                                          |                          |
|------------------------------------------------------------------------------------------|--------------------------|
| Did you experience prolonged fasting or skipped meals leading to hypoglycemia risk?      | <b>Skipped 1-2 meals</b> |
| Total daily average screen time (phones, laptops, televisions):                          | <b>&lt;2 hours</b>       |
| Exposure to extreme environmental heat, dehydration, or physical over-exertion:          | <b>None</b>              |
| Rate your exposure to intense emotional triggers (e.g., sudden grief, severe arguments): | <b>Minor disputes</b>    |

## Cognitive & Executive Function

| Question                                                                                  | Response                                      |
|-------------------------------------------------------------------------------------------|-----------------------------------------------|
| Frequency of short-term memory gaps (forgetting conversations, misplaced objects):        | <b>None</b>                                   |
| Difficulty with word-finding or experiencing the "tip-of-the-tongue" phenomenon:          | <b>Normal speech</b>                          |
| Severity of everyday "brain fog" or general lack of mental clarity:                       | <b>Constant sluggish thinking</b>             |
| Ability to sustain concentrated attention on a complex task for over 30 minutes:          | <b>Normal focus</b>                           |
| Noted changes in reading comprehension or verbal processing speed:                        | <b>Must re-read paragraphs multiple times</b> |
| Spatial disorientation or brief confusion regarding familiar geographic locations:        | <b>Rare instance</b>                          |
| Difficulty planning, organizing daily schedules, or managing simple multi-step tasks:     | <b>Minor execution delays</b>                 |
| Frequency of calculation errors or difficulty processing basic numerical figures:         | <b>No issues</b>                              |
| Have friends or family remarked on your slower cognitive response time during chat?       | <b>No</b>                                     |
| Rate your overall cognitive performance capacity compared to your pre-diagnosis baseline: | <b>Intact (90-100%)</b>                       |

## Lab Biomarkers & Lifestyle

| Question                                                                                 | Response                                 |
|------------------------------------------------------------------------------------------|------------------------------------------|
| Adherence to scheduled therapeutic drug monitoring and safety blood draws:               | <b>Fully compliant</b>                   |
| White Blood Cell (WBC) count baseline trend from your latest Complete Blood Count (CBC): | <b>Mild Leukopenia (Borderline low)</b>  |
| Platelet Count profile stability from recent blood evaluations:                          | <b>Normal (150k-450k/uL)</b>             |
| Liver Function Test (LFT) - SGOT/AST status:                                             | <b>Normal (&lt;40 U/L)</b>               |
| Liver Function Test (LFT) - SGPT/ALT status:                                             | <b>Normal (&lt;50 U/L)</b>               |
| Serum Sodium (Na+) electrolyte balance level (critical for seizure threshold):           | <b>Mild Hyponatremia (130-134 mEq/L)</b> |
| Daily structural hydration index (average fresh water volume consumed per day):          | <b>Optimal (&gt;2.5 Liters)</b>          |
| General emotional mood tracking index over the course of the month:                      | <b>Mildly depressed/Anxious</b>          |
| Engagement level in low-impact physical exercise (walking, stretching):                  | <b>Completely sedentary</b>              |
| Compliance with updating your physical or digital Seizure Tracking Diary:                | <b>Partial logs</b>                      |