EXPERIMENT – 01

AIM:

To create a web page that embeds a map with hotspots, frames, and links. The web page should be designed using HTML, incorporating embedded, external, and inline CSS for styling. This exercise aims to enhance understanding of integrating multimedia elements like maps, creating interactive hotspots, and organizing content using frames while applying different CSS techniques for styling.

ALGORITHM:

1. Create the HTML Structure:
    - Set up the basic HTML document using <!DOCTYPE html>, <html>, <head>, and <body> tags.
    - Inside the <head>:
        - Define the title using <title>.
        - Link the external CSS file using <link>.
        - Add embedded CSS inside <style> tag.
    - Inside the <body>:
        - Create a header section.
        - Add navigation links using <a> tag.
        - Insert a map image using <img> tag.
        - Create hotspots using <map> and <area> tags.
        - Embed a frame using <iframe> tag.
2. Create CSS Styles:
    - External CSS: Create a separate file style.css and define common styles like font, background color, link styling.
    - Embedded CSS: Inside <style> tag in <head>, define styles for map section and iframe.
    - Inline CSS: Use style attribute directly inside elements like or <h1>.
3. Map with Hotspots:
    - Use <img> to display Chennai map.
    - Use <map> tag with a name attribute.
    - Use <area> tag to define clickable coordinates using coords="x,y,x2,y2".
4. Frames:

- Use <iframe> to embed another webpage or content.
- Set attributes like src, width, and height.

5. Add Links:
   - Use <a> tag to create hyperlinks for navigation.
6. Test the Page:
   - Verify that hotspots are clickable.
   - Check iframe content loading.
   - Ensure all CSS types are applied properly.

PROGRAM:

HTML File:

```
<!DOCTYPE html>
<html>
<head>
  <title>Hostel Management System - Chennai</title>

  <!-- External CSS -->
  <link rel="stylesheet" href="style.css">

  <!-- Embedded CSS -->
  <style>
    .map-section {
      text-align: center;
      margin-top: 20px;
    }

    .map-section img {
      border: 3px solid navy;
    }

    iframe {
```

```
            border: 3px solid darkblue;
            margin-top: 20px;
        }
    </style>
</head>

<body>

    <!-- Inline CSS -->
    <div style="background-color: navy; color: white; padding: 15px; text-align: center;">
        <h1>Hostel Management System</h1>
    </div>

    <!-- Navigation Links -->
    <div style="text-align: center; margin-top: 10px;">
        <a href="index.html">Home</a> |
        <a href="register.html">Register</a> |
        <a href="https://www.google.com" target="_blank">Visit Google</a>
    </div>

    <!-- Map with Hotspots -->
    <div class="map-section">
        <h2>Chennai City Map</h2>

        <!-- INSERT YOUR CHENNAI MAP IMAGE LINK BELOW -->
        <img
src="https://cdn.sketchbubble.com/pub/media/catalog/product/optimized1/1/0/10b81eb9fa033396
be5b5d6891ba085f78524b7a7908f9d91d53473225360304/chennai-map-slide1.png"
            usemap="#chennaimap"
            width="600"
            height="400">
```

```
    <map name="chennaimap">
      <!-- Example Hotspot 1 -->
      <area shape="rect"
          coords="50,50,200,200"
          href="https://www.google.com"
          alt="Central Area">

      <!-- Example Hotspot 2 -->
      <area shape="circle"
          coords="300,200,60"
          href="https://www.google.com"
          alt="Marina Area">
    </map>
  </div>

  <!-- Frame Section -->
  <div style="text-align:center;">
    <h2>Hostel </h2>

    <iframe src="https://outpostmagazine.com/wp-content/uploads/2016/01/Surviving-Hostel-
Life.jpg"
        width="600"
        height="250">
    </iframe>
  </div>

</body>
</html>
```

EXTERNAL CSS file:

```
body {
```

```
    font-family: Arial, sans-serif;
    background-color: #f0f8ff;
}

a {
    text-decoration: none;
    color: navy;
    font-weight: bold;
}
a:hover {
    color: red;
}
h2 {
    color: darkblue;
}
```

OUTPUT:



Result: Thus, the HTML page is successfully created with an embedded Chennai map along with hotspots, frames, and links using inline, embedded, and external CSS techniques for styling. The objectives of integrating multimedia elements and applying different CSS methods are achieved successfully.