






# **PROJET**

**ENSATE**

par Khalid el mesri & Oussama Nor, dimanche 11 mai 2025


## Contenus

 Informations générales : <b>Projet</b>	<b>3</b>
 Zone #1 : <b>Zone</b>	<b>4</b>
 Instantané #1.1 : <b>#1 May 11, 2025</b>	<b>5</b>

# Informations générales : **Projet**

 Enquêteur :


Khalid el mesri & Oussama Nor

 Entreprise en charge :

ENSATE

 Client :




Dr.Raissouni



 Emplacement :

ENSA

Description du projet :

Planification de wifi

 <b>11 min</b>	 <b>11/05/2025 à 13:27:42</b>	 <b>11/05/2025 à 13:38:50</b>
Durée totale de l'enquête	Commencé	Complété




 Zone(s)	 Instantané(s)	 Points de données
<b>1</b>	<b>1</b>	<b>17</b>

#	Zone	Commencé	Complété	Durée	Instantanés	Points de données
1	<b>Zone</b>	11/05/2025 à 13:27:42	11/05/2025 à 13:38:50	11 min	1	17

# Zone #1 : Zone


 Taille de la carte :

11,07 x 16 m

 <b>11 min</b> Durée totale de l'enquête	 <b>11/05/2025 à 13:27:42</b> Commencé	 <b>11/05/2025 à 13:38:50</b> Complété
--	--	--

 Instantané(s)


**1**

 Points de données

**17**

#	Instantané	Commencé	Complété	Durée	Points de données
1	<a href="#">#1 May 11, 2025</a>	11/05/2025 à 13:27:42	11/05/2025 à 13:38:50	11 min	17

## Instantané #1.1 : #1 May 11, 2025

 Visualisation(s) : **14**



**11 min**

Durée totale de l'enquête



11/05/2025 à 13:27:42

Commencé



11/05/2025 à 13:38:50

Complété



Points de données

**17**

## Visualisation #1.1.1 : Niveau de signal




**-96 dBm**

Niveau de signal minimum



**-10 dBm**

Niveau de signal maximal



-96 dBm

-10 dBm

**i** Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	-46 dBm	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-43 dBm	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-57 dBm	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-83 dBm	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	-44 dBm	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-69 dBm	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-63 dBm	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-87 dBm	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	-42 dBm	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-88 dBm	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-84 dBm	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-60 dBm	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited



#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-92 dBm	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	-61 dBm	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-64 dBm	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-79 dBm	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-67 dBm	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	-41 dBm	Altai Technologies Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	-27 dBm	Altai Technologies Limited


## Visualisation #1.1.2 : Rapport signal/bruit



**0 dB** Rapport signal/bruit minimal



**86 dB** Rapport signal/bruit maximal



0 dB

86 dB



Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**


#	Nom du réseau	BSSID	Canal	PHY	Securité	SNR max	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	10 dB	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	11 dB	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	14 dB	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	7 dB	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	50 dB	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	31 dB	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	53 dB	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	39 dB	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	7 dB	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	13 dB	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	2 dB	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	52 dB	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	6 dB	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	26 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SNR max	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	27 dB	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	11 dB	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	7 dB	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	33 dB	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	9 dB	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	8 dB	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	54 dB	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	8 dB	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	31 dB	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	31 dB	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	12 dB	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	14 dB	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	36 dB	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	26 dB	Cambium Networks Limited
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	6 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SNR max	Fournisseur
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	6 dB	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	10 dB	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	2 dB	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	2 dB	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	4 dB	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	11 dB	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	35 dB	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	32 dB	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	17 dB	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	11 dB	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	29 dB	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	55 dB	Altai Technologies Limited
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	69 dB	Altai Technologies Limited


## Visualisation #1.1.3 : Rapport signal/interférence

 **0 dB** Rapport signal/interférence minimal  **86 dB** Rapport signal/interférence maximal



0 dB

86 dB

 Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**

#	Nom du réseau	BSSID	Canal	PHY	Securité	SIR max	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-46 dB	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-52 dB	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-26 dB	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-41 dB	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-14 dB	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	39 dB	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-1 dB	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-5 dB	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-19 dB	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-31 dB	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-33 dB	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-55 dB	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	35 dB	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-19 dB	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-10 dB	Cambium Networks Limited




#	Nom du réseau	BSSID	Canal	PHY	Securité	SIR max	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-9 dB	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-24 dB	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-22 dB	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-1 dB	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-16 dB	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-28 dB	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	0 dB	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-32 dB	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-44 dB	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-32 dB	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-15 dB	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-24 dB	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-23 dB	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-24 dB	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-31 dB	Cambium Networks Limited
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-58 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SIR max	Fournisseur
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-48 dB	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-49 dB	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-44 dB	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-51 dB	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-26 dB	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-55 dB	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-52 dB	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-42 dB	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	3 dB	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-3 dB	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-9 dB	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-9 dB	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-21 dB	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	18 dB	Altai Technologies Limited
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	20 dB	Altai Technologies Limited

## Visualisation #1.1.4 : Nombre de points d'accès

👍 -70 dBm Niveau de signal minimum



**i** Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	-46 dBm	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-43 dBm	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-57 dBm	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-83 dBm	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	-44 dBm	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited


#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-69 dBm	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-63 dBm	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-87 dBm	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	-42 dBm	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-88 dBm	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-84 dBm	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-60 dBm	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-92 dBm	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	-61 dBm	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-64 dBm	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-79 dBm	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-67 dBm	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	-41 dBm	Altai Technologies Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	-27 dBm	Altai Technologies Limited

## Visualisation #1.1.5 : Couverture de la bande de fréquences

👍 -70 dBm Niveau de signal minimum



2.4 GHz

5 GHz

6 GHz

**i** Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : [/Images/Zone/#1 May 11, 2025](#)



#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	-46 dBm	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-43 dBm	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-57 dBm	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-83 dBm	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	-44 dBm	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited


#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-69 dBm	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-63 dBm	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-87 dBm	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	-42 dBm	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-88 dBm	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-84 dBm	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-60 dBm	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-92 dBm	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	-61 dBm	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-64 dBm	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-79 dBm	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-67 dBm	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	-41 dBm	Altai Technologies Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	-27 dBm	Altai Technologies Limited

## Visualisation #1.1.6 : Couverture du mode PHY (a/b/g/n/ac/ax)

👍 -70 dBm Niveau de signal minimum



**i** Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : [/Images/Zone/#1 May 11, 2025](#)

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	-46 dBm	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-43 dBm	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-57 dBm	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-83 dBm	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	-44 dBm	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-69 dBm	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-63 dBm	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-87 dBm	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	-42 dBm	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-88 dBm	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-84 dBm	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-60 dBm	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited


#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-92 dBm	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	-61 dBm	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-64 dBm	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-79 dBm	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-67 dBm	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	-41 dBm	Altai Technologies Limited



#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	-27 dBm	Altai Technologies Limited

## Visualisation #1.1.7 : Vitesse de téléchargement

👎 **0 Mbps** Vitesse de téléchargement minimale    👍 **100 Mbps** Vitesse de téléchargement maximale




0 Mbps 100 Mbps

#	Nom du réseau	BSSID	Canal	PHY	Securité	Vitesse de téléchargement maximale	Fournisseur
1	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	178 Mbps	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	171 Mbps	Cambium Networks Limited
3	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	73 Mbps	Altai Technologies Limited
4	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	10 Mbps	Altai Technologies Limited

## Visualisation #1.1.8 : Vitesse de chargement

 **0 Mbps** Vitesse minimale de chargement  **100 Mbps** Vitesse maximale de chargement




0 Mbps 100 Mbps

#	Nom du réseau	BSSID	Canal	PHY	Securité	Vitesse maximale de chargement	Fournisseur
1	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	110 Mbps	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	119 Mbps	Cambium Networks Limited
3	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	40 Mbps	Altai Technologies Limited
4	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	21 Mbps	Altai Technologies Limited

## Visualisation #1.1.9 : Taux de transmission sans fil

 **0 Mbps** Taux de transmission minimal  **1000 Mbps** Taux de transmission maximal



0 Mbps 1000 Mbps

#	Nom du réseau	BSSID	Canal	PHY	Securité	Taux de transmission maximal	Fournisseur
1	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	574 Mbps	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	574 Mbps	Cambium Networks Limited
3	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	488 Mbps	Altai Technologies Limited
4	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	574 Mbps	Altai Technologies Limited

## Visualisation #1.1.10 : Problèmes avec SNR




10 dB

Rapport signal/bruit critique



30 dB

Rapport signal/bruit acceptable



Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : [/Images/Zone/#1 May 11, 2025](#)



#	Nom du réseau	BSSID	Canal	PHY	Securité	SNR max	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	10 dB	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	11 dB	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	14 dB	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	7 dB	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	50 dB	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	31 dB	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	53 dB	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	39 dB	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	7 dB	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	13 dB	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	2 dB	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	52 dB	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	6 dB	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	26 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SNR max	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	27 dB	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	11 dB	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	7 dB	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	33 dB	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	9 dB	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	8 dB	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	54 dB	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	8 dB	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	31 dB	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	31 dB	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	12 dB	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	14 dB	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	36 dB	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	26 dB	Cambium Networks Limited
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	6 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SNR max	Fournisseur
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	6 dB	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	10 dB	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	2 dB	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	5 dB	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	2 dB	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	4 dB	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	11 dB	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	35 dB	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	32 dB	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	17 dB	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	11 dB	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	29 dB	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	55 dB	Altai Technologies Limited
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	69 dB	Altai Technologies Limited

## Visualisation #1.1.11 : Faible niveau de signal




**-70 dBm**

Niveau de signal critique



**-40 dBm**

Niveau de signal acceptable



Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	-46 dBm	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-43 dBm	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-57 dBm	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-83 dBm	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	-44 dBm	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-69 dBm	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-85 dBm	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-63 dBm	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-87 dBm	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-89 dBm	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	-42 dBm	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-88 dBm	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-65 dBm	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-84 dBm	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-82 dBm	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-60 dBm	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-70 dBm	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-90 dBm	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-86 dBm	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-91 dBm	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-94 dBm	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-92 dBm	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	-61 dBm	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-64 dBm	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-79 dBm	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-85 dBm	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-67 dBm	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	-41 dBm	Altai Technologies Limited


#	Nom du réseau	BSSID	Canal	PHY	Securité	Niveau de signal maximal	Fournisseur
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	-27 dBm	Altai Technologies Limited



## Visualisation #1.1.12 : Chevauchement des canaux (SIR)

👎 10 dB SIR critique

👍 30 dB SIR acceptable



**i** Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : [/Images/Zone/#1 May 11, 2025](#)

#	Nom du réseau	BSSID	Canal	PHY	Securité	SIR max	Fournisseur
1	Campus Connecte	BC:A9:93:95:5A:30	1 (2.4 GHz)	ax	WPA2-Enterprise	-46 dB	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:95:6B:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-52 dB	Cambium Networks Limited
3	Campus Connecte	BC:A9:93:95:7E:50	64 (5 GHz)	ac/ax	WPA2-Enterprise	-26 dB	Cambium Networks Limited
4	Campus Connecte	BC:A9:93:95:AA:00	6 (2.4 GHz)	ax	WPA2-Enterprise	-41 dB	Cambium Networks Limited
5	Campus Connecte	BC:A9:93:95:C9:40	48 (5 GHz)	ac/ax	WPA2-Enterprise	-14 dB	Cambium Networks Limited
6	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	39 dB	Cambium Networks Limited
7	Campus Connecte	BC:A9:93:97:19:30	40 (5 GHz)	ac/ax	WPA2-Enterprise	-1 dB	Cambium Networks Limited
8	Campus Connecte	BC:A9:93:97:35:10	1 (2.4 GHz)	ax	WPA2-Enterprise	-5 dB	Cambium Networks Limited
9	Campus Connecte	BC:A9:93:97:38:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-19 dB	Cambium Networks Limited
10	Campus Connecte	BC:A9:93:97:3F:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-31 dB	Cambium Networks Limited
11	Campus Connecte	BC:A9:93:97:4A:E0	11 (2.4 GHz)	ax	WPA2-Enterprise	-33 dB	Cambium Networks Limited
12	Campus Connecte	BC:A9:93:97:52:A0	1 (2.4 GHz)	ax	WPA2-Enterprise	-55 dB	Cambium Networks Limited
13	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	35 dB	Cambium Networks Limited
14	Campus Connecte	BC:A9:93:97:60:50	60 (5 GHz)	ac/ax	WPA2-Enterprise	-19 dB	Cambium Networks Limited
15	Campus Connecte	BC:A9:93:97:60:A0	56 (5 GHz)	ac/ax	WPA2-Enterprise	-10 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SIR max	Fournisseur
16	Campus Connecte	BC:A9:93:97:60:B0	44 (5 GHz)	ac/ax	WPA2-Enterprise	-9 dB	Cambium Networks Limited
17	Campus Connecte	BC:A9:93:97:65:40	64 (5 GHz)	ac/ax	WPA2-Enterprise	-24 dB	Cambium Networks Limited
18	Campus Connecte	BC:A9:93:97:67:10	64 (5 GHz)	ac/ax	WPA2-Enterprise	-22 dB	Cambium Networks Limited
19	Campus Connecte	BC:A9:93:97:6D:10	48 (5 GHz)	ac/ax	WPA2-Enterprise	-1 dB	Cambium Networks Limited
20	Campus Connecte	BC:A9:93:97:6E:40	36 (5 GHz)	ac/ax	WPA2-Enterprise	-16 dB	Cambium Networks Limited
21	Campus Connecte	BC:A9:93:97:70:80	36 (5 GHz)	ac/ax	WPA2-Enterprise	-28 dB	Cambium Networks Limited
22	Campus Connecte	BC:A9:93:97:75:60	1 (2.4 GHz)	ax	WPA2-Enterprise	0 dB	Cambium Networks Limited
23	Campus Connecte	BC:A9:93:97:7C:40	11 (2.4 GHz)	ax	WPA2-Enterprise	-32 dB	Cambium Networks Limited
24	Campus Connecte	BC:A9:93:97:7F:90	1 (2.4 GHz)	ax	WPA2-Enterprise	-44 dB	Cambium Networks Limited
25	Campus Connecte	BC:A9:93:97:7F:E0	6 (2.4 GHz)	ax	WPA2-Enterprise	-32 dB	Cambium Networks Limited
26	Campus Connecte	BC:A9:93:97:7F:F0	11 (2.4 GHz)	ax	WPA2-Enterprise	-15 dB	Cambium Networks Limited
27	Campus Connecte	BC:A9:93:97:84:80	11 (2.4 GHz)	ax	WPA2-Enterprise	-24 dB	Cambium Networks Limited
28	Campus Connecte	BC:A9:93:97:86:50	11 (2.4 GHz)	ax	WPA2-Enterprise	-23 dB	Cambium Networks Limited
29	Campus Connecte	BC:A9:93:97:8C:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-24 dB	Cambium Networks Limited
30	Campus Connecte	BC:A9:93:97:8D:80	6 (2.4 GHz)	ax	WPA2-Enterprise	-31 dB	Cambium Networks Limited
31	Campus Connecte	BC:A9:93:97:8F:C0	6 (2.4 GHz)	ax	WPA2-Enterprise	-58 dB	Cambium Networks Limited

#	Nom du réseau	BSSID	Canal	PHY	Securité	SIR max	Fournisseur
32	Campus Connecte	BC:A9:93:97:92:50	6 (2.4 GHz)	ax	WPA2-Enterprise	-48 dB	Cambium Networks Limited
33	Campus Connecte	BC:A9:93:97:94:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-49 dB	Cambium Networks Limited
34	Campus Connecte	BC:A9:93:99:23:40	1 (2.4 GHz)	ax	WPA2-Enterprise	-44 dB	Cambium Networks Limited
35	Campus Connecte	BC:A9:93:A8:0F:30	6 (2.4 GHz)	ax	WPA2-Enterprise	-51 dB	Cambium Networks Limited
36	Campus Connecte	BC:A9:93:A8:D0:A0	11 (2.4 GHz)	ax	WPA2-Enterprise	-26 dB	Cambium Networks Limited
37	Campus Connecte	BC:A9:93:A8:F9:50	1 (2.4 GHz)	ax	WPA2-Enterprise	-55 dB	Cambium Networks Limited
38	Campus Connecte	BC:A9:93:A9:36:70	6 (2.4 GHz)	ax	WPA2-Enterprise	-52 dB	Cambium Networks Limited
39	ENSATE-WIFI	00:19:BE:84:A1:CC	6 (2.4 GHz)	n	WPA2-Personal	-42 dB	Altai Technologies Limited
40	ENSATE-WIFI	00:19:BE:85:25:E0	9 (2.4 GHz)	n	WPA2-Personal	3 dB	Altai Technologies Limited
41	ENSATE-WIFI	00:19:BE:85:25:E2	7 (2.4 GHz)	n	WPA2-Personal	-3 dB	Altai Technologies Limited
42	ENSATE-WIFI	00:19:BE:85:25:E3	13 (2.4 GHz)	n	WPA2-Personal	-9 dB	Altai Technologies Limited
43	ENSATE-WIFI	00:19:BE:85:25:E5	11 (2.4 GHz)	n	WPA2-Personal	-9 dB	Altai Technologies Limited
44	ENSATE-WIFI	00:19:BE:85:25:E8	1 (2.4 GHz)	n	WPA2-Personal	-21 dB	Altai Technologies Limited
45	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	18 dB	Altai Technologies Limited
46	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	20 dB	Altai Technologies Limited

## Visualisation #1.1.13 : Faible taux de téléchargement



**1 Mbps**


Vitesse de téléchargement critique



**10 Mbps**

acceptable

Vitesse de téléchargement



Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**

#	Nom du réseau	BSSID	Canal	PHY	Securité	Vitesse de téléchargement maximale	Fournisseur
1	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	178 Mbps	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	171 Mbps	Cambium Networks Limited
3	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	73 Mbps	Altai Technologies Limited
4	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	10 Mbps	Altai Technologies Limited

## Visualisation #1.1.14 : Faible taux de chargement




**1 Mbps**

Vitesse de chargement critique



**5 Mbps**

Vitesse de chargement acceptable



Cette visualisation a également été exportée individuellement par point d'accès. Vous trouverez tous les rapports individuels dans le dossier suivant : **/Images/Zone/#1 May 11, 2025**

#	Nom du réseau	BSSID	Canal	PHY	Securité	Vitesse maximale de chargement	Fournisseur
1	Campus Connecte	BC:A9:93:97:15:D0	60 (5 GHz)	ac/ax	WPA2-Enterprise	110 Mbps	Cambium Networks Limited
2	Campus Connecte	BC:A9:93:97:56:20	36 (5 GHz)	ac/ax	WPA2-Enterprise	119 Mbps	Cambium Networks Limited
3	ENSATE-WIFI	00:19:BE:85:25:EA	9 (2.4 GHz)	n	WPA2-Personal	40 Mbps	Altai Technologies Limited
4	ENSATE-WIFI	00:19:BE:85:25:EB	3 (2.4 GHz)	n	WPA2-Personal	21 Mbps	Altai Technologies Limited