

Network traffic analysis window showing a list of captured packets and a detailed view of a selected packet (Frame 13).

**Packet List:**

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	107.233.121.111	107.233.121.1	DNS	78	Standard query 0x52d6 A capi.grammarly.com
4	0.016729	107.233.121.1	107.233.121.111	DNS	206	Standard query response 0x52d6 A capi.grammarly.com A 34.196.72.133 A 54.198.114.24 A 3.217.30.202 A 44.214.199.1 A 3.218...
13	0.379993	107.233.121.1	255.255.255.255	UDP	215	32833 → 7437 Len=173
65	1.815719	107.233.121.106	224.0.0.251	MDNS	115	Standard query 0x0000 PTR _companion-link._tcp.local, "QU" question PTR _homekit._tcp.local, "QU" question PTR _rdlink._tc...
66	1.815719	fe80::8eb:5a80:eb85...	ff02::fb	MDNS	135	Standard query 0x0000 PTR _companion-link._tcp.local, "QU" question PTR _homekit._tcp.local, "QU" question PTR _rdlink._tc...
67	2.020743	94.97.229.49	107.233.121.111	UDP	108	443 → 58072 Len=66
73	2.847944	107.233.121.106	224.0.0.251	MDNS	115	Standard query 0x0000 PTR _companion-link._tcp.local, "QM" question PTR _homekit._tcp.local, "QM" question PTR _rdlink._tc...
74	2.847944	fe80::8eb:5a80:eb85...	ff02::fb	MDNS	135	Standard query 0x0000 PTR _companion-link._tcp.local, "QM" question PTR _homekit._tcp.local, "QM" question PTR _rdlink._tc...
76	3.453921	107.233.121.1	255.255.255.255	UDP	215	32833 → 7437 Len=173
83	4.290002	107.233.121.1	239.255.255.250	SSDP	308	NOTIFY * HTTP/1.1
84	4.477591	107.233.121.1	239.255.255.250	SSDP	317	NOTIFY * HTTP/1.1
85	4.497105	107.233.121.1	239.255.255.250	SSDP	380	NOTIFY * HTTP/1.1
86	4.681657	107.233.121.1	239.255.255.250	SSDP	372	NOTIFY * HTTP/1.1
87	4.707401	107.233.121.1	239.255.255.250	SSDP	317	NOTIFY * HTTP/1.1
88	4.887018	107.233.121.1	239.255.255.250	SSDP	356	NOTIFY * HTTP/1.1
89	4.913867	107.233.121.1	239.255.255.250	SSDP	388	NOTIFY * HTTP/1.1
91	5.046013	107.233.121.1	239.255.255.250	SSDP	317	NOTIFY * HTTP/1.1

**Frame 13: 215 bytes on wire (1720 bits), 215 bytes captured (1720 bits) on interface \Device\NPF\_{E25...}**

**Ethernet II, Src: TpLinkTechno\_ec:05:aa (30:b5:c2:ec:05:aa), Dst: Broadcast (ff:ff:ff:ff:ff:ff)**

**Internet Protocol Version 4, Src: 107.233.121.1, Dst: 255.255.255.255**

**User Datagram Protocol, Src Port: 32833, Dst Port: 7437**

**Source Port: 32833**

**Destination Port: 7437**

**Length: 181**

**Checksum: 0x97a4 [unverified]**

**[Checksum Status: Unverified]**

**[Stream Index: 1]**

**[Stream Packet Number: 1]**

**[Timestamps]**

**UDP payload (173 bytes)**

**Data (173 bytes)**

**Hex Data:**

```
0000 ff ff ff ff ff ff 30 b5 c2 ec 05 aa 08 00 45 00 .....0:.....E-
0010 00 c9 00 00 40 00 40 11 55 3a 6b e9 79 01 ff ff ....@:@:U:k.y..
0020 ff ff 80 41 1d 0d 00 b5 97 a4 4b 41 4e 4e 4f 55 ...A.....KANIOU
0030 25 4e 00 00 00 00 00 30 b5 c2 ec 05 aa 41 72 63 %N.....0....Arc
0040 68 65 72 20 43 37 20 76 32 00 00 00 00 41 72 63 her C7 v 2....Arc
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0080 00 31 2e 30 32 2e 36 35 2e 00 00 00 00 00 00 00 ..1.02.65.....
0090 00 00 00 00 00 00 00 00 01 00 00 00 01 00 00 02 .....
00a0 00 00 00 02 00 00 00 00 00 00 00 00 00 00 00 00 .....
00b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
```

tcp						
No.	Time	Source	Destination	Protocol	Length	Info
94	7.361898	107.233.121.111	149.154.167.99	TCP	54	52214 → 443 [ACK] Seq=4772 Ack=22132 Win=513 Len=0
95	7.373672	149.154.167.99	107.233.121.111	TCP	68	443 → 52392 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1412 SACK_PERM WS=1024
96	7.373791	107.233.121.111	149.154.167.99	TCP	54	52392 → 443 [ACK] Seq=1 Ack=1 Win=66304 Len=0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

udp

No.	Time	Source	Destination	Protocol	Length	Info
27119	337.420339	107.233.121.1	239.255.255.250	SSDP	372	NOTIFY * HTTP/1.1
27120	337.646413	107.233.121.1	239.255.255.250	SSDP	382	NOTIFY * HTTP/1.1
27133	339.797393	107.233.121.1	255.255.255.255	UDP	215	32833 → 7437 Len=173
27151	340.588254	107.233.121.111	107.233.121.1	DNS	72	Standard query 0x19fa A www.bing.com
27156	340.635699	107.233.121.1	107.233.121.111	DNS	337	Standard query response 0x19fa A www.bing.com CNAME www-www.bing.com.trafficmanager.net CNAME www.bing.com.edgekey.net CNA..
27157	340.638844	107.233.121.111	94.97.231.170	QUIC	1292	Initial, DCID=eeb5d955fe00cdd6, PKN: 1, CRYPTO
27158	340.638996	107.233.121.111	94.97.231.170	QUIC	1292	Initial, DCID=eeb5d955fe00cdd6, PKN: 2, PADDING, CRYPTO, PADDING, CRYPTO, PING, PADDING, CRYPTO, PADDING, CRYPTO, PING, CR..
27159	340.659613	94.97.231.170	107.233.121.111	QUIC	1292	Initial, SCID=0a0c70100880d520, PKN: 1, ACK, PADDING
27160	340.659613	94.97.231.170	107.233.121.111	QUIC	1292	Initial, SCID=0a0c70100880d520, PKN: 2, CRYPTO, PADDING

> Frame 27133: 215 bytes on wire (1720 bits), 215 bytes captured (1720 bits) on interface \Device\NPF\_{...}

> Ethernet II, Src: TplinkTechno\_ec:05:aa (30:b5:c2:ec:05:aa), Dst: Broadcast (ff:ff:ff:ff:ff:ff)

> Internet Protocol Version 4, Src: 107.233.121.1, Dst: 255.255.255.255

> User Datagram Protocol, Src Port: 32833, Dst Port: 7437

Source Port: 32833

Destination Port: 7437

Length: 181

Checksum: 0x97a4 [Unverified]

[Checksum Status: Unverified]

[Stream index: 1]

[Stream Packet Number: 100]

> [Timestamps]

UDP payload (173 bytes)

> Data (173 bytes)

0000 ff ff ff ff ff ff 30 b5 c2 ec 05 aa 08 00 45 00 .....0-.....E-

0010 00 c9 00 00 40 00 40 11 55 3a 6b e9 79 01 ff ff ...@-@- U:k:y...

0020 ff ff 80 41 1d 0d 00 b5 97 a4 4b 41 4e 4e 4f 55 ...A-...-KANNNOU

0030 25 4e 00 00 00 00 00 30 b5 c2 ec 05 aa 41 72 63 %N-...0-...Arc

0040 68 65 72 20 43 37 20 76 32 00 00 00 00 41 72 63 her C7 v 2-...Arc

0050 68 65 72 20 43 37 20 76 32 00 00 00 00 00 00 00 her C7 v 2-...Arc

0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....0-.....E-

0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....0-.....E-

0080 00 31 2e 30 32 2e 36 35 2e 00 00 00 00 00 00 00 ..1.02.65,.....

0090 00 00 00 00 00 00 00 01 00 00 00 01 00 00 00 02 .....0-.....E-

00a0 00 00 00 02 00 00 00 00 00 00 00 00 00 00 00 .....0-.....E-

00b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....0-.....E-

00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....0-.....E-

00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....0-.....E-

