

Badge

<https://playdocs1.orangeriver-ad055946.westus2.azurecontainerapps.io/play-docs/docs/ui-components/Display/Badge>

Badge

A smart notification badge component for displaying counts, status indicators, and priority levels. Features intelligent number formatting (9+, 99+, 999+), multiple size variants including dots, semantic color states, and comprehensive accessibility support for enhanced user communication.

How to use

```
import { AavaBadgesComponent } from "@aava/play-core";
```

```
import { AavaBadgesComponent } from "@aava/play-core";
```

Basic Usage

Simple badge implementations with counts and basic styling.

```
<aava-badges [count]="5" [state]='neutral' [size]='md' (click)="onBadgeClick($event)"
(keydown.enter)="onBadgeKeyPress($event)" (keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button"
aria-label="Badge with count 5"></aava-badges><aava-badges [count]="3" [state]='high-priority' [size]='md'
(click)="onBadgeClick($event)" (keydown.enter)="onBadgeKeyPress($event)"
(keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button" aria-label="Badge with count 3"></aava-
badges><aava-badges [count]="12" [state]='low-priority' [size]='md' (click)="onBadgeClick($event)"
(keydown.enter)="onBadgeKeyPress($event)" (keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button"
aria-label="Badge with count 12"></aava-badges><aava-badges [count]="8" [state]='information' [size]='md'
(click)="onBadgeClick($event)" (keydown.enter)="onBadgeKeyPress($event)"
(keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button" aria-label="Badge with count 8"></aava-
badges>
```

```
<aava-badges [count]="5" [state]='neutral' [size]='md' (click)="onBadgeClick($event)"
(keydown.enter)="onBadgeKeyPress($event)" (keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button"
aria-label="Badge with count 5"></aava-badges><aava-badges [count]="3" [state]='high-priority' [size]='md'
(click)="onBadgeClick($event)" (keydown.enter)="onBadgeKeyPress($event)"
(keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button" aria-label="Badge with count 3"></aava-
badges><aava-badges [count]="12" [state]='low-priority' [size]='md' (click)="onBadgeClick($event)"
(keydown.enter)="onBadgeKeyPress($event)" (keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button"
aria-label="Badge with count 12"></aava-badges><aava-badges [count]="8" [state]='information' [size]='md'
(click)="onBadgeClick($event)" (keydown.enter)="onBadgeKeyPress($event)"
(keydown.space)="onBadgeKeyPress($event)" tabindex="0" role="button" aria-label="Badge with count 8"></aava-
badges>
```

```
onBadgeClick(event: Event): void { console.log('Badge clicked:', event); } onBadgeKeyPress(event: Event):
void { console.log('Badge key pressed:', event); }
```

```
onBadgeClick(event: Event): void { console.log('Badge clicked:', event); } onBadgeKeyPress(event: Event):
void { console.log('Badge key pressed:', event); }
```

Sizes

Four size variants to fit different interface requirements and visual hierarchy.

```
<aava-badges [count]="1" [state]='high-priority' [size]='xs' (click)="onBadgeClick($event)" tabindex="0"
role="button" aria-label="Badge with count 1 and xs size"></aava-badges><aava-badges [count]="5"
[state]='medium-priority' [size]='sm' (click)="onBadgeClick($event)" tabindex="0" role="button" aria-
label="Badge with count 5 and sm size"></aava-badges><aava-badges [count]="15" [state]='low-priority'
[size]='md' (click)="onBadgeClick($event)" tabindex="0" role="button" aria-label="Badge with count 15 and md
size"></aava-badges><aava-badges [count]="99" [state]='information' [size]='lg'
(click)="onBadgeClick($event)" tabindex="0" role="button" aria-label="Badge with count 99 and lg size"></aava-
badges>
```

```
<aava-badges [count]="1" [state]='high-priority' [size]='xs' (click)="onBadgeClick($event)" tabindex="0"
role="button" aria-label="Badge with count 1 and xs size"></aava-badges><aava-badges [count]="5"
```

```
[state]="medium-priority'" [size]='sm'" (click)="onBadgeClick($event)" tabindex="0" role="button" aria-label="Badge with count 5 and sm size"></aava-badges><aava-badges [count]="15" [state]='low-priority'" [size]='md'" (click)="onBadgeClick($event)" tabindex="0" role="button" aria-label="Badge with count 15 and md size"></aava-badges><aava-badges [count]="99" [state]='information'" [size]='lg'" (click)="onBadgeClick($event)" tabindex="0" role="button" aria-label="Badge with count 99 and lg size"></aava-badges>
```

```
onBadgeClick(event: Event): void { console.log('Badge clicked:', event); }
```

```
onBadgeClick(event: Event): void { console.log('Badge clicked:', event); }
```

Available Sizes

- xs (Extra Small)- Minimal size for very dense interfaces and subtle indicators
- sm (Small)- Compact for dense interfaces and subtle indicators
- md (Medium)- Standard size for most use cases (default)
- lg (Large)- Prominent for important notifications and better accessibility

Variants

Three variant types to serve different use cases.

```
<div class="badge-row"> <aava-badges state="high-priority" size="lg" [count]="9"></aava-badges> <aava-badges state="high-priority" size="md" [count]="9"></aava-badges> <aava-badges state="high-priority" size="sm" [count]="9"></aava-badges> <aava-badges state="high-priority" size="xs" [count]="9"></aava-badges> </div>
<div class="badge-row"> <aava-badges state="medium-priority" size="lg" iconName="clock" iconColor="white" [iconSize]="14" ></aava-badges> <aava-badges state="medium-priority" size="md" iconName="clock" iconColor="white" [iconSize]="12" ></aava-badges> <aava-badges state="medium-priority" size="sm" iconName="clock" iconColor="white" [iconSize]="10" ></aava-badges> <aava-badges state="medium-priority" size="xs" iconName="clock" iconColor="white" [iconSize]="8" ></aava-badges> </div>
<div class="badge-row"> <aava-badges state="low-priority" size="lg" variant="dots"></aava-badges> <aava-badges state="low-priority" size="md" variant="dots"></aava-badges> <aava-badges state="low-priority" size="sm" variant="dots"></aava-badges> </div>
```

```
<div class="badge-row"> <aava-badges state="high-priority" size="lg" [count]="9"></aava-badges> <aava-badges state="high-priority" size="md" [count]="9"></aava-badges> <aava-badges state="high-priority" size="sm" [count]="9"></aava-badges> <aava-badges state="high-priority" size="xs" [count]="9"></aava-badges> </div>
<div class="badge-row"> <aava-badges state="medium-priority" size="lg" iconName="clock" iconColor="white" [iconSize]="14" ></aava-badges> <aava-badges state="medium-priority" size="md" iconName="clock" iconColor="white" [iconSize]="12" ></aava-badges> <aava-badges state="medium-priority" size="sm" iconName="clock" iconColor="white" [iconSize]="10" ></aava-badges> <aava-badges state="medium-priority" size="xs" iconName="clock" iconColor="white" [iconSize]="8" ></aava-badges> </div>
<div class="badge-row"> <aava-badges state="low-priority" size="lg" variant="dots"></aava-badges> <aava-badges state="low-priority" size="md" variant="dots"></aava-badges> <aava-badges state="low-priority" size="sm" variant="dots"></aava-badges> </div>
```

Available Variants

- Default
- Icon
- Dots

Accessibility

Built-in accessibility features ensuring inclusive user experience.

Accessibility Features

- Keyboard Navigation: Tab navigation and keyboard activation
- Screen Reader Support: Semantic HTML and ARIA attributes
- Focus Indicators: Clear visual focus states for navigation

- Color Independence: Information conveyed beyond color alone
- High Contrast: Enhanced visibility in high contrast modes
- Descriptive Content: Meaningful count and status information

API Reference

Inputs

Property	Type	Default	Description
state	'high-priority' 'medium-priority' 'low-priority' 'neutral' 'information' 'online' 'offline' 'neutral'		Semantic state determining badge color
size	'lg' 'md' 'sm' 'xs' 'md'		Size variant of the badge
variant	'default' 'dots'	'default'	Visual variant of the badge
count	number	undefined	Number to display (smart formatting applied)
iconName	string	undefined	Name of icon to display (from ava-icon)
iconColor	string	'white'	Custom color for the icon
iconSize	number	undefined	Size of the icon in pixels
customStyles			Record
state			
'high-priority' 'medium-priority' 'low-priority' 'neutral' 'information' 'online' 'offline'			
'neutral'			
size			
'lg' 'md' 'sm' 'xs'			
'md'			
variant			
'default' 'dots'			
'default'			
count			
number			
undefined			
iconName			
string			
undefined			
iconColor			
string			
'white'			
iconSize			

number
undefined
customStyles
Record<string, string>

Properties

Property	Type	Description
displayCount	string	Formatted count string (includes 9+, 99+, etc.)
badgeClasses	string	Computed CSS classes for badge styling
hasContent	boolean	Whether badge has count or icon content
isDots	boolean	Whether badge is dots variant
isSingleDigit	boolean	Whether count is a single digit (0-9)
displayCount		
string		
badgeClasses		
string		
hasContent		
boolean		
isDots		
boolean		
isSingleDigit		
boolean		

Methods

Method	Parameters	Return Type	Description
onKeyPress()	-	void	Handle keyboard interaction (Enter/Space)
onKeyPress()			
void			

CSS Custom Properties

Property	Description
--badge-font	Font for badge text
--badge-weight	Font weight for badge text
--badge-line-height	Line height for badge text
--badge-border-radius	Border radius for badge
--badge-padding	Padding inside badge
--badge-display	CSS display property for badge
--badge-align-items	Vertical alignment of badge content
--badge-justify-content	Horizontal alignment of badge content

```
--badge-gap | Gap between badge elements
--badge-default-background | Background color for neutral state
--badge-default-text | Text color for neutral state
--badge-default-border | Border for neutral state
--badge-primary-background | Background color for primary state
--badge-primary-text | Text color for primary state
--badge-primary-border | Border for primary state
--badge-secondary-background | Background color for secondary state
--badge-secondary-text | Text color for secondary state
--badge-secondary-border | Border for secondary state
--badge-success-background | Background color for success state
--badge-success-text | Text color for success state
--badge-success-border | Border for success state
--badge-warning-background | Background color for warning state
--badge-warning-text | Text color for warning state
--badge-warning-border | Border for warning state
--badge-error-background | Background color for error state
--badge-error-text | Text color for error state
--badge-error-border | Border for error state
--badge-info-background | Background color for information state
--badge-info-text | Text color for information state
--badge-info-border | Border for information state
--badge-online-background | Background color for online state
--badge-offline-background | Background color for offline state
--badge-size-xs-min-width | Minimum width for extra small badge
--badge-size-xs-height | Height for extra small badge
--badge-size-sm-font | Font for small badge
--badge-size-sm-padding | Padding for small badge
--badge-size-sm-min-width | Minimum width for small badge
--badge-size-sm-height | Height for small badge
--badge-size-md-font | Font for medium badge
--badge-size-md-padding | Padding for medium badge
--badge-size-md-min-width | Minimum width for medium badge
--badge-size-md-height | Height for medium badge
--badge-size-lg-font | Font for large badge
--badge-size-lg-padding | Padding for large badge
--badge-size-lg-min-width | Minimum width for large badge
--badge-size-lg-height | Height for large badge
--badge-solid-background | Background color for solid variant
--badge-solid-text | Text color for solid variant
--badge-solid-border | Border for solid variant
--badge-outline-background | Background color for outline variant
--badge-outline-text | Text color for outline variant
--badge-outline-border | Border for outline variant
--badge-ghost-background | Background color for ghost variant
--badge-ghost-text | Text color for ghost variant
--badge-ghost-border | Border for ghost variant
--badge-dot-size | Size of dot indicator
--badge-dot-border-radius | Border radius for dot (circle)
--badge-dot-margin-right | Margin right for dot
--badge-icon-size | Default size for icons
--badge-icon-color | Default icon color
--badge-icon-margin-right | Margin right for icons
--badge-counter-background | Background color for counter badges
--badge-counter-text | Text color for counter badges
--badge-counter-font | Font for counter badges
--badge-counter-min-width | Minimum width for counter badges
--badge-counter-height | Height for counter badges
--badge-counter-border-radius | Border radius for counter badges
--badge-counter-padding | Padding for counter badges
--badge-font-family | Font family for badge text
```

```
--badge-font
```

```
--badge-weight
```

```
--badge-line-height
```

```
--badge-border-radius
```

```
--badge-padding
```

```
--badge-display
```

```
--badge-align-items
```

--badge-justify-content

--badge-gap

--badge-default-background

--badge-default-text

--badge-default-border

--badge-primary-background

--badge-primary-text

--badge-primary-border

--badge-secondary-background

--badge-secondary-text

--badge-secondary-border

--badge-success-background

--badge-success-text

--badge-success-border

--badge-warning-background

--badge-warning-text

--badge-warning-border

--badge-error-background

--badge-error-text

--badge-error-border

--badge-info-background

--badge-info-text

--badge-info-border

--badge-online-background

--badge-offline-background

--badge-size-xs-min-width

--badge-size-xs-height

--badge-size-sm-font

--badge-size-sm-padding

--badge-size-sm-min-width

--badge-size-sm-height

--badge-size-md-font

--badge-size-md-padding

--badge-size-md-min-width

--badge-size-md-height

--badge-size-lg-font

--badge-size-lg-padding

--badge-size-lg-min-width

--badge-size-lg-height

--badge-solid-background

--badge-solid-text

--badge-solid-border

--badge-outline-background

--badge-outline-text

--badge-outline-border

--badge-ghost-background

--badge-ghost-text

--badge-ghost-border

--badge-dot-size

--badge-dot-border-radius

--badge-dot-margin-right

--badge-icon-size

--badge-icon-color

```
--badge-icon-margin-right
```

```
--badge-counter-background
```

```
--badge-counter-text
```

```
--badge-counter-font
```

```
--badge-counter-min-width
```

```
--badge-counter-height
```

```
--badge-counter-border-radius
```

```
--badge-counter-padding
```

```
--badge-font-family
```

Best Practices

Design Guidelines

- Use high-priority for urgent notifications requiring immediate attention
- Choose appropriate sizes based on interface density and importance
- Prefer neutral state for simple count displays
- Use dots variant for minimal status indicators without text
- Use icons for status indicators rather than counts
- Consider badge placement to avoid blocking important content

Accessibility

- Ensure badges convey information beyond color alone
- Provide meaningful text content for screen readers
- Use appropriate state colors that meet contrast requirements
- Test keyboard navigation thoroughly
- Consider announcing dynamic count changes to screen readers

Performance

- Avoid frequent count updates that trigger excessive re-renders
- Use OnPush change detection strategy for optimal performance
- Consider debouncing rapid count changes
- Cache computed properties for better performance

Technical Notes

Automatic Expansion

The badge automatically expands its width when displaying multi-character content (like "99+" or "999+") while maintaining circular dimensions for single characters.

Icon vs Count Priority

When both `iconName` and `count` are provided, the count takes priority and the icon is not displayed. Use separate badges for icon + count combinations.

```
iconName
```

```
count
```

Dots Variant

The dots variant creates simple circular indicators without text content. It's ideal for status indicators, online/offline states, or any minimal visual cue that doesn't require text.

Keyboard Interaction

Badges with `tabindex="0"` can receive keyboard focus and respond to Enter and Space key presses for custom interactions.

Component Selector

The component uses the selector `ava-badges(plural)` for consistency with the component library naming convention.

```
ava-badges
```