

# Lagalt API

## Overview

An ASP.NET Core Web API for managing collaborative projects and related data models.

## Paths

***GET* /api/applications** Gets all applications in the database.

*Responses*

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

***POST* /api/applications** Add an application to the database.

*Responses*

Code	Description	Links
201	Success  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/applications/{id}** Gets a specific application from the database by its ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Application ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **PUT /api/applications/{id}** Updates an application in the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Application ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

***DELETE* /api/applications/{id}** Deletes an application from the database by ID.

*Parameters*

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Application ID	integer (int32)

*Responses*

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

***PUT* /api/applications/{id}/approve** Updates the approval status of an application in the database by ID.

*Parameters*

Type	Name	Description	Schema
path	id <i>required</i>	Application ID	integer (int32)

#### Responses

Code	Description	Links
200	Success	No Links

## **GET /api/images** Get all images in the database.

#### Responses

Code	Description	Links
200	Success  <i>Content</i> application/json	No Links

## **POST /api/images** Add an image to the database.

#### Responses

Code	Description	Links
201	Success  <i>Content</i> application/json	No Links
400	Bad Request  <i>Content</i> application/json	No Links
default	Error  <i>Content</i> application/json	No Links

## **GET /api/images/{id}** Gets a specific image from the database by ID.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Image ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **PUT** **/api/images/{id}** Update an image in the database by ID.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>	Image ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/images/{id}** Delete an image by ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Image ID	integer (int32)

### Responses

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***GET* /api/links** Get all links in the database.

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

## ***POST* /api/links** Add a link to the database.

### Responses

Code	Description	Links
200	Success	No Links

## ***GET* /api/links/{id}** Get a specific link from the database by ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Link ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/links/{id}** Update a link in the database.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Link ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/links/{id}** Delete a link in the database.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Link ID	integer (int32)

### Responses

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***GET* /api/messages** Get all messages from the database.

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

## ***POST* /api/messages** Adds a message to the database.

### Responses



Code	Description	Links
200	Success	No Links

## ***GET* /api/messages/{id}** Get a specific message from the database.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Message ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/messages/{id}** Update a message in the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Message ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

***DELETE* /api/messages/{id}** Deletes a message from the database by ID.

*Parameters*

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Message ID	integer (int32)

*Responses*

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

***GET* /api/portfolios** Get all portfolios from the database.

*Responses*

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

## **POST /api/portfolios** Add a portfolio to the database.

### Responses

Code	Description	Links
201	Success  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/portfolios/{id}** Get a specific portfolio by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Portfolio ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/portfolios/{id}** Update a portfolio in the database by ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Portfolio ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/portfolios/{id}** Delete a portfolio from the database by ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Portfolio ID	integer (int32)

### Responses

Code	Description	Links
200	Success	No Links

Code	Description	Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/projects** Get all projects from the database.

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

## **POST /api/projects** Add a project to the database.

### Responses

Code	Description	Links
200	Success	No Links

## **GET /api/projects/{id}** Get a specific project from the database by ID.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>	Project ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/projects/{id}** Update a project in the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Project ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/projects/{id}** Delete a project from the database by ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Project ID	integer (int32)

#### Responses

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

***GET* /api/projects/{id}/notapproved** Get all application in a project that have not been approved yet from the database by project ID.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Project ID	integer (int32)

#### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/projects/{id}/contributors** Add a contributor to project

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Project ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***GET* /api/projects/skill** Gets projects from the database and orders them by which matches the user's skills the most.

### Parameters

Type	Name	Description	Schema
query	<b>id</b> <i>optional</i>	User ID	string

### Responses

Code	Description	Links
------	-------------	-------



Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET** **/api/skills** Get all skills in the database.

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

## **POST** **/api/skills** Add a skill to the database.

### Responses

Code	Description	Links
200	Success	No Links

## **GET** **/api/skills/{id}** Get a specific skill from the database by ID.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>	Skill ID	integer (int32)

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/skills/{id}** Update a skill in the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Skill ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/skills/{id}** Delete a skill from the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Skill ID	integer (int32)

#### Responses

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

### **GET** **/api/tags** Get all tags from the database.

#### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

### **POST** **/api/tags** Add a tag to the database.

#### Responses

Code	Description	Links
200	Success	No Links

### **GET** **/api/tags/{id}** Get a specific tag from the database by ID.

#### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	Tag ID	integer (int32)

#### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/tags/{id}** Update a tag in the database by ID.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>	Tag ID	integer (int32)

### Responses

Code	Description	Links
204	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/tags/{id}** Delete a tag from the database by ID.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>	Tag ID	integer (int32)

#### Responses

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET** **/api/users** Get all users in the database.

#### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links

## **POST** **/api/users** Add a user to the database.

#### Responses

Code	Description	Links
201	Success  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links

Code	Description	Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***GET* /api/users/{id}** Get a specific user from the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	User ID	string

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***PUT* /api/users/{id}** Update a user in the database by ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	User ID	string

### Responses

Code	Description	Links
204	Success	No Links

Code	Description	Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## ***DELETE* /api/users/{id}** Delete a user from the database by ID.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>	User ID	string

### Responses

Code	Description	Links
200	Success	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
400	Bad Request  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/users/{id}/applications** Get a users applications by the User ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	User ID	string

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/users/{id}/projects** Get a user's projects by the User ID.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>	User ID	string

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links



Code	Description	Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/users/{id}/OwnedProjects** Get project owned by a specific user by the User ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	User ID	string

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

## **GET /api/users/{id}/portfolio** Get a user's portfolio by User ID.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>	User ID	string

### Responses

Code	Description	Links
200	Success  <i>Content</i> <b>application/json</b>	No Links
404	Not Found  <i>Content</i> <b>application/json</b>	No Links
default	Error  <i>Content</i> <b>application/json</b>	No Links

# Components

## Schemas

### Application

#### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
motivation <i>optional</i>	<i>nullable</i>	string
approvalStatus <i>optional</i>		boolean
userId <i>optional</i>	<i>nullable</i>	string
user <i>optional</i>		<a href="#">User</a>
projectId <i>optional</i>	<i>nullable</i>	integer (int32)
project <i>optional</i>		<a href="#">Project</a>

### ApplicationDTO

#### Properties

Name	Description	Schema
motivation <i>optional</i>	<i>nullable</i>	string

Name	Description	Schema
approvalStatus <i>optional</i>		boolean
userName <i>optional</i>	<i>nullable</i>	string
projectTitle <i>optional</i>	<i>nullable</i>	string

## ApplicationPostDTO

### Properties

Name	Description	Schema
motivation <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>	<i>nullable</i>	string
projectId <i>optional</i>		integer (int32)

## ApplicationPutDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
motivation <i>optional</i>	<i>nullable</i>	string
approvalStatus <i>optional</i>		boolean
userId <i>optional</i>		integer (int32)
projectId <i>optional</i>		integer (int32)

## ApplicationsInUserDto

### Properties

Name	Description	Schema
approvalStatus <i>optional</i>		boolean
projectId <i>optional</i>		integer (int32)

## Image

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
description <i>optional</i>	<i>nullable</i>	string
url <i>optional</i>	<i>nullable</i>	string
projectId <i>optional</i>		integer (int32)
project <i>optional</i>		<a href="#">Project</a>

## ImageDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
description <i>optional</i>	<i>nullable</i>	string
url <i>optional</i>	<i>nullable</i>	string
projectId <i>optional</i>		integer (int32)
project <i>optional</i>		<a href="#">Project</a>

## ImagePostDTO

### Properties

Name	Description	Schema
description <i>optional</i>	<i>nullable</i>	string
url <i>optional</i>	<i>nullable</i>	string
projectId <i>optional</i>		integer (int32)

## ImagePutDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
description <i>optional</i>	<i>nullable</i>	string
url <i>optional</i>	<i>nullable</i>	string
projectId <i>optional</i>		integer (int32)
project <i>optional</i>		<a href="#">Project</a>

Name	Description	Schema
id <i>optional</i>		integer (int32)
description <i>optional</i>	<i>nullable</i>	string
url <i>optional</i>	<i>nullable</i>	string
projectId <i>optional</i>		integer (int32)

## Link

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
url <i>optional</i>	<i>nullable</i>	string
project <i>optional</i>		<a href="#">Project</a>

## LinkDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
url <i>optional</i>	<i>nullable</i>	string

## LinkPostDto

### Properties

Name	Description	Schema
url <i>optional</i>	<i>nullable</i>	string

## LinkPutDto

### Properties

Name	Description	Schema
url <i>optional</i>	<i>nullable</i>	string

## Message

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
doc <i>optional</i>		string (date-time)
text <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>	<i>nullable</i>	string
user <i>optional</i>		<a href="#">User</a>
projectId <i>optional</i>		integer (int32)
project <i>optional</i>		<a href="#">Project</a>

## MessageDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
doc <i>optional</i>		string (date-time)
text <i>optional</i>	<i>nullable</i>	string
user <i>optional</i>		integer (int32)

## MessagePostDto

### Properties

Name	Description	Schema
text <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>		integer (int32)

## MessagePutDto

### Properties

Name	Description	Schema
text <i>optional</i>	<i>nullable</i>	string

## Portfolio

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)

Name	Description	Schema
description <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>	<i>nullable</i>	string
user <i>optional</i>		<a href="#">User</a>
projects <i>optional</i>	<i>nullable</i>	< <a href="#">Project</a> > array

## PortfolioDTO

### Properties

Name	Description	Schema
description <i>optional</i>	<i>nullable</i>	string
projects <i>optional</i>	<i>nullable</i>	< <a href="#">ProjectDto</a> > array

## PortfolioPostDTO

### Properties

Name	Description	Schema
description <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>		integer (int32)
projectId <i>optional</i>	<i>nullable</i>	integer (int32)

## PortfolioPutDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
description <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>		integer (int32)
projectId <i>optional</i>	<i>nullable</i>	integer (int32)

## ProblemDetails

### Properties

Name	Description	Schema
type <i>optional</i>	<i>nullable</i>	string
title <i>optional</i>	<i>nullable</i>	string
status <i>optional</i>	<i>nullable</i>	integer (int32)
detail <i>optional</i>	<i>nullable</i>	string
instance <i>optional</i>	<i>nullable</i>	string

## Project

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
field <i>optional</i>	<i>nullable</i>	string
title <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
caption <i>optional</i>	<i>nullable</i>	string
doc <i>optional</i>		string (date-time)
progress <i>optional</i>	<i>nullable</i>	string
owner <i>optional</i>		<a href="#">User</a>
userId <i>optional</i>	<i>nullable</i>	string
contributors <i>optional</i>	<i>nullable</i>	< <a href="#">User</a> > array
images <i>optional</i>	<i>nullable</i>	< <a href="#">Image</a> > array
tags <i>optional</i>	<i>nullable</i>	< <a href="#">Tag</a> > array
skills <i>optional</i>	<i>nullable</i>	< <a href="#">Skill</a> > array
portfolio <i>optional</i>	<i>nullable</i>	< <a href="#">Portfolio</a> > array
applications <i>optional</i>	<i>nullable</i>	< <a href="#">Application</a> > array
messages <i>optional</i>	<i>nullable</i>	< <a href="#">Message</a> > array
links <i>optional</i>	<i>nullable</i>	< <a href="#">Link</a> > array



## ProjectDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
field <i>optional</i>	<i>nullable</i>	string
title <i>optional</i>	<i>nullable</i>	string
caption <i>optional</i>	<i>nullable</i>	string
progress <i>optional</i>	<i>nullable</i>	string
owner <i>optional</i>	<i>nullable</i>	string
tags <i>optional</i>	<i>nullable</i>	< string > array
skills <i>optional</i>	<i>nullable</i>	< string > array
imageUrls <i>optional</i>	<i>nullable</i>	< string > array

## ProjectOneDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
field <i>optional</i>	<i>nullable</i>	string
title <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
caption <i>optional</i>	<i>nullable</i>	string
progress <i>optional</i>	<i>nullable</i>	string
tags <i>optional</i>	<i>nullable</i>	< string > array
skills <i>optional</i>	<i>nullable</i>	< string > array
linkUrls <i>optional</i>	<i>nullable</i>	< string > array
owner <i>optional</i>	<i>nullable</i>	string
contributors <i>optional</i>	<i>nullable</i>	< string > array
imageUrls <i>optional</i>	<i>nullable</i>	< string > array

## ProjectPostDto

### Properties

Name	Description	Schema
field <i>optional</i>	<i>nullable</i>	string
title <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
caption <i>optional</i>	<i>nullable</i>	string
progress <i>optional</i>	<i>nullable</i>	string
owner <i>optional</i>	<i>nullable</i>	string
tags <i>optional</i>	<i>nullable</i>	< string > array
skills <i>optional</i>	<i>nullable</i>	< string > array
imageUrls <i>optional</i>	<i>nullable</i>	< string > array
links <i>optional</i>	<i>nullable</i>	< string > array

## ProjectPutDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
field <i>optional</i>	<i>nullable</i>	string
title <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
caption <i>optional</i>	<i>nullable</i>	string
progress <i>optional</i>	<i>nullable</i>	string
tags <i>optional</i>	<i>nullable</i>	< string > array
skills <i>optional</i>	<i>nullable</i>	< string > array
imageUrls <i>optional</i>	<i>nullable</i>	< string > array
links <i>optional</i>	<i>nullable</i>	< string > array
usersContributed <i>optional</i>	<i>nullable</i>	< string > array

## PutContributorProjectDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
contributor <i>optional</i>	<i>nullable</i>	< string > array

## Skill

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string
users <i>optional</i>	<i>nullable</i>	< <a href="#">User</a> > array
projects <i>optional</i>	<i>nullable</i>	< <a href="#">Project</a> > array

## SkillDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string

## SkillPostDto

### Properties

Name	Description	Schema
name <i>optional</i>	<i>nullable</i>	string

## SkillPutDto

### Properties

Name	Description	Schema
name <i>optional</i>	<i>nullable</i>	string

## Tag

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string
projects <i>optional</i>	<i>nullable</i>	< <a href="#">Project</a> > array

## TagDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string

## TagPostDto

### Properties

Name	Description	Schema
name <i>optional</i>	<i>nullable</i>	string

## TagPutDto

### Properties

Name	Description	Schema
name <i>optional</i>	<i>nullable</i>	string

## User

### Properties

Name	Description	Schema
id <i>optional</i>	<i>nullable</i>	string
userName <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
portfolio <i>optional</i>		<a href="#">Portfolio</a>
ownedProjects <i>optional</i>	<i>nullable</i>	< <a href="#">Project</a> > array
contributedProjects <i>optional</i>	<i>nullable</i>	< <a href="#">Project</a> > array

Name	Description	Schema
messages <i>optional</i>	<i>nullable</i>	< <a href="#">Message</a> > array
applications <i>optional</i>	<i>nullable</i>	< <a href="#">Application</a> > array
skills <i>optional</i>	<i>nullable</i>	< <a href="#">Skill</a> > array

## UserDTO

### Properties

Name	Description	Schema
userName <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
skills <i>optional</i>	<i>nullable</i>	< string > array

## UserPostDTO

### Properties

Name	Description	Schema
id <i>optional</i>	<i>nullable</i>	string
userName <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string

## UserPutDTO

### Properties

Name	Description	Schema
id <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
skills <i>optional</i>	<i>nullable</i>	< string > array