Scale Exercises - Section IV, Level 35

A Major Pentatonic Horizontal String Lanes: controlled shifts, slides, and destination landings

FIXED KEY: A | SIX ONE-STRING LANES | FRETS 4-17

Turn the five vertical frames from Level 34 into six horizontal melodies. First move with a silent whole-hand relocation, then add one deliberate slide at each seam, and finally land on named targets over increasing distances.

1. Map the six lanes

Each string contains six A-major-pentatonic notes spanning the five connected positions. Name the degree before the fret.

2. Separate shift from slide

Module A forbids audible glissando. Module B adds one timed slide and counts the slide arrival as a sounding note.

3. Land on the destination

Use increasing-distance targets to remove fret fishing. The repeated target confirms accuracy before the return jump.

Worked overview - low E string from Position 1 through Position 5

Six notes: A B C# E F# A. The interior notes are shared-anchor points from the five-position map.

```
Pos |  P1  | P2  |  P3   | P4  |  P5   |
Nte |  A   | B   |  C#   | E   |  F#   | A
Deg |  1   | 2   |  3    | 5   |  6    | 1
Fret|  5   | 7   |  9    | 12  |  14   | 17
Fng |  1     3   |  1     4    |   1     4
E   |  5-----7---|--9-----12--|---14----17--|
```

MODULE A - SILENT SHIFT Use three two-note stations: 5-7 | 9-12 | 14-17. Release pressure before both relocations.

MODULE B - SLIDE SEAM Example P1 -> P2: E|5--7/9--9\7--5--|. The slide arrival replaces a pick attack.

MODULE C - LANDING Example full-lane target: E|5--17--17--5--|. No slide; land directly and re-articulate.

SOUND

Equal volume at every landing.

MOTION

Thumb and hand relocate together.

EAR

Hear A as tonic across the neck.

Session protocol

1. Say the lane notes and degrees before playing.
2. Learn one string at a time with silent shifts.
3. Repeat each cell with D-start and U-start.
4. Add one seam-slide group only after the lane is clean.
5. Practice destination landings with finger 1 first.
6. Link the forward and reverse horizontal snakes.
7. Accent every A root, then remove the accents.

Complete-workout counts

Module A: 72 picked notes. Module B: 144 sounding tones but 96 pick attacks because 48 tones arrive by slide. Module C: 96 picked landing notes. Module D: 72 picked snake notes. **Total: 384 sounding tones / 336 pick attacks.**

IMPORTANT A slide is a rhythmic event, not transportation between notes. Its destination must arrive exactly in time.

Level 35 - Fixed-Key A Major Pentatonic Horizontal Atlas

Every highlighted fret belongs to A major pentatonic. Pink cells are A roots; blue cells are seam anchors; green cells are outer lane endpoints.



String	Frets low -> high	Degrees	Notes	Route fingers	A roots
Low E	5 7 9 12 14 17	1 2 3 5 6 1	A B C# E F# A	1 3 1 4 1 4	5, 17
A	4 7 9 12 14 16	3 5 6 1 2 3	C# E F# A B C#	1 4 1 4 1 3	12
D	4 7 9 11 14 16	6 1 2 3 5 6	F# A B C# E F#	1 4 1 3 1 3	7
G	4 6 9 11 14 16	2 3 5 6 1 2	B C# E F# A B	1 3 1 3 1 3	14
B	5 7 10 12 14 17	5 6 1 2 3 5	E F# A B C# E	1 3 1 3 1 4	10
High e	5 7 9 12 14 17	1 2 3 5 6 1	A B C# E F# A	1 3 1 4 1 4	5, 17

Route-fingering rule

Group each lane into three two-note stations. Use 1-3 for a whole step and 1-4 for a minor third. Shift after station 1 and station 2.

Position-seam rule

The lane atlas crosses all four P1-P5 seams. Module B revisits each seam separately so the slide is never hidden inside a larger hand move.

Level 35 - Module A: Silent-Shift Horizontal Lanes 1

Low strings: establish the two-note station method without any audible glissando.

Low E string - 12-note silent-shift cell

Stations: 5-7 | 9-12 | 14-17 Roots: fret 5, 17

```
Nte| A- B-|C#- E-|F#- A-| A-F#-| E-C#-| B- A-|
Deg| 1- 2-| 3- 5-| 6- 1-| 1- 6-| 5- 3-| 2- 1-|
Fng| 1- 3-| 1- 4-| 1- 4-| 4- 1-| 4- 1-| 3- 1-|
e  |------|------|------|------|------|------|
B  |------|------|------|------|------|------|
G  |------|------|------|------|------|------|
D  |------|------|------|------|------|------|
A  |------|------|------|------|------|------|
E  | 5- 7-| 9-12-|14-17-|17-14-|12- 9-| 7- 5-|
```

RULE Release pressure after each two-note station; relocate silently; attack the next note cleanly.

No slide is allowed in Module A. Repeat with a downstroke start and an upstroke start.

A string - 12-note silent-shift cell

Stations: 4-7 | 9-12 | 14-16 Roots: fret 12

```
Nte|C#- E-|F#- A-| B-C#-|C#- B-| A-F#-| E-C#-|
Deg| 3- 5-| 6- 1-| 2- 3-| 3- 2-| 1- 6-| 5- 3-|
Fng| 1- 4-| 1- 4-| 1- 3-| 3- 1-| 4- 1-| 4- 1-|
e  |------|------|------|------|------|------|
B  |------|------|------|------|------|------|
G  |------|------|------|------|------|------|
D  |------|------|------|------|------|------|
A  | 4- 7-| 9-12-|14-16-|16-14-|12- 9-| 7- 4-|
E  |------|------|------|------|------|------|
```

RULE Release pressure after each two-note station; relocate silently; attack the next note cleanly.

No slide is allowed in Module A. Repeat with a downstroke start and an upstroke start.

Pass 1 - map it

Play one note per click. Say each degree and watch the next station before releasing pressure.

Pass 2 - remove the slide

Make the relocation silent. Any scrape or glissando means the release occurred too late.

Pass 3 - reverse first

Begin from the upper endpoint and descend. Complete separate D-start and U-start passes.

Level 35 - Module A: Silent-Shift Horizontal Lanes 2

Middle strings: maintain the same shift rule while the fret spacing changes.

D string - 12-note silent-shift cell

Stations: 4-7 | 9-11 | 14-16 Roots: fret 7

```
Nte|F#- A-| B-C#-| E-F#-|F#- E-|C#- B-| A-F#-|
Deg| 6- 1-| 2- 3-| 5- 6-| 6- 5-| 3- 2-| 1- 6-|
Fng| 1- 4-| 1- 3-| 1- 3-| 3- 1-| 3- 1-| 4- 1-|
e  |------|------|------|------|------|------|
B  |------|------|------|------|------|------|
G  |------|------|------|------|------|------|
D  | 4- 7-| 9-11-|14-16-|16-14-|11- 9-| 7- 4-|
A  |------|------|------|------|------|------|
E  |------|------|------|------|------|------|
```

RULE Release pressure after each two-note station; relocate silently; attack the next note cleanly.

No slide is allowed in Module A. Repeat with a downstroke start and an upstroke start.

G string - 12-note silent-shift cell

Stations: 4-6 | 9-11 | 14-16 Roots: fret 14

```
Nte| B-C#-| E-F#-| A- B-| B- A-|F#- E-|C#- B-|
Deg| 2- 3-| 5- 6-| 1- 2-| 2- 1-| 6- 5-| 3- 2-|
Fng| 1- 3-| 1- 3-| 1- 3-| 3- 1-| 3- 1-| 3- 1-|
e  |------|------|------|------|------|------|
B  |------|------|------|------|------|------|
G  | 4- 6-| 9-11-|14-16-|16-14-|11- 9-| 6- 4-|
D  |------|------|------|------|------|------|
A  |------|------|------|------|------|------|
E  |------|------|------|------|------|------|
```

RULE Release pressure after each two-note station; relocate silently; attack the next note cleanly.

No slide is allowed in Module A. Repeat with a downstroke start and an upstroke start.

Pass 1 - map it

Play one note per click. Say each degree and watch the next station before releasing pressure.

Pass 2 - remove the slide

Make the relocation silent. Any scrape or glissando means the release occurred too late.

Pass 3 - reverse first

Begin from the upper endpoint and descend. Complete separate D-start and U-start passes.

Level 35 - Module A: Silent-Shift Horizontal Lanes 3

Upper strings: preserve timing across the B-string geometry and the octave-equivalent high-e lane.

B string - 12-note silent-shift cell

Stations: 5-7 | 10-12 | 14-17 Roots: fret 10

```
Nte| E-F#-| A- B-|C#- E-| E-C#-| B- A-|F#- E-|
Deg| 5- 6-| 1- 2-| 3- 5-| 5- 3-| 2- 1-| 6- 5-|
Fng| 1- 3-| 1- 3-| 1- 4-| 4- 1-| 3- 1-| 3- 1-|
e  |------|------|------|------|------|------|
B  | 5- 7-|10-12-|14-17-|17-14-|12-10-| 7- 5-|
G  |------|------|------|------|------|------|
D  |------|------|------|------|------|------|
A  |------|------|------|------|------|------|
E  |------|------|------|------|------|------|
```

RULE Release pressure after each two-note station; relocate silently; attack the next note cleanly.

No slide is allowed in Module A. Repeat with a downstroke start and an upstroke start.

High e string - 12-note silent-shift cell

Stations: 5-7 | 9-12 | 14-17 Roots: fret 5, 17

```
Nte| A- B-|C#- E-|F#- A-| A-F#-| E-C#-| B- A-|
Deg| 1- 2-| 3- 5-| 6- 1-| 1- 6-| 5- 3-| 2- 1-|
Fng| 1- 3-| 1- 4-| 1- 4-| 4- 1-| 4- 1-| 3- 1-|
e  | 5- 7-| 9-12-|14-17-|17-14-|12- 9-| 7- 5-|
B  |------|------|------|------|------|------|
G  |------|------|------|------|------|------|
D  |------|------|------|------|------|------|
A  |------|------|------|------|------|------|
E  |------|------|------|------|------|------|
```

RULE Release pressure after each two-note station; relocate silently; attack the next note cleanly.

No slide is allowed in Module A. Repeat with a downstroke start and an upstroke start.

Pass 1 - map it

Play one note per click. Say each degree and watch the next station before releasing pressure.

Pass 2 - remove the slide

Make the relocation silent. Any scrape or glissando means the release occurred too late.

Pass 3 - reverse first

Begin from the upper endpoint and descend. Complete separate D-start and U-start passes.

Level 35 - Module B: Timed Seam Slides I

Each phrase isolates one of the four Level 34 position seams on all six strings.

Seam P1 -> P2: slide from shared anchor into the next frame

Pick lower note; pick anchor and slide up; re-pick destination and slide back; pick lower note. 6 tones / 4 attacks per string.

String tab	Degree path	Note path	Slide finger	Destination
`E|5--7/9--9\7--5--|`	`1-2/3-3\2-1`	`A-B/C#-C#\B-A`	3	C# (3) fret 9
`A|4--7/9--9\7--4--|`	`3-5/6-6\5-3`	`C#-E/F#-F#\E-C#`	3	F# (6) fret 9
`D|4--7/9--9\7--4--|`	`6-1/2-2\1-6`	`F#-A/B-B\A-F#`	3	B (2) fret 9
`G|4--6/9--9\6--4--|`	`2-3/5-5\3-2`	`B-C#/E-E\C#-B`	4	E (5) fret 9
`B|5--7/10--10\7--5--|`	`5-6/1-1\6-5`	`E-F#/A-A\F#-E`	4	A (1) fret 10
`e|5--7/9--9\7--5--|`	`1-2/3-3\2-1`	`A-B/C#-C#\B-A`	3	C# (3) fret 9

TIMING: the slide destination must arrive on the subdivision; do not rush the glissando or add an extra pick.

Seam P2 -> P3: slide from shared anchor into the next frame

Pick lower note; pick anchor and slide up; re-pick destination and slide back; pick lower note. 6 tones / 4 attacks per string.

String tab	Degree path	Note path	Slide finger	Destination
`E|7--9/12--12\9--7--|`	`2-3/5-5\3-2`	`B-C#/E-E\C#-B`	4	E (5) fret 12
`A|7--9/12--12\9--7--|`	`5-6/1-1\6-5`	`E-F#/A-A\F#-E`	4	A (1) fret 12
`D|7--9/11--11\9--7--|`	`1-2/3-3\2-1`	`A-B/C#-C#\B-A`	3	C# (3) fret 11
`G|6--9/11--11\9--6--|`	`3-5/6-6\5-3`	`C#-E/F#-F#\E-C#`	3	F# (6) fret 11
`B|7--10/12--12\10--7--|`	`6-1/2-2\1-6`	`F#-A/B-B\A-F#`	3	B (2) fret 12
`e|7--9/12--12\9--7--|`	`2-3/5-5\3-2`	`B-C#/E-E\C#-B`	4	E (5) fret 12

TIMING: the slide destination must arrive on the subdivision; do not rush the glissando or add an extra pick.

Level 35 - Module B: Timed Seam Slides II

Each phrase isolates one of the four Level 34 position seams on all six strings.

Seam P3 -> P4: slide from shared anchor into the next frame

Pick lower note; pick anchor and slide up; re-pick destination and slide back; pick lower note. 6 tones / 4 attacks per string.

String tab	Degree path	Note path	Slide finger	Destination
E|9--12/14--14\12--9--|	3-5/6-6\5-3	C#-E/F#-F#\E-C#	3	F# (6) fret 14
A|9--12/14--14\12--9--|	6-1/2-2\1-6	F#-A/B-B\A-F#	3	B (2) fret 14
D|9--11/14--14\11--9--|	2-3/5-5\3-2	B-C#/E-E\C#-B	4	E (5) fret 14
G|9--11/14--14\11--9--|	5-6/1-1\6-5	E-F#/A-A\F#-E	4	A (1) fret 14
B|10--12/14--14\12--10--|	1-2/3-3\2-1	A-B/C#-C#\B-A	3	C# (3) fret 14
e|9--12/14--14\12--9--|	3-5/6-6\5-3	C#-E/F#-F#\E-C#	3	F# (6) fret 14

TIMING: the slide destination must arrive on the subdivision; do not rush the glissando or add an extra pick.

Seam P4 -> P5: slide from shared anchor into the next frame

Pick lower note; pick anchor and slide up; re-pick destination and slide back; pick lower note. 6 tones / 4 attacks per string.

String tab	Degree path	Note path	Slide finger	Destination
E|12--14/17--17\14--12--|	5-6/1-1\6-5	E-F#/A-A\F#-E	4	A (1) fret 17
A|12--14/16--16\14--12--|	1-2/3-3\2-1	A-B/C#-C#\B-A	3	C# (3) fret 16
D|11--14/16--16\14--11--|	3-5/6-6\5-3	C#-E/F#-F#\E-C#	3	F# (6) fret 16
G|11--14/16--16\14--11--|	6-1/2-2\1-6	F#-A/B-B\A-F#	3	B (2) fret 16
B|12--14/17--17\14--12--|	2-3/5-5\3-2	B-C#/E-E\C#-B	4	E (5) fret 17
e|12--14/17--17\14--12--|	5-6/1-1\6-5	E-F#/A-A\F#-E	4	A (1) fret 17

TIMING: the slide destination must arrive on the subdivision; do not rush the glissando or add an extra pick.

Level 35 - Module C: Destination-Note Landings 1

Launch from the lower lane endpoint, land directly on four increasingly distant targets, re-articulate, and return.

Low E string - four-distance destination ladder

Launch: A degree 1 at fret 5. First pass: finger 1 on every note; no slide or scrape.

```
Nte| A-C#-C#- A-| A- E- E- A-| A-F#-F#- A-| A- A- A- A-|
Deg| 1- 3- 3- 1-| 1- 5- 5- 1-| 1- 6- 6- 1-| 1- 1- 1- 1-|
E  | 5- 9- 9- 5-| 5-12-12- 5-| 5-14-14- 5-| 5-17-17- 5-|
Pck| D- U- D- U-| D- U- D- U-| D- U- D- U-| D- U- D- U-|
```

Target	Fret	Degree	Distance from launch
C#	9	3	4 frets
E	12	5	7 frets
F#	14	6	9 frets
A	17	1	12 frets

Eyes-up pass: identify the target before leaving the launch note. Land, re-articulate the target, and return without searching with the finger.

A string - four-distance destination ladder

Launch: C# degree 3 at fret 4. First pass: finger 1 on every note; no slide or scrape.

```
Nte|C#-F#-F#-C#-|C#- A- A-C#-|C#- B- B-C#-|C#-C#-C#-C#-|
Deg| 3- 6- 6- 3-| 3- 1- 1- 3-| 3- 2- 2- 3-| 3- 3- 3- 3-|
A  | 4- 9- 9- 4-| 4-12-12- 4-| 4-14-14- 4-| 4-16-16- 4-|
Pck| D- U- D- U-| D- U- D- U-| D- U- D- U-| D- U- D- U-|
```

Target	Fret	Degree	Distance from launch
F#	9	6	5 frets
A	12	1	8 frets
B	14	2	10 frets
C#	16	3	12 frets

Eyes-up pass: identify the target before leaving the launch note. Land, re-articulate the target, and return without searching with the finger.

No-slide standard

The gap between notes may be silent; the shift itself may not be audible.

Target standard

The first target attack and repeated target must match in pitch, volume, and timing.

Mirror pass

After the printed launch, begin at the upper endpoint and reverse the target order.

Level 35 - Module C: Destination-Note Landings 2

Launch from the lower lane endpoint, land directly on four increasingly distant targets, re-articulate, and return.

D string - four-distance destination ladder

Launch: F# degree 6 at fret 4. First pass: finger 1 on every note; no slide or scrape.

```
Nte|F#- B- B-F#-|F#-C#-C#-F#-|F#- E- E-F#-|F#-F#-F#-F#-|
Deg| 6- 2- 2- 6-| 6- 3- 3- 6-| 6- 5- 5- 6-| 6- 6- 6- 6-|
D  | 4- 9- 9- 4-| 4-11-11- 4-| 4-14-14- 4-| 4-16-16- 4-|
Pck| D- U- D- U-| D- U- D- U-| D- U- D- U-| D- U- D- U-|
```

Target	Fret	Degree	Distance from launch
B	9	2	5 frets
C#	11	3	7 frets
E	14	5	10 frets
F#	16	6	12 frets

Eyes-up pass: identify the target before leaving the launch note. Land, re-articulate the target, and return without searching with the finger.

G string - four-distance destination ladder

Launch: B degree 2 at fret 4. First pass: finger 1 on every note; no slide or scrape.

```
Nte| B- E- E- B-| B-F#-F#- B-| B- A- A- B-| B- B- B- B-|
Deg| 2- 5- 5- 2-| 2- 6- 6- 2-| 2- 1- 1- 2-| 2- 2- 2- 2-|
G  | 4- 9- 9- 4-| 4-11-11- 4-| 4-14-14- 4-| 4-16-16- 4-|
Pck| D- U- D- U-| D- U- D- U-| D- U- D- U-| D- U- D- U-|
```

Target	Fret	Degree	Distance from launch
E	9	5	5 frets
F#	11	6	7 frets
A	14	1	10 frets
B	16	2	12 frets

Eyes-up pass: identify the target before leaving the launch note. Land, re-articulate the target, and return without searching with the finger.

No-slide standard

The gap between notes may be silent; the shift itself may not be audible.

Target standard

The first target attack and repeated target must match in pitch, volume, and timing.

Mirror pass

After the printed launch, begin at the upper endpoint and reverse the target order.

Level 35 - Module C: Destination-Note Landings 3

Launch from the lower lane endpoint, land directly on four increasingly distant targets, re-articulate, and return.

B string - four-distance destination ladder

Launch: E degree 5 at fret 5. First pass: finger 1 on every note; no slide or scrape.

```
Nte| E- A- A- E-| E- B- B- E-| E-C#-C#- E-| E- E- E- E-|
Deg| 5- 1- 1- 5-| 5- 2- 2- 5-| 5- 3- 3- 5-| 5- 5- 5- 5-|
B  | 5-10-10- 5-| 5-12-12- 5-| 5-14-14- 5-| 5-17-17- 5-|
Pck| D- U- D- U-| D- U- D- U-| D- U- D- U-| D- U- D- U-|
```

Target	Fret	Degree	Distance from launch
A	10	1	5 frets
B	12	2	7 frets
C#	14	3	9 frets
E	17	5	12 frets

Eyes-up pass: identify the target before leaving the launch note. Land, re-articulate the target, and return without searching with the finger.

High e string - four-distance destination ladder

Launch: A degree 1 at fret 5. First pass: finger 1 on every note; no slide or scrape.

```
Nte| A-C#-C#- A-| A- E- E- A-| A-F#-F#- A-| A- A- A- A-|
Deg| 1- 3- 3- 1-| 1- 5- 5- 1-| 1- 6- 6- 1-| 1- 1- 1- 1-|
e  | 5- 9- 9- 5-| 5-12-12- 5-| 5-14-14- 5-| 5-17-17- 5-|
Pck| D- U- D- U-| D- U- D- U-| D- U- D- U-| D- U- D- U-|
```

Target	Fret	Degree	Distance from launch
C#	9	3	4 frets
E	12	5	7 frets
F#	14	6	9 frets
A	17	1	12 frets

Eyes-up pass: identify the target before leaving the launch note. Land, re-articulate the target, and return without searching with the finger.

No-slide standard

The gap between notes may be silent; the shift itself may not be audible.

Target standard

The first target attack and repeated target must match in pitch, volume, and timing.

Mirror pass

After the printed launch, begin at the upper endpoint and reverse the target order.

Level 35 - Module D: Forward Six-String Horizontal Snake

Alternate horizontal direction on every string while climbing from low E to high e. Six notes per segment; 36 notes total.

Low E ASC -> A DESC -> D ASC -> G DESC -> B ASC -> High e DESC

Transitions: E17/A16 | A4/D4 | D16/G16 | G4/B5 | B17/e17. Do not pause at the string change.

1. Low E ASC (low -> high)

```
Nte| A- B-C#- E-F#- A-|
Deg| 1- 2- 3- 5- 6- 1-|
Fng| 1- 3- 1- 4- 1- 4-|
E  | 5- 7- 9-12-14-17-|
```

Six notes: the next string begins with the original pick-start orientation.

2. A DESC (high -> low)

```
Nte|C#- B- A-F#- E-C#-|
Deg| 3- 2- 1- 6- 5- 3-|
Fng| 3- 1- 4- 1- 4- 1-|
A  |16-14-12- 9- 7- 4-|
```

Six notes: the next string begins with the original pick-start orientation.

3. D ASC (low -> high)

```
Nte|F#- A- B-C#- E-F#-|
Deg| 6- 1- 2- 3- 5- 6-|
Fng| 1- 4- 1- 3- 1- 3-|
D  | 4- 7- 9-11-14-16-|
```

Six notes: the next string begins with the original pick-start orientation.

4. G DESC (high -> low)

```
Nte| B- A-F#- E-C#- B-|
Deg| 2- 1- 6- 5- 3- 2-|
Fng| 3- 1- 3- 1- 3- 1-|
G  |16-14-11- 9- 6- 4-|
```

Six notes: the next string begins with the original pick-start orientation.

5. B ASC (low -> high)

```
Nte| E-F#- A- B-C#- E-|
Deg| 5- 6- 1- 2- 3- 5-|
Fng| 1- 3- 1- 3- 1- 4-|
B  | 5- 7-10-12-14-17-|
```

Six notes: the next string begins with the original pick-start orientation.

6. High e DESC (high -> low)

```
Nte| A-F#- E-C#- B- A-|
Deg| 1- 6- 5- 3- 2- 1-|
Fng| 4- 1- 4- 1- 3- 1-|
e  |17-14-12- 9- 7- 5-|
```

Six notes: the next string begins with the original pick-start orientation.

COUNT 36 notes. Every six-note segment is even, so each new string begins with the original starting stroke.

Accent each A root once, then remove every accent while continuing to hear A as the tonal center.

Level 35 - Module D: Reverse Six-String Horizontal Snake

Retrace the fixed-key map from high e back to low E. Link this page directly after the forward route.

High e ASC -> B DESC -> G ASC -> D DESC -> A ASC -> Low E DESC

Repeat high-e fret 5 at the forward/reverse turn. The two repeated notes use opposite pick strokes.

1. High e ASC (low -> high)

```
Nte| A- B-C#- E-F#- A-|
Deg| 1- 2- 3- 5- 6- 1-|
Fng| 1- 3- 1- 4- 1- 4-|
e  | 5- 7- 9-12-14-17-|
```

Six notes: the next string begins with the original pick-start orientation.

2. B DESC (high -> low)

```
Nte| E-C#- B- A-F#- E-|
Deg| 5- 3- 2- 1- 6- 5-|
Fng| 4- 1- 3- 1- 3- 1-|
B  |17-14-12-10- 7- 5-|
```

Six notes: the next string begins with the original pick-start orientation.

3. G ASC (low -> high)

```
Nte| B-C#- E-F#- A- B-|
Deg| 2- 3- 5- 6- 1- 2-|
Fng| 1- 3- 1- 3- 1- 3-|
G  | 4- 6- 9-11-14-16-|
```

Six notes: the next string begins with the original pick-start orientation.

4. D DESC (high -> low)

```
Nte|F#- E-C#- B- A-F#-|
Deg| 6- 5- 3- 2- 1- 6-|
Fng| 3- 1- 3- 1- 4- 1-|
D  |16-14-11- 9- 7- 4-|
```

Six notes: the next string begins with the original pick-start orientation.

5. A ASC (low -> high)

```
Nte|C#- E-F#- A- B-C#-|
Deg| 3- 5- 6- 1- 2- 3-|
Fng| 1- 4- 1- 4- 1- 3-|
A  | 4- 7- 9-12-14-16-|
```

Six notes: the next string begins with the original pick-start orientation.

6. Low E DESC (high -> low)

```
Nte| A-F#- E-C#- B- A-|
Deg| 1- 6- 5- 3- 2- 1-|
Fng| 4- 1- 4- 1- 3- 1-|
E  |17-14-12- 9- 7- 5-|
```

Six notes: the next string begins with the original pick-start orientation.

LINKED CIRCUIT Forward 36 + reverse 36 = 72 picked notes. No reset at the repeated high-e fret 5 or at any string transition.

Complete the route once with D-start and once with U-start. The final note is low-E fret 5: A, degree 1.

Level 35 - Practice Progression, Mastery Gate, and Log

Advance by improving map accuracy and landing quality before adding speed.

Eight-phase practice progression

1. Map all six lanes and say notes plus degrees.
2. Play one Module A lane at one note per click.
3. Complete all six silent-shift cells with both pick starts.
4. Add one seam-slide page; count 6 tones but only 4 attacks per string.
5. Complete Module C with finger 1 and no audible relocation.
6. Play the 36-note forward snake without a pause.
7. Play the 36-note reverse snake without a pause.
8. Link the 72-note circuit and accent A roots, then remove the accents.

Counts, repair rules, and advancement

Module	Sounding tones	Pick attacks
A - silent lanes	72	72
B - seam slides	144	96
C - landings	96	96
D - linked snake	72	72
Complete workout	384	336

NOISY SHIFT: release earlier, move thumb with hand, reduce 4-6 BPM.
LATE SLIDE: shorten the motion and practice the anchor-to-target pair alone.
FRET FISHING: name and look at the destination before leaving the launch note.
PICK RESET: air-pick the exact 12-, 36-, or 72-note count.
TENSION: stop the full route and return to one string.
ADVANCE: add 2 BPM after three clean runs; after two errors, shorten the route before forcing speed.

Mastery gate before Level 36

Name the six notes and degrees on every string; play all six Module A lanes with D-start and U-start; execute all 24 seam-slide phrases without an extra pick or late arrival; land on every printed destination without an audible search; complete the linked 72-note snake on two separate days; identify every A root by sight and sound; and recover the correct lane after a deliberate random stop.

Practice log

Date	Focus	D/U	BPM	Clean?	Weak lane / seam / target	Next target

NEXT Level 36 turns the fixed-key A-major-pentatonic map into expressive articulation: hammer-ons, pull-offs, controlled slides, bends, releases, and vibrato.