```
BR2_aarch64=y
BR2_ARM_FPU_VFPV4=y
BR2 CCACHE=V
BR2_TOOLCHAIN_BUILDROOT_GLIBC=y
BR2_PACKAGE_HOST_LINUX_HEADERS_CUSTOM_4_19=y
BR2 TOOLCHAIN BUILDROOT CXX=v
BR2_TARGET_GENERIC_HOSTNAME="brmp3player"
BR2_TARGET_GENERIC_ISSUE="Buildroot MP3 Player"
BR2_TARGET_GENERIC_ROOT_PASSWD="12345"
BR2_SYSTEM_BIN_SH_BASH=y
BR2_SYSTEM_DHCP="eth0"
BR2_ROOTFS_POST_BUILD_SCRIPT="~/buildroot/postBuild/post-build.sh"
BR2_ROOTFS_POST_IMAGE_SCRIPT="board/raspberrypi3-64/post-image.sh"
BR2_ROOTFS_POST_SCRIPT_ARGS="--aarch64"
BR2_LINUX_KERNEL=y
BR2_LINUX_KERNEL_CUSTOM_TARBALL=y
BR2_LINUX_KERNEL_CUSTOM_TARBALL_LOCATION="$(call
qithub,raspberrypi,linux,raspberrypi-kernel_1.20190819-1)/linux-raspberrypi-
kernel 1.20190819-1.tar.gz"
BR2_LINUX_KERNEL_DEFCONFIG="bcmrpi3"
BR2_LINUX_KERNEL_DTS_SUPPORT=y
BR2_LINUX_KERNEL_INTREE_DTS_NAME="broadcom/bcm2710-rpi-3-b broadcom/bcm2710-rpi-3-
b-plus broadcom/bcm2837-rpi-3-b"
BR2_LINUX_KERNEL_NEEDS_HOST_OPENSSL=y
BR2_PACKAGE_BUSYBOX_SHOW_OTHERS=y
BR2_PACKAGE_ALSA_UTILS=y
BR2_PACKAGE_ALSA_UTILS_ALSACONF=y
BR2_PACKAGE_ALSA_UTILS_AMIXER=y
BR2_PACKAGE_ALSA_UTILS_APLAY=y
BR2_PACKAGE_AUMIX=y
BR2_PACKAGE_BLUEZ_ALSA=y
BR2_PACKAGE_BLUEZ_ALSA_HCITOP=y
BR2_PACKAGE_BLUEZ_ALSA_RFCOMM=y
BR2_PACKAGE_ESPEAK=y
BR2_PACKAGE_ESPEAK_AUDIO_BACKEND_ALSA=y
BR2 PACKAGE MADPLAY=v
BR2_PACKAGE_MPG123=y
BR2_PACKAGE_PULSEAUDIO=y
BR2_PACKAGE_PULSEAUDIO_DAEMON=y
BR2_PACKAGE_RPI_BT_FIRMWARE=y
BR2_PACKAGE_RPI_FIRMWARE=y
# BR2_PACKAGE_RPI_FIRMWARE_INSTALL_DTB_OVERLAYS is not set
BR2_PACKAGE_RPI_WIFI_FIRMWARE=y
BR2_PACKAGE_BCG729=y
BR2_PACKAGE_NETTLE=y
BR2_PACKAGE_LIBNETFILTER_CONNTRACK=y
BR2_PACKAGE_LIBPCAP=y
BR2_PACKAGE_AVAHI=y
BR2 PACKAGE AVAHI DAEMON=v
BR2_PACKAGE_AVAHI_LIBDNSSD_COMPATIBILITY=y
BR2_PACKAGE_BIND=y
BR2_PACKAGE_BLUEZ_T00LS=y
BR2 PACKAGE_BLUEZ5_UTILS_OBEX=y
BR2_PACKAGE_BLUEZ5_UTILS_CLIENT=y
BR2_PACKAGE_BLUEZ5_UTILS_DEPRECATED=y
BR2_PACKAGE_BLUEZ5_UTILS_EXPERIMENTAL=y
BR2_PACKAGE_BLUEZ5_UTILS_PLUGINS_HEALTH=y
BR2_PACKAGE_BLUEZ5_UTILS_PLUGINS_MIDI=y
BR2_PACKAGE_BLUEZ5_UTILS_PLUGINS_NFC=y
```

```
BR2_PACKAGE_BLUEZ5_UTILS_PLUGINS_SAP=y
```

- BR2\_PACKAGE\_BLUEZ5\_UTILS\_TEST=y
- BR2\_PACKAGE\_DHCPCD=y
- BR2\_PACKAGE\_DNSMASQ=y
- # BR2\_PACKAGE\_DNSMASQ\_TFTP is not set
- BR2\_PACKAGE\_OPENSSH=y
- BR2\_PACKAGE\_WPA\_SUPPLICANT=y
- BR2\_PACKAGE\_WPA\_SUPPLICANT\_AUTOSCAN=y
- BR2\_PACKAGE\_SUD0=y
- BR2\_PACKAGE\_UTIL\_LINUX=y
- BR2\_PACKAGE\_UTIL\_LINUX\_WALL=y
- BR2\_PACKAGE\_UTIL\_LINUX\_WRITE=y
- BR2\_PACKAGE\_NANO=y
- BR2\_TARGET\_ROOTFS\_EXT2=y
- BR2\_TARGET\_ROOTFS\_EXT2\_4=y
- BR2\_TARGET\_ROOTFS\_EXT2\_SIZE="300M"
- # BR2\_TARGET\_ROOTFS\_TAR is not set
- BR2\_PACKAGE\_HOST\_DOSFSTOOLS=y
- BR2\_PACKAGE\_HOST\_GENIMAGE=y
- BR2\_PACKAGE\_HOST\_MT00LS=y