BASE URL

https://backend-4500-c6fl6h5vlq-et.a.run.app/

REGISTER

- Endpoint /pengguna
- Method POST
- Contoh Request

```
"penyelenggara": "Sumarni",
    "agama": "Islam",
    "kota_asal_penyelenggara": "Sumedang",
    "email": "sumarni@gmail.com",
    "password": "sumarni",
    "no_hp": "085351954031"
}
Response
```

"message": "Berhasil registrasi...!"

LOGIN

Endpoint /login

}

- Method POST
- Contoh Request

```
{
    "email": "sss@gmail.com",
    "password": "sss"
}
Response
```

"message": "Berhasil login...!"

TAMBAH DONASI

}

- Endpoint /donasi
- Method POST
- Contoh Request

```
{
    "jumlah_donasi": 1000
}
Response
{
    "message": "Terima kasih atas partisipasinya, semoga apa yang diberikan bisa diganti dengan berlipat ganda :)"
}
```

MELIHAT DONASI

- Endpoint /donasi
- Method GET
- Response

```
{
        "id": 1,
        "jumlah donasi": 50000,
        "createdAt": "2023-06-08T18:33:39.000Z",
        "updatedAt": "2023-06-08T18:33:39.000Z"
    },
    {
        "id": 2,
        "jumlah_donasi": 100000,
        "createdAt": "2023-06-12T05:23:33.000Z",
        "updatedAt": "2023-06-12T05:23:33.000Z"
    },
    {
        "id": 3,
        "jumlah donasi": 1000000,
        "createdAt": "2023-06-14T18:41:43.000Z",
        "updatedAt": "2023-06-14T18:41:43.000Z"
    }
]
```

PENGAJUAN EVENT

- Endpoint /event
- Method POST
- Contoh Request

```
nama_event: STRING,
jenis_event: STRING,
cara_transaksi: STRING,
tgl_mulai: DATE,
tgl_berakhir: DATE,
deskripsi: STRING,
foto: FILE
```

• Response

```
{
    "isFraudData": 0,
    "message": "Pengajuan berhasil diajukan"
}
```

LIHAT EVENT

- Endpoint /event
- Method GET
- Response

[]

HAPUS EVENT

- Endpoint /event/id
- Method DELETE
- Response

```
"message": "Event berhasil dihapus...!"
}
```

UBAH EVENT

- Endpoint /event/id
- Method
 - PUT

• Contoh Request

```
nama_event: STRING,
jenis_event: STRING,
cara_transaksi: STRING,
tgl_mulai: DATE,
tgl_berakhir: DATE,
deskripsi: STRING,
foto: FILE
```

• Response

[]