


Norman Enmanuel Quijano Amaya QA240640


Guia-09

Desarrollo de Aplicaciones con Web Frameworks DWF404 G03L



The screenshot shows a web browser window with two tabs. The active tab is titled 'localhost:8080/v3/api-docs'. The address bar shows the URL 'localhost:8080/v3/api-docs'. Below the address bar, there is a checkbox labeled 'Dar formato al texto' which is checked. The main content area displays a JSON OpenAPI definition. The definition includes an 'openapi' version of '3.0.1', an 'info' object with title 'OpenAPI definition' and version 'v0', a 'servers' array with one server at 'http://localhost:8080', and two path entries. The first path is '/posts/{id}' with a 'get' method, 'post-controller' tag, 'findPostById' operationId, and a parameter 'id' of type 'integer' with format 'int64'. The response for this method is '200 OK' with a schema reference to '#/components/schemas/PostResponse'. The second path is partially visible as '/put' with a 'post-controller' tag.

```
{
  "openapi": "3.0.1",
  "info": {
    "title": "OpenAPI definition",
    "version": "v0"
  },
  "servers": [
    {
      "url": "http://localhost:8080",
      "description": "Generated server url"
    }
  ],
  "paths": {
    "/posts/{id}": {
      "get": {
        "tags": [
          "post-controller"
        ],
        "operationId": "findPostById",
        "parameters": [
          {
            "name": "id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "integer",
              "format": "int64"
            }
          }
        ],
        "responses": {
          "200": {
            "description": "OK",
            "content": {
              "*/": {
                "schema": {
                  "$ref": "#/components/schemas/PostResponse"
                }
              }
            }
          }
        }
      },
      "put": {
        "tags": [
          "post-controller"
        ]
      }
    }
  }
}
```



Swagger UI

localhost:8080/swagger-ui/index.html#/post-controller/findP...

Servers

http://localhost:8080 - Generated server url

post-controller

GET /posts/{id}

Parameters

Cancel

Name	Description
id * required integer(\$int64) (path)	1

Execute

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header.	No links

Swagger UI

localhost:8080/swagger-ui/index.html#/post-controller/findPostById

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/posts/1' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/posts/1
```

Server response

Code

Details

404

Error: response status is 404

Response body

```
{
  "errors": [
    {
      "status": 404,
      "type": "EntityNotFoundException",
      "title": "Not Found",
      "source": "base",
      "description": "Resource not found id 1"
    }
  ]
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 10 Sep 2025 00:26:32 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links