



**BnB Financial Services IAAP Accessibility (WCAG 2.2)
LEVEL – 2 TEST REPORT**

FOR

BnB Financial Services Pvt. Ltd.

Prepared By

Mudit Gupta

September 14, 2026

1. Management Summary

1.1 Document Title

DOCUMENT VERSION CONTROL	
Document Title	BnB Financial Services IAAP Accessibility (WCAG 2.2) LEVEL – 1 TEST REPORT
Organization Name	BnB Financial Services Pvt. Ltd.
Application Name	bnbfin.com
Document Version	1.0
Job Received Date	September 14, 2026
Report No.	LTPL/AIIP/BNB/01
Last Edit Date	September 14, 2026

DOCUMENT SUBMISSION DETAILS	
Date	September 14, 2026
Classification	Confidential
Submitted To	BnB Financial Services Pvt. Ltd.
Address	Spacion Towers, Next to Westin Hotel, Raheja Mind Space, Hi-Tech City, Madhapur, Hyderabad, Telangana – 500 081, India

1.2 Contact Details

Name	Mr. Varun Bansal
Designation	CEO
Company	Levithan Technologies Pvt. Ltd.
Address	205, 2 nd Floor, SSR Corporate Park, 13/6, NH-19, Sector 27B, Ekta Nagar, Faridabad, Haryana 121003
Mobile No.	+91 9718047400
E – Mail	varun.bansal@levithan.tech

Table of Contents

1. Management Summary	2
1.1 Document Title	2
1.2 Contact Details	2
2. Scope, Scan (Test) and Report (Creation/Review) Details	4
3. Assessment Constraints.....	5
4. Tools Used	5
5. Standard Followed	6
6. WCAG 2.2 Accessibility Guidelines	7
7. Summary of Key Findings.....	18
8. Detailed Technical Report with Recommendations	19
8.1 SC 1.4.3 – Contrast (Minimum).....	19

2. Scope, Scan (Test) and Report (Creation/Review) Details

Following website is considered as scope of work during the assessment.

Scope of the work	
Name	BnB Financial Services Website
URL	https://www.bnbfin.com

Scan / Test Details	
Start Date	September 14, 2026
End Date	September 14, 2026

Report Created / Reviewed / Approved By	
Report Created By	Mr. Varun Bansal
Report Reviewed By	Mr. Gaurav Dutt Joshi
Report Approved By	Mr. Varun Bansal

3. Assessment Constraints

There were no assessment constraints in our audit.

4. Tools Used

The below tools/scans/scripts were used for audit:

- Web Developer Tool
- WAVE
- Colour Contrast Analyzer
- NVDA

5. Standard Followed

Below are the standards followed for IAAP Accessibility audit –

1. Web Content Accessibility Guidelines 2.2 (WCAG 2.2)

CONFIDENTIAL

6. WCAG 2.2 Accessibility Guidelines

S. No.	WCAG 2.2 Checkpoint	Conformance Level	Guideline description	Result (Pass, Fail, Not applicable)	Remarks
	Guideline 1.1 – Text Alternatives				
1	1.1.1 - Non-text Content	A	Provide text alternatives for any non-text content so that it can be changed into other forms people need.	Pass	All 4 images carry an alt attribute. Three decorative images use empty alt=""; the informative image has descriptive alt text.
	Guideline 1.2 – Time-based Media				
2	1.2.1 - Audio-only and Video-only (Prerecorded)	A	Provide an alternative for audio-only and video-only (prerecorded) content.	Not Applicable	No audio-only or video-only prerecorded content on assessed pages.
3	1.2.2 - Captions (Prerecorded)	A	Provide captions for all prerecorded audio in synchronized media.	Not Applicable	No prerecorded synchronized video with audio on assessed pages.
4	1.2.3 - Audio Description or Media Alternative (Prerecorded)	A	Provide audio description or media alternative for prerecorded video content.	Not Applicable	No prerecorded video content on assessed pages.
5	1.2.4 - Captions (Live)	AA	Provide captions for all live audio content in synchronized media.	Not Applicable	No live synchronized media on assessed pages.
6	1.2.5 - Audio Description (Prerecorded)	AA	Provide audio description for all prerecorded video content.	Not Applicable	No prerecorded video on assessed pages.
	Guideline 1.3 – Adaptable				
7	1.3.1 - Info and Relationships	A	Info and relationships conveyed through presentation can be programmatically determined.	Pass	Structure conveyed programmatically: single H1 per page, logical H2/H3/H4 hierarchy, semantic

					landmark elements, table headers use <th>.
8	1.3.2 - Meaningful Sequence	A	The reading and navigation order (determined by code order) is logical and intuitive.	Pass	DOM/reading order matches visual order. No positive tabindex used anywhere on the assessed pages.
9	1.3.3 - Sensory Characteristics	A	Instructions do not rely solely on sensory characteristics such as shape, size, or location.	Pass	Required form fields are indicated by text label and aria-required, not sensory characteristics alone.
10	1.3.4 - Orientation	AA	Content does not restrict its view and operation to a single display orientation.	Pass	Responsive layout adapts to both portrait and landscape orientations.
11	1.3.5 - Identify Input Purpose	AA	The purpose of each input field collecting information about the user can be programmatically determined.	Pass	Contact form inputs declare correct autocomplete tokens: name, email, tel.
Guideline 1.4 – Distinguishable					
12	1.4.1 - Use of Color	A	Color is not used as the only visual means of conveying information.	Pass	Colour is not the only means of conveying information. Required fields use asterisk and text label; error states identified by text.
13	1.4.2 - Audio Control	A	A mechanism is available to pause, stop, or adjust volume on audio that plays automatically for more than 3 seconds.	Not Applicable	No audio plays automatically for more than 3 seconds.

14	1.4.3 - Contrast (Minimum)	AA	The visual presentation of text and images of text has a contrast ratio of at least 4.5:1 (3:1 for large text).	Fail	Multiple elements fail minimum contrast: form error text (#991B1B on dark panel) at 1.96:1; gold button text below 4.5:1; footer brand heading insufficient; gold tagline at 2.06:1; bullet separators at 2.99-3.82:1.
15	1.4.4 - Resize text	AA	Text can be resized up to 200% without assistive technology and without loss of content or functionality.	Pass	Viewport meta tag allows zooming (no maximum-scale / user-scalable=no). Content reflows at 200% zoom.
16	1.4.5 - Images of Text	AA	Images of text are not used to convey information except for decoration or where a particular presentation is essential.	Pass	Text rendered as live HTML/CSS. Only the site logo uses an image of text.
17	1.4.10 - Reflow	AA	Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions.	Pass	No two-dimensional scrolling required at 320 CSS-px layout viewport on assessed pages.
18	1.4.11 - Non-text Contrast	AA	The visual presentation of UI components and graphical objects has a contrast ratio of at least 3:1 against adjacent color(s).	Pass	Form control boundaries are perceivable against backgrounds.

19	1.4.12 - Text Spacing	AA	No loss of content or functionality occurs when letter-spacing, word spacing, line height, and spacing following paragraphs are modified.	Pass	Applying WCAG text-spacing overrides does not cause loss of content or functionality.
20	1.4.13 - Content on Hover or Focus	AA	Where hover or focus triggers additional content, that content is dismissible, hoverable and persistent.	Pass	SERVICES dropdown (the only hover/focus-triggered content) is hoverable, dismissible and persistent.
Guideline 2.1 – Keyboard Accessible					
21	2.1.1 - Keyboard	A	All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes.	Pass	All interactive controls are native links/buttons and are keyboard operable.
22	2.1.2 - No Keyboard Trap	A	If keyboard focus can be moved to a component, then focus can be moved away from that component using only the keyboard.	Pass	Focus can move into and out of every component with Tab/Shift+Tab.
Guideline 2.2 – Enough Time					

23	2.1.4 - Character Key Shortcuts	A		Not Applicable	No single-character key shortcuts implemented.
			Keyboard shortcuts using only letter, punctuation, number, or symbol characters can be turned off, remapped, or limited.		
24	2.2.1 - Timing Adjustable	A	For each time limit set by the content, the user can turn off, adjust, or extend the limit.	Not Applicable	No time limits imposed on the user.
25	2.2.2 - Pause, Stop, Hide	A	For moving, blinking, scrolling, or auto-updating content, there is a mechanism for the user to pause, stop, or hide it.	Pass	Auto-scrolling regulatory-disclaimer ticker is accessible: it pauses on hover and has a keyboard-accessible stop/start control.

	Guideline 2.3 – Seizures and Physical Reactions				
26	2.3.1 - Three Flashes or Below Threshold	A	Web pages do not contain anything that flashes more than three times per second.	Pass	No flashing or strobing content detected.
	Guideline 2.4 – Navigable				
27	2.4.1 - Bypass Blocks	A	A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Pass	A 'Skip to main content' link (href='#main-content') is the first focusable element on every assessed page.
28	2.4.2 - Page Titled	A	Web pages have titles that describe topic or purpose.	Pass	Each page has a descriptive, unique <title>.
29	2.4.3 - Focus Order	A	If a Web page can be navigated sequentially, focusable components receive focus in an order that preserves meaning and operation.	Pass	Focus order follows logical DOM/reading order (skip link → logo → navigation → content).
30	2.4.4 - Link Purpose (In Context)	A	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.	Pass	Links have descriptive text or accessible names. axe link-name rule passed with 0 violations.
31	2.4.5 - Multiple Ways	AA	More than one way is available to locate a Web page within a set of Web pages.	Pass	Primary navigation menu, footer links, and sitemap provide multiple ways to locate content.
32	2.4.6 - Headings and Labels	AA	Headings and labels describe topic or purpose.	Pass	Headings and form labels are descriptive (e.g. 'Our Services', 'Foreign Portfolio Investment').
33	2.4.7 - Focus Visible	AA	Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is	Pass	Strong global focus indicator defined in CSS: :focus-visible { outline: 3px solid

			visible.		... }.
34	2.4.11 Focus Not Obscured (Minimum)	AA	When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.		
Guideline 2.5 – Input Modalities					
35	2.5.1 - Pointer Gestures	A	All functionality using multipoint or path-based gestures can be operated with a single pointer without a path-based gesture.	Pass	No multipoint or path-based gestures required; all actions use single-point tap/click.
36	2.5.2 - Pointer Cancellation	A	For single pointer input, at least one of the following is true: No Down-Event, Abort or Undo, Up Reversal, Essential.	Pass	Controls are standard links/buttons that activate on up-event.
37	2.5.3 - Label in Name	A	For user interface components with labels that include text, the name contains the text that is presented visually.	Pass	Visible control text matches the accessible name on all tested elements.
38	2.5.4 - Motion Actuation	A	Functionality that can be operated by device motion or user motion can also be operated by user interface components.	Pass	No functionality depends on device motion or user movement.

39	2.5.7-Dragging Movements	AA	All functionality that uses a dragging movement can be achieved by a single pointer without dragging.	Not Applicable	No functionality requires a dragging movement.
40	2.5.8-Target Size (Minimum)	AA	The size of the target for pointer inputs is at least 24 by 24 CSS pixels.	Pass	Interactive targets meet the 24x24 CSS-px minimum. axe target-size rule passed with 0 violations.
Guideline 3.1 – Readable					
41	3.1.1 - Language of Page	A	The default human language of each Web page can be programmatically determined.	Pass	The <html> element declares lang='en' on every assessed page.
42	3.1.2 - Language of Parts	AA	The human language of each passage or phrase in the content can be programmatically determined.	Pass	No passages in a language other than the page language occur without appropriate lang markup.
Guideline 3.2 – Predictable					
43	3.2.1 - On Focus	A	If any component receives focus, it does not initiate a change of context.	Pass	Moving focus to a control does not trigger an unexpected change of context.
44	3.2.2 - On Input	A	Changing the setting of any user interface component does not automatically cause a change of context.	Pass	Changing a form field or the service <select> does not automatically submit the form.
45	3.2.3 - Consistent Navigation	AA	Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order.	Pass	Header navigation and footer link structure are repeated in the same relative order across assessed pages.

46	3.2.4 - Consistent Identification	AA	Components that have the same functionality within a set of Web pages are identified consistently.	Pass	Components with the same function are identified consistently (e.g. same nav labels, same icon usage).
47	3.2.6-Consistent Help	A	If a Web page provides any help mechanism, it occurs in the same order relative to other page content.	Pass	Help mechanisms (chat widget and CONTACT link) appear in a consistent location across pages.
Guideline 3.3 – Input Assistance					
48	3.3.1 - Error Identification	A	If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Pass	Submitting the contact form with empty required fields produces in-context text error messages.
49	3.3.2 - Label or Instructions	A	Labels or instructions are provided when content requires user input.	Pass	All 7 form controls have programmatic labels. axe label rule passed with 0 unlabeled controls.
50	3.3.3 - Error Suggestion	AA	If an input error is automatically detected and suggestions for correction are known, then the suggestion is provided to the user.	Pass	Validation messages describe what is required and how to correct it.

51	3.3.4 - Error Prevention (Legal, Financial, Data)	AA	For Web pages that cause legal commitments or financial transactions, a mechanism is available to reverse, check, or confirm.	Not Applicable	The contact form is an enquiry form; it creates no legal commitment or financial transaction.
52	3.3.7-Redundant Entry	A	Information previously entered by or provided to the user that is required to be entered again is either auto-populated or available for the user to select.	Pass	The single-step contact form does not ask the user to re-enter previously provided information.
53	3.3.8-Accessible Authentication (Minimum)	AA	A cognitive function test is not required for any step in an authentication process.	Not Applicable	The assessed public pages contain no authentication step.
Guideline 4.1 compatible					
54	4.1.1 - Parsing	A	In content implemented using markup languages, elements have complete start and end tags, are properly nested, and do not contain duplicate attributes.	Not Applicable	Success Criterion 4.1.1 was removed in WCAG 2.2 and is always considered satisfied.

55	4.1.2 - Name, Role, Value	A	For all user interface components, the name and role can be programmatically determined; states, properties, and values can be set; and notification of changes is available.	Pass	Interactive elements expose correct name/role/value — native links, buttons, and inputs.
56	4.1.3 - Status Messages	AA	In content implemented using markup languages, status messages can be programmatically determined through role or properties.	Pass	Form validation messages use role='alert' and fields set aria-invalid, so status messages can be programmatically determined.

7. Summary of Key Findings

Sr. No.	Vulnerability Name	Status
1	SC 1.4.3 – Contrast (Minimum)	OPEN

→ OPEN

OPEN

→ CLOSED

CLOSED

CONFIDENTIAL

8. Detailed Technical Report with Recommendations

8.1 Contrast (Minimum)

STATUS	OPEN
REFERENCE	WCAG 2.2
DESCRIPTION	
Several text elements on the website (www.bnbfin.com) fail to meet the WCAG 2.2 SC 1.4.3 minimum contrast ratio requirements. Automated scanning with axe-core confirmed colour-contrast violations on the home page. Manual analysis identified the following specific failures: (1) Form error text colour #991B1B on the dark form panel achieves only 1.96:1 against the panel background (required 4.5:1). (2) Gold gradient button text (navy text on the gold background, darkest gradient stop) falls below the 4.5:1 threshold. (3) The footer brand heading 'BnB Financial Services Pvt. Ltd.' uses a dark green shade that fails to meet 4.5:1. (4) The gold tagline 'Experience · Expertise · Excellence' on the light band achieves only 2.06:1 (required 4.5:1). (5) Bullet separator characters '·' achieve 2.99–3.82:1 (required 4.5:1).	
IMPACT	
Users with low vision, colour blindness, or those viewing the website in bright ambient lighting (e.g. outdoor mobile use) cannot read text with insufficient contrast ratios. Form error messages that cannot be read prevent users from correcting their input, blocking form completion. Low-contrast decorative and brand text reduces the overall readability and professional accessibility of the site for a wide range of users with visual impairments.	
AFFECTED URL	
https://www.bnbfin.com	
RECOMMENDATIONS	
Levithan Recommends: (1) Form error text — change foreground colour from #991B1B to approximately #F87171 or #FCA5A5 on the dark form panel to achieve a ratio of at least 4.5:1. (2) Gold buttons — darken the button text or reduce/limit the gold gradient so that even the darkest gradient stop yields at least 4.5:1 with the navy text. (3) Footer brand heading — replace the current failing dark shade with the lighter brand green (#6EE7A0) that the header already uses and which passes 4.5:1. (4) Gold tagline 'Experience · Expertise · Excellence' — darken the gold to achieve at least 4.5:1 against the light band background. (5) Bullet separator characters — adjust the colour to match the corrected tagline/heading colour. Use the WebAIM Contrast Checker or browser DevTools colour-contrast inspector to verify all adjusted values before deployment.	
PROOF OF CONCEPT	

