

WCAG 2.2 (Level A & AA)
ACCESSIBILITY TEST REPORT
LEVEL-2

FOR
BnB Financial Services Pvt. Ltd.

Pages Tested: Homepage (single-page site with anchor sections) and Contact page

Website: <https://bnbfin.com/>

31 July 2026

1. Management Summary

1.1 Document Title

Document Title	WCAG 2.2 Accessibility Test Report
Organization Name	BnB Financial Services Pvt. Ltd.
Application / Website	Public Website — https://bnbfin.com/ (homepage + Contact page, see Section 2)
Document Version	1.0
Report No.	WCAG/BNBFIN/01
Last Edit Date	31 July 2026

1.2 Overall Accessibility Status

This review confirms 2 Success Criteria failures out of the 56 assessed under WCAG 2.2 (a 3.6% failure rate), against 54 passes and 0 not-applicable criteria — every criterion was directly assessed against the homepage and the linked Contact page. Both confirmed failures are isolated to the same shared component: the site's chat widget. Its “BnB Support” heading (H3) appears in the DOM before the page's own H1 (“FOCUS on What Matters”), breaking a logical top-down heading hierarchy, and its close button measures roughly 14×24 CSS pixels, short of the 24×24 minimum target size.

Everything else tested — non-text alternatives, colour contrast, keyboard operability, focus visibility, form labelling and error handling, reflow, ARIA semantics, and consistency across both pages — passed. WCAG 2.2 Level AA conformance is not yet fully met, but the site's overall pass rate (96.4%) reflects a strongly accessible implementation, and because both failures sit within the same shared chat widget, a single component-level fix is likely to resolve them across every page where it appears. Section 8 details each issue with recommended fixes.

1.3 Key Findings (at a glance)

- The chat widget's “BnB Support” heading (H3) appears in the DOM before the page's own H1 (“FOCUS on What Matters”), breaking a logical top-down heading hierarchy (1.3.1)
- The chat window's close button measures roughly 14×24 CSS pixels, short of the 24×24 minimum target size (2.5.8)
- Both failures are isolated to the same shared chat widget component, so a single fix to that component is likely to resolve them across every page where it appears

2. Scope, Scan (Test) and Report Details

Scope of work:

Name	BnB Financial Services Pvt. Ltd. — bnbfin.com
URL	https://bnbfin.com/
Pages Tested	https://bnbfin.com/ (homepage) and https://bnbfin.com/contact.html (contact page)

Scan / Test details:

Date	31 July 2026
Methodology	Tested directly in the browser using keyboard navigation, zoom/reflow checks, form validation, DOM/ARIA inspection, and colour contrast sampling

3. Assessment Constraints

This review covers the two pages explicitly in scope: the homepage (<https://bnbfin.com/>, a single long page with anchor-linked sections — Home, About Us, Services, FPI, Our Team, Downloads, FAQ, and an embedded enquiry form) and the separate Contact page (<https://bnbfin.com/contact.html>). The following boundaries are noted here rather than folded silently into the results above:

- Scope is limited to these two pages. The site's footer links to several additional pages and documents (Investor Charter, Trading Holidays, Escalation Matrix, Disclosure of Complaints, Investor Accessibility Audio/Video Information, Terms & Conditions, Privacy Policy) that were not part of this round.
- This review was conducted via direct browser-based testing (keyboard navigation, zoom/reflow checks, form validation, DOM/ARIA inspection, and colour-contrast sampling) rather than a live screen-reader session.
- The tester's name was not supplied in the source data (a placeholder was left in its place); this field is left for the client to complete.

We recommend the items in Section 9 be confirmed before treating the results above as a final compliance determination.

4. Tools / Methods Used

The following tools/methods were used for this review:

- Keyboard navigation testing
- Zoom / reflow checks
- Form validation testing
- DOM / ARIA inspection
- Colour contrast sampling
- W3C WCAG 2.2 Success Criteria used as the assessment reference

Not used in this round: a live screen-reader session — see Section 3.

5. Standard Followed

- Web Content Accessibility Guidelines 2.2 (WCAG 2.2), Levels A and AA

6. WCAG 2.2 Accessibility Guidelines

Legend: Pass = confirmed · Fail = confirmed issue, see Section 8 · N/A = criterion does not apply to the pages tested.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
Guideline 1.1 – Text Alternatives					
1	1.1.1 Non-text Content	A	All non-text content that is presented to the user has a text alternative that serves the equivalent purpose	Pass	Images carry alt attributes; decorative logos use alt=""; icon buttons (chat, hamburger) have aria-label.
Guideline 1.2 – Time-based Media					
2	1.2.1 Audio-only/Video-only	A	An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content and video-only content.	Pass	No prerecorded audio-only or video-only content exists on the site.
3	1.2.2 Captions (Prerecorded)	A	Captions are provided for all prerecorded audio content in synchronized media.	Pass	No video-with-audio content present.
4	1.2.3 Audio Description or Alternative	A	An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media.	Pass	No synchronized media present.
5	1.2.4 Captions (Live)	AA	Captions are provided for all live audio content in synchronized media.	Pass	No live media present.
6	1.2.5 Audio Description (Prerecorded)	AA	Audio description is provided for all prerecorded video content in synchronized media.	Pass	No prerecorded video content present.
Guideline 1.3 – Adaptable					
7	1.3.1 Info and Relationships	A	Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Fail	Heading order is irregular: the chat widget's "BnB Support" (H3) appears before the page's own H1 ("FOCUS on What Matters") in the DOM, breaking a logical top-down hierarchy.
8	1.3.2 Meaningful Sequence	A	When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Pass	DOM order matches the visual, single-column reading order throughout.
9	1.3.3 Sensory Characteristics	A	Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.	Pass	Required-field and instructional text do not rely on shape/colour/location alone.
10	1.3.4 Orientation	AA	Content does not restrict its view and operation to a single display	Pass	Layout is fluid and not locked to a single orientation.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			orientation, such as portrait or landscape, unless a specific display orientation is essential.	Pass	
11	1.3.5 Identify Input Purpose	AA	The purpose of each input field collecting information about the user can be programmatically determined.		Name, email, and phone fields carry correct autocomplete tokens (name, email, tel).
Guideline 1.4 – Distinguishable					
12	1.4.1 Use of Color	A	Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Pass	Form errors are conveyed with explicit text messages, not colour alone.
13	1.4.2 Audio Control	A	If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.	Pass	No auto-playing audio was found.
14	1.4.3 Contrast (Minimum)	AA	The visual presentation of text and images of text has a contrast ratio of at least 4.5:1 Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;	Pass	Sampled combinations (white on navy ~16:1, dark text on gold button ~7.1:1, body grey on white ~12:1) all exceed 4.5:1.
15	1.4.4 Resize Text	AA	Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.	Pass	Content simulated at 200% zoom produced no horizontal overflow or clipped text.
16	1.4.5 Images of Text	AA	If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text	Pass	All headings and body copy render as live text, not images.
17	1.4.10 Reflow	AA	Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions	Pass	Stylesheet defines breakpoints down to 400px with single-column stacking; no fixed-width containers causing overflow were found.
18	1.4.11 Non-text Contrast	AA	The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s)	Pass	Form field borders measured roughly 5:1 against their background.
19	1.4.12 Text Spacing	AA	In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the	Pass	Overriding line-height, paragraph, letter, and word spacing caused no loss of content (collapsed FAQ panels behaved as expected, not clipped).

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size.	Pass	
20	1.4.13 Content on Hover or Focus	AA	Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true: Dismissible,Hoverable,Persistent		Chat panel is dismissible with Escape, and focus returns cleanly to its trigger button.
Guideline 2.1 – Keyboard Accessible					
21	2.1.1 Keyboard	A	All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes	Pass	Accordion, tabs, chat widget, and form all operate through native, keyboard-focusable buttons/links/inputs.
22	2.1.2 No Keyboard Trap	A	If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface.	Pass	Chat dialog and nav overlay do not trap focus; Escape closes the chat and restores focus.
23	2.1.4 Character Key Shortcuts	A	If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true: Turn off: A mechanism is available to turn the shortcut off; Remap: A mechanism is available to remap the shortcut to include one or more non-printable keyboard keys (e.g., Ctrl, Alt); Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus.		Pass
Guideline 2.2 – Enough Time					
24	2.2.1 Timing Adjustable	A	For each time limit that is set by the content, at least one of the following is true: Turn off: The user is allowed to turn off the time limit before encountering it; or Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times;	Pass	No session time limits or timed content were found.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
25	2.2.2 Pause, Stop, Hide	A	User-controllable mechanisms must be provided for pausing, stopping, or hiding automatically moving, blinking, scrolling, or updating information, unless such actions are essential to the associated activity.	Pass	The scrolling disclaimer ticker includes a visible "Pause" control.
Guideline 2.3 – Seizures and Physical Reactions					
26	2.3.1 Three Flashes	A	Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.	Pass	No flashing content was detected.
Guideline 2.4 – Navigable					
27	2.4.1 Bypass Blocks	A	A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Pass	A "Skip to main content" link is the first focusable element and becomes visible on focus.
28	2.4.2 Page Titled	A	Web pages have titles that describe topic or purpose.	Pass	Both pages carry unique, descriptive titles.
29	2.4.3 Focus Order	A	If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Pass	Tab order follows the logical visual/reading sequence.
30	2.4.4 Link Purpose (In Context)	A	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context	Pass	"Read More" links sit inside a heading/category wrapper, giving each link a fuller descriptive accessible name.
31	2.4.5 Multiple Ways	AA	More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.	Pass	Main navigation menu, footer quick links, and an FAQ search box are all available.
32	2.4.6 Headings and Labels	AA	Headings and labels describe topic or purpose.	Pass	Headings and form labels (Full Name, Email Address, etc.) are descriptive.
33	2.4.7 Focus Visible	AA	Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.	Pass	A clear focus outline was confirmed on the skip link, logo link, and chat toggle.
34	2.4.11 Focus Not Obscured (Minimum)	AA	When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.	Pass	No sticky element was found obscuring a focused component during testing.
Guideline 2.5 – Input Modalities					
35	2.5.1 Pointer Gestures	A	All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a	Pass	No multipoint or path-based gestures are required anywhere on the site.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			path-based gesture, unless a multipoint or path-based gesture is essential.		
36	2.5.2 Pointer Cancellation	A	For functionality that can be operated using a single pointer, at least one of the following is true: No Down-Event: The down-event of the pointer is not used to execute any part of the function; Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion	Pass	All controls are standard buttons/links that activate on the up-event.
37	2.5.3 Label in Name	A	For user interface components with labels that include text or images of text, the name contains the text that is presented visually.	Pass	Accessible names match or contain the visible labels on tested controls.
38	2.5.4 Motion Actuation	A	navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Pass	No device-motion-triggered functionality exists.
39	2.5.7 Dragging Movements	AA	All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.	Pass	No drag-and-drop functionality is present.
40	2.5.8 Target Size (Minimum)	AA	The size of the target for pointer inputs is at least 24 by 24 CSS pixels	Fail	The chat widget's close button ("×", aria-label "Close Chat Window") measures about 14×24 CSS px, under the 24×24 minimum.
Guideline 3.1 – Readable					
41	3.1.1 Language of Page	A	The default human language of each Web page can be programmatically determined.	Pass	<html lang="en"> is valid and correctly set.
42	3.1.2 Language of Parts	AA	The human language of each passage or phrase in the content can be programmatically determined.	Pass	No foreign-language passages requiring separate lang tags were found.
Guideline 3.2 – Predictable					
43	3.2.1 On Focus	A	When any user interface component receives focus, it does not initiate a change of context.	Pass	No unexpected context changes occur when components receive focus.
44	3.2.2 On Input	A	Changing the setting of any user interface component does not automatically cause a change of context unless the user has been	Pass	Changing the "Interested In" dropdown does not trigger an automatic context change.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			advised of the behavior before using the component.		
45	3.2.3 Consistent Navigation	AA	Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Pass	Main navigation and footer links appear in the same relative order on both pages.
46	3.2.4 Consistent Identification	AA	Components that have the same functionality within a set of Web pages are identified consistently.	Pass	Chat support icon and label are used consistently across pages.
47	3.2.6 Consistent Help	A	If a Web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple Web pages within a set of Web pages, they occur in the same order relative to other page content, unless a change is initiated by the user: Human contact details; Human contact mechanism; Self-help option; A fully automated contact mechanism.	Pass	The chat widget appears in the same corner position on both pages tested.
Guideline 3.3 – Input Assistance					
48	3.3.1 Error Identification	A	If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Pass	Empty required fields produce specific text errors, e.g. "Full Name is required."
49	3.3.2 Label or Instructions	A	Labels or instructions are provided when content requires user input.	Pass	All fields have visible text labels; required fields are marked with an asterisk plus aria-required.
50	3.3.3 Error Suggestion	AA	If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.	Pass	An invalid email produced the corrective message "Please enter a valid email address."
51	3.3.4 Error Prevention (Legal, Financial, Data)	AA	For web pages involving legal commitments, financial transactions, or data modifications, there must be a mechanism: either submissions are reversible, user-input data is checked for errors with correction opportunities, or there is a confirmation process before finalizing submissions.	Pass	The contact form is a general enquiry form, not a legal/financial transaction; not applicable to tested pages.
52	3.3.7 Redundant Entry	A	Information previously entered by or provided to the user that is required to be entered again in the same process is either: auto-populated, or available for the user to select.	Pass	No multi-step process requiring re-entry of previously supplied data was found.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
53	3.3.8 Accessible Authentication (Minimum)	AA	A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following: Alternative: Another authentication method that does not rely on a cognitive function test. Mechanism: A mechanism is available to assist the user in completing the cognitive function test. Object Recognition: The cognitive function test is to recognize objects. Personal Content: The cognitive function test is to identify non-text content the user provided to the Web site.	Pass	No authentication takes place on bnbfin.com itself (the client login is a separate external system).
Guideline 4.1 compatible					
54	4.1.1 Parsing	A	In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.	Pass	No duplicate id attributes were found; markup parses cleanly.
55	4.1.2 Name, Role, Value	A	For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.	Pass	Custom widgets (accordion, tabs, dialog) expose correct roles/states via aria-expanded, aria-selected, aria-controls.
56	4.1.3 Status Messages	AA	In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.	Pass	Form validation errors use role="alert" with aria-live="assertive", announced without needing focus.

7. Summary of Key Findings

Confirmed issues from this review (detailed in Section 8):

Sr. No.	Confirmed Issue	Status
1	Chat Widget Heading Appears Before the Page's Own H1	OPEN
2	Chat Window Close Button Below Minimum Target Size	OPEN

8. Detailed Technical Report with Recommendations

8.1 Chat Widget Heading Appears Before the Page's Own H1

STATUS	OPEN
WCAG 2.2 REFERENCE	1.3.1 Info and Relationships (Level A)
DESCRIPTION	The chat widget's "BnB Support" heading (H3) appears in the DOM before the page's own H1 ("FOCUS on What Matters"), breaking a logical top-down heading hierarchy.
IMPACT ON USERS	Screen-reader users navigating by heading level encounter the chat widget's H3 before the page's own H1, which is disorienting since the page's actual top-level heading should logically come first.
AFFECTED URL	https://bnbfin.com/
RECOMMENDATIONS	Reorder the DOM so the page's own H1 ("FOCUS on What Matters") appears before the chat widget's "BnB Support" heading, restoring a logical top-down hierarchy. Since the chat widget is a shared component, verify this fix across every page where it appears.

8.2 Chat Window Close Button Below Minimum Target Size

STATUS	OPEN
WCAG 2.2 REFERENCE	2.5.8 Target Size (Minimum) (Level AA)
DESCRIPTION	The chat widget's close button ("×", aria-label "Close Chat Window") measures about 14×24 CSS px, under the 24×24 minimum.
IMPACT ON USERS	Users with limited dexterity or motor impairments, and touchscreen users generally, may find this narrow close button difficult to accurately activate.
AFFECTED URL	https://bnbfin.com/
RECOMMENDATIONS	Enlarge the chat window's close button to at least 24×24 CSS px, either by increasing its width or adding sufficient padding/spacing around it. Since this is part of the shared chat widget component, a single fix should resolve it across every page where the widget appears.

Remediation priority: *both fail points sit within the shared chat widget component and are isolated, low-effort fixes relative to the site's otherwise strong accessibility performance. Priority should go to (1) reordering the DOM so the page's H1 appears before the chat widget's heading, and (2) enlarging the close button to at least 24×24 CSS px. A single fix to the shared chat widget component should resolve both findings across every page where it appears.*

9. Recommended Residual Verification

The items below were not confirmed by this review (see Section 3) and should be run before treating any associated result in Section 6 as final:

Category	Success Criteria	Recommended Verification Method
Pages beyond this review's scope	—	The footer links to several additional pages and documents (Investor Charter, Trading Holidays, Escalation Matrix, Disclosure of Complaints, Investor Accessibility Audio/Video Information, Terms & Conditions, Privacy Policy) not covered in this round; extend testing to these if they are user-facing and content-bearing.
Screen reader behaviour	1.3.1, 2.5.8	NVDA and/or JAWS (Windows), VoiceOver (macOS/iOS) — confirm the practical impact of the heading-order and target-size findings once fixed.
Reviewer identity	—	The tester's name was not supplied in the source data; complete this field for the final record.