





















# CSS SPECIFISHITY

WITH PLANKTON, FISH AND SHARKS

<b>*</b>  universal selector      0 - 0 - 0	<b>div</b>  1 element      0 - 0 - 1	<b>li &gt; ul</b>  2 elements      0 - 0 - 2	<b>body div ...ul li p a</b>  12 elements      0 - 0 - 12
<b>.myClass</b>  1 class      0 - 1 - 0	<b>*.myClass</b>  1 universal selector 1 class      0 - 1 - 0	<b>[type=checkbox]</b>  1 attribute selector      0 - 1 - 0	<b>:only-of-type</b>  1 pseudo-class      0 - 1 - 0
<b>li.myClass</b>  1 element 1 class      0 - 1 - 1	<b>li[attr]</b>  1 element 1 attribute      0 - 1 - 1	<b>li:nth-of-type(3n)~li</b>  2 elements 1 pseudo-class      0 - 1 - 2	<b>form input[type=email]</b>  2 elements 1 attribute      0 - 1 - 2
<b>li.class:nth-of-type(3n)</b>  1 element 1 class 1 pseudo-class      0 - 2 - 1	<b>input[type]:not(.class)</b>  1 element 1 class 1 attribute      0 - 2 - 1	<b>cl:nth-child(4d)~chk[type]...</b>  10 class/attribute/ pseudo-classes      0 - 10 - 0	<b>#myDiv</b>  ID Selector      1 - 0 - 0
<b>#myDiv li.class a[href]</b>  2 types 2 class/attribute 1 ID Selector      1 - 2 - 2	<b>#divitis #myDiv a</b>  2 ID Selectors 1 type selector      2 - 0 - 1	<b>style=""</b>  inline style      1 - 0 - 0 - 0	<b>!important</b>  !important      1 - 0 - 0 - 0 - 0

ESTELLE WEYL \* @ESTELLEWV \* WWW.STANDARDISTA.COM \* 2104

X-0-0: The number of ID selectors

0-Y-0: The number of class selectors, attributes selectors, and pseudo-classes

0-0-Z: The number of type selectors and pseudo-elements

\*, +, >, ~ : Universal selector and combinators do not increase specificity

:not(x): Negation selector has no value. Argument increases specificity

