



The „**Receive GI Switcher**” is a Unity Editor tool that allows you to quickly and easily change the *Receive Global Illumination* settings for all or selected prefabs in a scene, depending on whether you want to use Lightmaps or Light Probes.

Features:

- **Scene Scanning:** Searches the scene for all prefabs (including their children) that are set to contribute Global Illumination.
- **Selective Changes:** Allows you to specify whether to apply changes to a single object or multiple objects.
- **Name-Based Filtering:** Lets you enter part of a prefab’s name and automatically select only the matching objects in the list.
- **One-Click Switching:** Provides the ability to switch between Lightmap and Light Probe settings with a single click.

Quick Start:

To access the „**Receive GI Switcher**” tool:

1. In Unity, go to the menu: **Tools > Seta > Receive GI Switcher**.
2. This will open the **Receive GI Switcher Remover** window.

Using the Tool:

Searching for Prefabs:

1. Select Search Criteria:

Use the drop down menu to choose between:

- **Lightmaps:** Locate prefabs configured for lightmap GI.
- **Light Probes:** Locate prefabs configured for light probe GI.

2. Start Search:

- Click **Find Prefabs in Scene** to scan the current scene.
- The number of found prefabs will be displayed under **Found Prefabs**

3. View Results:

- A list of prefabs matching the criteria will appear in the scrollable area.

Managing the Prefab List:

1. Selection:

- Each prefab in the list has a checkbox. Enable it to select the prefab for GI adjustment.

2. Highlight Prefabs:

- Click the prefab name to highlight it in the Unity Hierarchy.

3. Remove from List:

- Click the "X" button next to a prefab to remove it from the list.

4. Name-Based Filtering:

- Use the “Search and Select by Name” field to enter part of a prefab’s name.
- Click „Search & Select” to automatically select only prefabs whose names contain the entered text.

Adjusting GI Settings:

1. Choose GI Option:

- Use the drop down menu next to **Set Receive GI to:** to select the new GI mode:
 - Lightmaps
 - Light Probes

2. Apply to Selected Prefabs:

- Click **Apply GI to Selected Prefabs** to update only the prefabs with their checkboxes enabled.

3. Apply to All Prefabs:


- Click **Apply GI to All Found Prefabs** to update the GI settings for every prefab in the list.

Demo Scene:

The asset contains a demo scene so you can test the functionality of the tool.

To open Scene Demo, double-click on your render pipeline file in the "Receive GI Switcher" folder and install Demo Scene.

For a better preview of the changes select Contributors / Receivers in Debug Mode



Support:

If you encounter any issues or have any questions, feel free to write:

support@twistedimage.pl