

# NorthWestW1nd Bot

## User Manual

# Table of Content

Introduction .....	6
Commands .....	7
Managements .....	7
Delete .....	7
Role .....	7
Unrole .....	8
Addrole .....	8
Delrole .....	9
Autorole .....	9
Announce .....	10
Role-Message .....	10
Moderator .....	10
Ban .....	10
Unban .....	11
Kick .....	11
Warn .....	12
Unwarn .....	12
Mute .....	12
Unmute .....	13
Deafen .....	13
Undeafen .....	13
Economy .....	14
Work .....	14
Bank .....	14
Shop .....	15

Inventory.....	15
Fun .....	15
Chat.....	15
Reddit.....	15
Rng.....	16
Greet .....	16
Thx .....	16
Rank .....	17
Uno.....	17
Miscellaneous .....	17
Giveaway.....	17
Poll .....	18
Google.....	18
Spam .....	19
Trade .....	19
Timer .....	19
NSFW .....	20
Hentai.....	20
Rule34 .....	21
Porn.....	21
Information.....	22
Help.....	22
Server.....	22
Ping .....	22
Info .....	22
Avatar .....	23
Profile .....	23

Welcome.....	23
Role-Info .....	24
APIs .....	24
Minecraft.....	24
Hypixel.....	25
Krunker .....	27
Aki .....	28
Urban.....	28
Smm .....	28
Oxford.....	28
Speedrun .....	29
Wiki.....	29
Lyrics .....	29
Music .....	30
Play .....	30
Skip .....	30
Unskip .....	31
Stop.....	31
Np.....	31
Queue.....	31
Clear .....	32
Shuffle .....	32
Pause .....	32
Resume .....	33
Remove .....	33
Move.....	33
Loop .....	34

Repeat.....	34
Migrate .....	34
Volume .....	34
Server Configuration .....	35
Getting a token.....	35
Configuration Panel .....	35
Items.....	36
Mark Seven.....	36
Energy Drink .....	36
DLC .....	37
Features.....	37
Leveling System .....	37
Suggestions.....	37
Conclusion.....	38

# Introduction

N0rthWestW1nd is a Discord Bot coded by NorthWestWind in Node.js, with the help of the package of Discord API, discord.js. Discord.js is a package created by discordjs(yes it is the username) on github.com, which is a powerful JavaScript library for interacting with the Discord API. If you want to create your own bot, I recommend you to check it out. This bot is running on discord.js v12, which is the latest version released. The node.js version is also the latest.

The bot is hosted 24/7 on glitch.com, except restarts. It includes a ton of commands such as kick, warn and even something very NSFW. They will be explained later. Music commands are also supported like other bots. Make sure to read the whole manual to understand every command.

N0rthWestW1nd supports welcome messages, images and auto-role. Leave messages are also supported.

By the way, I'm not asking for any votes, donation or stuff because this bot is just an activity I do when I'm bored.

Now, let's jump into the command section.

# Commands

Of cause we got commands for you! Commands are divided into categories which are relevant to them.

Important notes:

All commands listed requires the permissions VIEW\_CHANNEL, SEND\_MESSAGES, EMBED\_LINKS and READ\_MESSAGE\_HISTORY.

## Managements

### Delete

Delete a specific amount of message in a channel. Sadly, this command does not work for DMs.

**Permissions: MANAGE\_MESSAGES**

**Usage: ?delete <amount | subcommand>**

Amount: The amount of messages to delete.

Subcommand: Read below.

**Subcommands: “all”**

All: Delete all messages in a channel, in a second.

### Role

Give a role to the mentioned user or the user ID in the message.

## **Permissions: `MANAGE_ROLES`**

**Usage: `?role <user | user ID> <role | role ID | role name>`**

User: The mention of the user.

User ID: The ID of the user.

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

# **Unrole**

Remove a role from the mentioned user or the user ID in the message.

## **Permissions: `MANAGE_ROLES`**

**Usage: `?unrole <user | userID> <role | role ID | role name>`**

User: The mention of the user.

User ID: The ID of the user.

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

# **Addrole**

Add a new role to the server. The “color” parameter may be added later.

## **Permissions: `MANAGE_ROLES`**

**Usage: `?addrole <role name> [color]`**

Role Name: The name of the role.



Color: Optional. The color of the role.

## Delrole

Remove a role from the server.

**Permissions: MANAGE\_ROLES**

**Usage: ?delrole <role | role ID | role name>**

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

## Autrole

This has nothing to do with the auto-role when a user joins the server. The command is very similar to the “?role” command, but it can assign a single to multiple users at once.

**Permissions: MANAGE\_ROLES**

**Usage: ?autrole <role | role ID | role name> <user | user ID>**

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

User: The mention of the user. Can be multiple in this command.

User ID: The ID of the user. Can be multiple in this command.

# Announce

Let the bot announce something for you in a specific channel.

**Permissions: NONE**

**Usage: ?announce <channel | channel ID> <announcement>**

Channel: The mention of the channel.

Channel ID: The ID of the channel.

Announcement: The announcement you want to make.

# Role-Message

Allows you to create a message for users to react and join a role.

**Permissions: ADD\_REACTIONS**

**Aliases: “rm”**

**Usage: ?role-message <subcommand>**

Subcommand: Required. Read below.

**Subcommands: “create”, “refresh”**

Create (Aliases: “cr”): Creates a message that add roles to users when they reacts for 7 days.

Refresh (Aliases: “re”): Refresh the message and it will last for 7 more days.

# Moderator

## Ban

Ban a member of the server.

**Permissions: BAN\_MEMBERS**

**Usage: ?ban <user | user ID> [reason]**

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for banning the member.

## Unban

Unban a member of the server.

**Permissions: BAN\_MEMBERS**

**Usage: ?unban <user | user ID> [reason]**

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for unbanning the member.

## Kick

Kick a member of the server.

**Permissions: KICK\_MEMBERS**

**Usage: ?kick <user | user ID> [reason]**

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for kicking the member.

# Warn

Warn a member of the server. 3 warnings will lead to a ban.

**Permissions: BAN\_MEMBERS**

**Usage: ?warn <user | user ID> [reason]**

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for warning the member.

# Unwarn

Remove all warnings of a member of the server.

**Permissions: BAN\_MEMBERS**

**Usage: ?unwarn <user | user ID>**

User: The mention of the user.

User ID: The ID of the user.

# Mute

Mute a member while the member is in a voice channel.

**Permissions: MUTE\_MEMBERS**

**Usage: ?mute <user | user ID> [reason]**

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for muting the member.

# Unmute

Unmute a member while the member is in a voice channel.

**Permissions:** MUTE\_MEMBERS

**Usage:** ?unmute <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for unmuting the member.

# Deafen

Deafen a member while the member is in a voice channel.

**Permissions:** DEAFEN\_MEMBERS

**Aliases:** “deaf”

**Usage:** ?deafen <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for deafening the member.

# Undeafen

Undeafen a member while the member is in a voice channel.

**Permissions: DEAFEN\_MEMBERS**

**Aliases: “undeaf”**

**Usage: ?undeafen <user | user ID> [reason]**

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for undeafening the member.

# Economy

## Work

Work in the server and gain virtual money. By working more, you will gain experience and level up. That can make you gain more.

**Permissions: ATTACH\_FILES**

**Usage: ?work**

## Bank

Display your Discord Economy status. You can also deposit or withdraw money with this command.

**Permissions: NONE**

**Usage: ?bank [subcommand]**

Subcommand: Optional. Read below.

**Subcommands: “deposit”, “withdraw”**

Deposit: Deposit virtual money into your virtual bank.

Withdraw: Withdraw virtual money from your virtual bank.

# Shop

Spend the money you gained from work or lottery.

**Permissions: NONE**

**Usage: ?shop**

# Inventory

Display your inventory.

**Permissions: NONE**

**Aliases: “e”**

**Usage: ?inventory**

# Fun

## Chat

Chat with the bot. Note that the bot has no memory about what had been said before so don't try to do Q&A with it.

**Permissions: NONE**

**Usage: ?chat <message>**

Message: A string you want the bot to respond to.

## Reddit

Fetch memes from Reddit.

**Permissions: NONE**

**Usage: ?reddit [subreddits]**

Subreddits: Optional. The subreddits you want the memes to be fetched from.

## Rng

Random number generator. Generate a random number between range.

**Permissions: NONE**

**Aliases: “randomnumber”, “randomnumbergenerator”**

**Usage: ?rng <min> <max>**

Min: The minimum value.

Max: The maximum value.

## Greet

Greet somebody.

**Permissions: NONE**

**Usage: ?greet <user | user ID>**

User: The mention of the user.

User ID: The ID of the user.

## Thx

Always be thankful. This command thanks the bot.



**Permissions: NONE**

**Usage: ?thx**

## Rank

Display your rank in the server. However, this command requires a DLC to work. Leveling system was inspired by MEE6.

**Permissions: NONE**

**Usage: ?rank**

## Uno

Play UNO with your friends!

**Permissions: NONE**

**Usage: ?uno**

# Miscellaneous

## Giveaway

Create, end or list giveaways on the server.

**Permissions: MANAGE\_MESSAGES**

**Aliases: “g”**

**Usage: ?giveaway <subcommand>**

Subcommand: Read below.

### **Subcommands: “create”, “end”, “list”**

Create: Create a giveaway in a specific channel. The “setup wizard” will lead you through that.

End <message ID>: End a giveaway.

List: List all the giveaways on the server.

## **Poll**

Create, end or list polls on the server.

### **Permissions: MANAGE\_MESSAGES**

### **Usage: ?poll <subcommand>**

Subcommand: Read below.

### **Subcommands: “create”, “end”, “list”**

Create: Create a poll in a specific channel. The “setup wizard” will lead you through that.

End <message ID>: End a poll.

List: List all the polls on the server.

## **Google**

Google Search everything with Discord.

### **Permissions: NONE**

### **Usage: ?google <query>**

Query: The stuff you want to search.

# Spam

Spam a user with the message provided.

**Permissions: NONE**

**Usage: ?spam <user | user ID> <amount> <message>**

User: The mention of the user.

User ID: The ID of the user.

Amount: The amount of messages to spam the user.

Message: The message to spam the user.

# Trade

Announce in the channel that you want to trade something.

**Permissions: NONE**

**Usage: ?trade**

# Timer

Let the bot countdown for you.

**Permissions: MANAGE\_MESSAGES**

**Usage: ?timer <subcommand>**

Subcommand: Read below.

**Subcommands: “create”, “edit”, “delete”**

Create: Create a timer in a specific channel. The “setup wizard” will lead you through that.

Edit <message ID>: Edit a timer.

Delete <message ID>: Delete the specific timer on the server.

## Math

Solve your Mathematical problems.

**Permissions: NONE**

**Usage: ?math <subcommand> <expression>**

Subcommand: Read below.

Expressions: A Mathematical expression.

**Subcommands: “evaluate”, “derivative”, “rationalize”, “simplify”, “help”**

Evaluate (Aliases: “eval”): Evaluate a Mathematical expression.

Derivative (Aliases: “ddx”): Returns the expression after differentiation.

Rationalize (Aliases: “rat”): Rationalize the given expression.

Simplify (Aliases: “sim”): Simplify an equation or expression.

Help: Returns a list of operators and functions available for creating expressions.

## NSFW

### Hentai

Return something very NSFW. Require NSFW channel.

**Permissions: NONE**

**Aliases: “h”**

**Usage: ?hentai [tag]**

Tag: The tag of the hentai you want. For tag list please check “?hentai tags”.

## Rule34

Display Rule34 images. Add tags to filter. Require NSFW channel.

**Permissions: NONE**

**Aliases: “r34”**

**Usage: ?rule34 <tags>**

Tag: Any tag you want.

## Porn

Returns real porn images from Reddit. Require NSFW channel.

**Permissions: NONE**

**Aliases: “pn”**

**Usage: ?porn [tags]**

Tags: The tags of porn. Each category has its own tags, which will display when command is called.

# Information

## Help

Send you a DM with an embed of “help” and this PDF file.

**Permissions: ATTACH\_FILES**

**Usage: ?help [command]**

Command: The name or aliases of the commands.

## Server

Display some server information.

**Permissions: NONE**

**Usage: ?server**

## Ping

Ping the bot and it will show you something interesting (not really).

**Permissions: NONE**

**Usage: ?ping**

## Info

Display information of the bot.

**Permissions: NONE**

**Usage: ?info**

## Avatar

Display the message author's avatar or the mentioned user's avatar.

**Permissions: NONE**

**Aliases: "icon", "pfp"**

**Usage: ?avatar [user | user ID]**

User: The mention of the user.

User ID: The ID of the user.

## Profile

Display profile of yourself or the mentioned user on the server.

**Permissions: NONE**

**Usage: ?profile [user | user ID]**

User: The mention of the user.

User ID: The ID of the user.

## Welcome

Test the welcome message and image.

**Permissions: NONE**

**Usage: ?welcome**

## Role-Info

Display information of a role.

**Permissions: NONE**

**Aliases: “ri”**

**Usage: ?role-info <role | role ID | role name>**

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

# APIs

## Minecraft

Connect to the Minecraft API and display information.

**Permissions: NONE**

**Aliases: “mc”**

**Usage: ?minecraft <subcommand> <username | IP>**

Subcommand: Read below.

Username: The username of the Minecraft player.

IP: Only used when using subcommand “server”.

**Subcommands: “profile”, “server”, “history”**

Profile: Display a profile of the user.



Server: Check status of any Minecraft servers.

History: Display history of username of a player.

# Hypixel

Shows Hypixel related stuff.

**Permissions: ADD\_REACTIONS**

**Aliases: “hy”**

**Usage: ?hypixel [subcommand] <username | item>**

Subcommand: Optional. Read below.

Username: The username of the player, except subcommands “auctionhouse” and “bazaar”.

Item: Items in Hypixel SkyBlock. Only used with subcommands “auctionhouse” and “bazaar”.

**Subcommands: “guild”, “achievements”, “tnt”, “bedwars”, “duels”, “skywars”, “blitz”, “arcade”, “murdermystery”, “buildbattle”, “copsandcrims”, “vampirez”, “paintball”, “quake”, “uhc”, “walls”, “megawalls”, “crazywalls”, “smashhero”, “speeduhc”, “arena”, “pit”, “skyblock”, “auctionhouse”, “bazaar”**

Guild (Aliases: “g”): Display the information of the Minecraft player’s guild on Hypixel.

Achievements (Aliases: “ach”): Display the achievements gained by a Minecraft player in Hypixel.

TNT: Display the stats of the Minecraft player in TNT games on Hypixel.

Bedwars (Aliases: "bw"): Display the stats of the Minecraft player in Bedwars on Hypixel.

Duels (Aliases: "du"): Display the stats of the Minecraft player in Duels on Hypixel.

Skywars (Aliases: "sw"): Display the stats of the Minecraft player in Skywars on Hypixel.

Blitz (Aliases: "sg"): Display the stats of the Minecraft player in Blitz Survival Game on Hypixel.

Arcade (Aliases: "ar"): Display the stats of the Minecraft player in Arcade Games on Hypixel.

MurderMystery (Aliases: "mm"): Display the stats of the Minecraft player in Murder Mystery on Hypixel.

BuildBattle (Aliases: "bb"): Display the stats of the Minecraft player in Build Battle on Hypixel.

CopsAndCriminals (Aliases: "mcgo"): Display the stats of the Minecraft player in Cops and Criminals on Hypixel.

VampireZ (Aliases: "vz"): Display the stats of the Minecraft player in VampireZ on Hypixel.

Paintball (Aliases: "pb"): Display the stats of the Minecraft player in Paintball on Hypixel.

Quake (Aliases: "q"): Display the stats of the Minecraft player in QuakeCraft on Hypixel.

UHC: Display the stats of the Minecraft player in UHC Champion on Hypixel.

Walls (Aliases: "wa"): Display the stats of the Minecraft player in Walls on Hypixel.

MegaWalls (Aliases: "mw"): Display the stats of the Minecraft player in Mega Walls on Hypixel.

CrazyWalls (Aliases: "cw"): Display the stats of the Minecraft player in Crazy Walls on Hypixel.

SmashHero (Aliases: "sh"): Display the stats of the Minecraft player in Smash Hero on Hypixel.

SpeedUHC (Aliases: "such"): Display the stats of the Minecraft player in Speed UHC on Hypixel.

Arena (Aliases: "are"): Display the stats of the Minecraft player in Arena on Hypixel.

Pit (Aliases: "p"): Display the stats of the Minecraft player in the Pit on Hypixel.

SkyBlock (Aliases: "sb"): Display the stats of the Minecraft player in SkyBlock on Hypixel and the timer of Magma Boss and Dark Auction.

AuctionHouse (Aliases: "ah"): Display prices information of an item from Auction House in Hypixel SkyBlock.

Bazaar (Aliases: "ba"): Display prices information of an item from Bazaar in Hypixel SkyBlock.

## Krunker

Connect to the Krunker.io API and display stats.

**Permissions: NONE**

**Aliases: "kr"**

**Usage: ?krunker <username>**

Username: The username of the Krunker.io player.

# Aki

Play Akinator on Discord!

**Permissions: ADD\_REACTIONS**

**Aliases: “akinator”**

**Usage: ?aki [region]**

Region: The region of the Akinator game to start at. Use “?aki region” for list of regions.

# Urban

Search the Urban Dictionary on Discord.

**Permissions: NONE**

**Usage: ?urban <query>**

Query: The string to search on Urban Dictionary.

# Smm

Search courses of Super Mario Maker. API by Tarnadas.

**Permissions: NONE**

**Usage: ?smm <query>**

Query: The course to search for.

# Oxford

Search definitions of words from Oxford Dictionary. If it cannot search, use “urban” instead.

**Permissions: NONE**

**Aliases: “ox”**

**Usage: ?oxford <keywords>**

Keywords: The words to search for.

## Speedrun

Display speedrun attempts of a game from Speedrun.com.

**Permissions: NONE**

**Aliases: “sr”**

**Usage: ?speedrun <game>**

Game: The name or abbreviation of the game.

## Wiki

Search information on Wikipedia.

**Permissions: NONE**

**Aliases: “wikipedia”**

**Usage: ?wiki <query>**

Query: The string you want to search.

## Lyrics

Display lyrics of songs if they are found.

**Permissions: NONE**

**Usage: ?lyrics <song>**

Song: The name of the song you want to search.

# Music

All commands here require permissions CONNECT and SPEAK

## Play

Play music with the link or keywords provided. Only support YouTube videos currently.

**Permissions: NONE**

**Aliases: “add”, “p”**

**Usage: ?play [link | keywords | attachment]**

Link: A link to YouTube/Spotify/SoundCloud video/track/album/playlist or direct link to the file.

Keywords: The keywords to search for music.

Attachment: An mp3 file attached to the message, not string.

## Skip

Skip a music in the queue.

**Permissions: NONE**

**Usage: ?skip [amount]**

Amount: The amount of soundtracks in the queue to skip.

# Unskip

Go to the previous music in the queue.

**Permissions: NONE**

**Usage: ?unskip [amount]**

Amount: The amount of soundtracks in the queue to unskip.

# Stop

Stop the music and disconnect the bot from the voice channel.

**Permissions: NONE**

**Aliases: “end”, “disconnect”**

**Usage: ?stop**

# Np

Display the music being played.

**Permissions: NONE**

**Aliases: “nowplaying”**

**Usage: ?np**

# Queue

Display the current song queue.

**Permissions: NONE**

**Aliases: “q”**

**Usage: ?queue [subcommand]**

Subcommand: Optional. Read below.

**Subcommands: “save”, “load”, “delete”, “list”**

Save: Save the current queue.

Load: Load a stored queue.

Delete: Delete a stored queue.

List: List all stored queues.

## Clear

Clear the current song queue. Also resets the volume to 100%.

**Permissions: NONE**

**Usage: ?clear**

## Shuffle

Shuffle the song queue.

**Permissions: NONE**

**Usage: ?shuffle**

## Pause

Pause the current music.



**Permissions: NONE**

**Usage: ?pause**

## **Resume**

Resume the paused music.

**Permissions: NONE**

**Usage: ?resume**

## **Remove**

Remove a music from the song queue.

**Permissions: NONE**

**Usage: ?remove <index>**

Index: The number of the music in the song queue.

## **Move**

Move a music to a specific position of the song queue.

**Permissions: NONE**

**Usage: ?move <target> <destination>**

Target: The number of the music you want to move.

Destination: The number of position where the music will be.

# Loop

Toggle loop of the song queue.

**Permissions: NONE**

**Aliases: “lp”**

**Usage: ?loop**

# Repeat

Toggle repeat of a song.

**Permissions: NONE**

**Aliases: “rep”, “rp”**

**Usage: ?repeat**

# Migrate

Move the bot to the channel you are in. Use when changing voice channel.

**Permissions: NONE**

**Usage: ?migrate**

# Volume

Turn the volume of music up or down by percentage.

**Permissions: NONE**

**Aliases: “vol”**

**Usage: ?volume <percentage> [np]**

Percentage: How much volume you want the bot to change in percentage (but the “%” sign is not needed). Default is 100% as expected. “+” sign can be omitted for turning up the volume, while “-” sign is required to turn down the volume.

Np: Change the volume of the current soundtrack only, if it exists.

# Server Configuration

This part we will introduce the Welcome Message, Image and Leave Message and how to change them.

## Getting a token

To configure Welcome Message, Leave Message and other stuff, you need to get a token for your server. Using the command “?config” will either generate a new token for your server, or remind you the token generated before. Copy the token and they will be used later.

## Configuration Panel

Note that the Configuration Panel require permissions `MANAGE_MESSAGES` and `ADD_REACTIONS`.

Now, with the token, you can access the Configuration Panel. Use the command “?config panel” to open the Configuration Panel. At first, you will be asked to login with the token, so just copy and paste the token generated earlier. After that, the panel will load and you can configure everything like Welcome Message, Image or the Giveaway Emoji.

# Items

As the command “?shop” is finally finished, there are brand new items you can buy from the shop.

## Mark Seven

This item is a lottery ticket. Similar to Mark Six in Hong Kong, Mark Seven allows you to choose numbers in a range to win money. Each user can only participate to lottery once a week. In each weekend, we will randomly choose 7 numbers and if the numbers someone bought matches the picked numbers, the user gets the prize. If no one wins the lottery, the money will be put together and be a part of the next lottery. The time will be announced later.

## Energy Drink

This item allows you to gain double amount of the money in command “?work”. The effect will last for 24 hours.

# DLC

There is a DLC for this bot, which provide more features for it. In order to use the DLC, you need to invite the DLC bot to your server. Use the link below to invite it:

[https://discordapp.com/api/oauth2/authorize?client\\_id=684639278944223277&permissions=1024&scope=bot](https://discordapp.com/api/oauth2/authorize?client_id=684639278944223277&permissions=1024&scope=bot)

## Features

The DLC only provide 1 extra feature currently, which is the leveling system.

### Leveling System

If you used MEE6 before, the more message you have sent in the server, the higher level you are in the server. This DLC provides a similar feature. By sending message in a server, you will gain 5 to 15 XP. 50 XP will be the goal of Level 1. Each level requires 50 XP more to level up. For example, Level 1 = 50 XP, Level 2 = 150 XP, Level 3 = 300 XP, etc.

## Suggestions

For any suggestions (if you have), please find the author of the bot on Discord (NorthWestWind#1885) or join the support server of the N0rthWestW1nd bot (<https://discord.gg/n67DUfQ>). Issues can also be reported here as well.

# Conclusion

Welp, guess that's all of it. Hope you enjoy using my bot!