

NorthWestW1nd Bot

User Manual

For Version 3.0.0

Table of Contents

Introduction	3
Commands	4
Managements	4
Moderator	8
Economy	12
Fun	13
Miscellaneous	17
NSFW	20
Information	21
APIs	24
Music	31
Server Configuration	38
Getting a token	39
Configuration Panel	39
Items	39
Mark Seven	39
Energy Drink	40
Suggestions	40
Conclusion	40

Introduction

N0rthWestW1nd is a Discord Bot coded by NorthWestWind#1885 in Node.js, with the help of the package of Discord API, discord.js. discord.js is a package created by discordjs(yes it is the username) on github.com, which is a powerful JavaScript library for interacting with the Discord API. If you want to create your own bot, I recommend you to check it out. This bot is running on discord.js v12.5.1, which is the latest version released. The node.js version is also the latest.

The bot is hosted 24/7 on glitch.com, except restarts. It includes a ton of commands such as kick, warn and even something very NSFW. They will be explained later. Music commands are also supported like other bots. Make sure to read the whole manual to understand every command.

N0rthWestW1nd supports welcome messages, images and auto-role. Leave messages are also supported.

By the way, I'm not asking for any votes, donation or stuff because this bot is just an activity I do when I'm bored.

Now, let's jump into the command section.

Commands

Of cause we got commands for you! Commands are divided into categories which are relevant to them.

Important notes:

All commands listed requires the permissions VIEW_CHANNEL, SEND_MESSAGES, EMBED_LINKS and READ_MESSAGE_HISTORY.

Managements

Addrole

Add a new role to the server. The “color” parameter may be added later.

Permissions: MANAGE_ROLES

Usage: ?addrole <role name> [color]

Role Name: The name of the role.

Color: Optional. The color of the role.

Announce

Let the bot announce something for you in a specific channel.

Permissions: NONE

Usage: ?announce <channel | channel ID> <announcement>

Channel: The mention of the channel.

Channel ID: The ID of the channel.

Announcement: The announcement you want to make.

Autorole

This has nothing to do with the auto-role when a user joins the server. The command is very similar to the “?role” command, but it can assign a single to multiple users at once.

Permissions: MANAGE_ROLES

Usage: ?autorole <role | role ID | role name> <user | user ID>

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

User: The mention of the user. Can be multiple in this command.

User ID: The ID of the user. Can be multiple in this command.

Delete

Delete a specific amount of message in a channel. Sadly, this command does not work for DMs.

Permissions: MANAGE_MESSAGES

Usage: ?delete <amount | subcommand>

Amount: The amount of messages to delete.

Subcommand: Read below.

Subcommands: “all”

All: Delete all messages in a channel, in a second.

Delrole

Remove a role from the server.

Permissions: `MANAGE_ROLES`

Usage: `?delrole <role | role ID | role name>`

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Nickname

Set user's nickname on the server.

Permissions: `MANAGE_NICKNAMES`

Aliases: "nick"

Usage: `?nickname <user | user ID> <nickname>`

User: The mention of a user.

User ID: The ID of a user.

Nickname: The nickname you want to change to.

Role

Give a role to the mentioned user or the user ID in the message.

Permissions: `MANAGE_ROLES`

Usage: `?role <user | user ID> <role | role ID | role name>`

User: The mention of the user.

User ID: The ID of the user.

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Role-Message

Allows you to create a message for users to react and join a role.

Permissions: ADD_REACTIONS

Aliases: “rm”

Usage: ?role-message <subcommand>

Subcommand: Required. Read below.

Subcommands: “create”, “refresh”

Create (Aliases: “cr”): Creates a message that add roles to users when they reacts for 7 days.

Refresh (Aliases: “re”): Refresh the message and it will last for 7 more days.

Unrole

Remove a role from the mentioned user or the user ID in the message.

Permissions: MANAGE_ROLES

Usage: ?unrole <user | userID> <role | role ID | role name>

User: The mention of the user.

User ID: The ID of the user.

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Moderator

Ban

Ban a member from the server.

Permissions: BAN_MEMBERS

Usage: ?ban <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for banning the member.

Config

Generate a token for logging into the Configuration Panel.

Permissions: NONE

Usage: ?config [subcommand]

Subcommand: Optional. Read below.

Subcommands:

New: Generates a new token.

Panel: Initializes the configuration panel.

Deafen

Deafen a member while the member is in a voice channel.

Permissions: DEAFEN_MEMBERS

Aliases: “deaf”

Usage: ?deafen <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for deafening the member.

Kick

Kick a member from the server.

Permissions: KICK_MEMBERS

Usage: ?kick <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for kicking the member.

Mute

Mute a member while the member is in a voice channel.

Permissions: MUTE_MEMBERS

Usage: ?mute <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for muting the member.

Prefix

Change the prefix of the server.

Permissions: NONE

Aliases: “pre”

Usage: ?prefix [prefix]

Prefix: The new prefix to be used on the server. Omit to show the current prefix.

Unban

Unban a member of the server.

Permissions: BAN_MEMBERS

Usage: ?unban <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for unbanning the member.

Undeafen

Undeafen a member while the member is in a voice channel.

Permissions: DEAFEN_MEMBERS

Aliases: “undeaf”

Usage: ?undeafen <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for undeafening the member.

Unmute

Unmute a member while the member is in a voice channel.

Permissions: MUTE_MEMBERS

Usage: ?unmute <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for unmuting the member.

Unwarn

Remove all warnings of a member of the server.

Permissions: BAN_MEMBERS

Usage: ?unwarn <user | user ID>

User: The mention of the user.

User ID: The ID of the user.

Warn

Warn a member of the server. 3 warnings will lead to a ban.

Permissions: BAN_MEMBERS

Usage: ?warn <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for warning the member.

Economy

Bank

Display your Discord Economy status. You can also deposit or withdraw money with this command.

Permissions: NONE

Usage: ?bank [subcommand]

Subcommand: Optional. Read below.

Subcommands: “deposit”, “withdraw”

Deposit: Deposit virtual money into your virtual bank.

Withdraw: Withdraw virtual money from your virtual bank.

Inventory

Displays your inventory and allows you to use purchased items.

Permissions: NONE

Aliases: “e”

Usage: ?inventory

Shop

Spend the money you gained from work on the server shop.

Permissions: NONE

Usage: ?shop [subcommand]

Subcommand: Optional. Read below.

Subcommands: “add”

Add: Adds a new item to the server shop.

Work

Work in the server and gain virtual money. By working more, you will gain experience and level up. That can make you gain more.

Permissions: ATTACH_FILES

Usage: ?work

Fun

Ascii

Generate ASCII arts from text or image.

Permissions: ATTACH_FILES

Usage: ?ascii <subcommand> <text | attachment>

Subcommand: "text" or "image"

Text: The string for the ASCII art you want to generate.

Attachment: Image(s) for the ASCII art you want to generate.

Axolotl

Get a random axolotl image.

Permissions: NONE

Aliases: "axol"

Usage: ?axolotl

Chat

Chat with the bot. Note that the bot has no memory about what had been said before so don't try to do Q&A with it.

Permissions: NONE

Usage: ?chat <message>

Message: A string you want the bot to respond to.

Color

Display the color you entered, or a random color.

Permissions: NONE

Usage: ?color [color]

Color: The color you want the bot to show. Can be a decimal value, a hexadecimal value or RGB values. Leave blank for a random color.

Greet

Greet somebody.

Permissions: NONE

Usage: ?greet <user | user ID>

User: The mention of the user.

User ID: The ID of the user.

Rank

Display your rank in the server. However, this command requires a DLC to work. Leveling system was inspired by MEE6.

Permissions: NONE

Usage: ?rank

Rickroll

It's a rickroll. What's your question?

Permissions: NONE

Usage: ?rickroll [user | user ID]

User: The user you want to rickroll.

User ID: The ID of the user.

RNG

Stands for Random Number Generator. Generates a random number between range.

Permissions: NONE

Aliases: “randomnumber”, “randomnumbergenerator”

Usage: ?rng <min> <max>

Min: The minimum value.

Max: The maximum value.

RPS

Play rock, paper, scissors with the randomizer.

Permissions: ADD_REACTIONS

Usage: ?rps

Sike

Sends you a video that you will find interesting.

Permissions: ATTACH_FILES

Usage: ?sike

Thx

Always be thankful. This command thanks the bot.

Permissions: NONE

Usage: ?thx

Uno

Play UNO with your friends!

Permissions: NONE

Usage: ?uno

Yacht

Play the Yacht Dice Game on Discord.

Permissions: MANAGE_MESSAGES

Usage: ?yacht

Miscellaneous

Giveaway

Create, end or list giveaways on the server.

Permissions: MANAGE_MESSAGES

Aliases: “g”

Usage: ?giveaway <subcommand>

Subcommand: Read below.

Subcommands: “create”, “end”, “list”

Create: Create a giveaway in a specific channel. The “setup wizard” will lead you through that.

End <message ID>: End a giveaway.

List: List all the giveaways on the server.

Google

Google Search everything with Discord.

Permissions: NONE

Usage: ?google <query>

Query: The stuff you want to search.

Math

Solve your Mathematical problems.

Permissions: NONE

Usage: ?math <subcommand> <expression>

Subcommand: Read below.

Expressions: A Mathematical expression.

Subcommands: “evaluate”, “derivative”, “rationalize”, “simplify”, “help”

Evaluate (Aliases: “eval”): Evaluate a Mathematical expression.

Derivative (Aliases: “ddx”): Returns the expression after differentiation.

Rationalize (Aliases: “rat”): Rationalize the given expression.

Simplify (Aliases: “sim”): Simplify an equation or expression.

Help: Returns a list of operators and functions available for creating expressions.

Poll

Create, end or list polls on the server.

Permissions: MANAGE_MESSAGES

Usage: ?poll <subcommand>

Subcommand: Read below.

Subcommands: “create”, “end”, “list”

Create: Create a poll in a specific channel. The “setup wizard” will lead you through that.

End <message ID>: End a poll.

List: List all the polls on the server.

Spam

Spam a user with the message provided.

Permissions: NONE

Usage: ?spam <user | user ID> <amount> <message>

User: The mention of the user.

User ID: The ID of the user.

Amount: The amount of messages to spam the user.

Message: The message to spam the user.

Timer

Let the bot countdown for you.

Permissions: MANAGE_MESSAGES

Usage: ?timer <subcommand>

Subcommand: Read below.

Subcommands: “create”, “edit”, “delete”

Create: Create a timer in a specific channel. The “setup wizard” will lead you through that.

Edit <message ID>: Edit a timer.

Delete <message ID>: Delete the specific timer on the server.

NSFW

Hentai

Return something very NSFW. Require NSFW channel.

Permissions: NONE

Aliases: “h”

Usage: ?hentai [tag | auto] [amount] [interval]

Tag: The tag of the hentai you want. For tag list please check “?hentai tags”.

Auto: A subcommand to do Auto-Hentai.

Amount: Only used in Auto-Hentai. The amount of message you want the bot to send.

Interval: Only used in Auto-Hentai. The interval between each message, with minimum 1 second and maximum 5 minutes.

Porn

Returns real porn images from Reddit. Require NSFW channel.

Permissions: NONE

Aliases: “pn”

Usage: ?porn [tags]

Tags: The tags of porn. Each category has its own tags, which will display when command is called.

Rule34

Display Rule34 images. Add tags to filter. Require NSFW channel.

Permissions: NONE

Aliases: “r34”

Usage: ?rule34 <tags>

Tag: Any tag you want.

Information

Avatar

Display the message author's avatar or the mentioned user's avatar.

Permissions: NONE

Aliases: “icon”, “pfp”

Usage: ?avatar [user | user ID]

User: The mention of the user.

User ID: The ID of the user.

Help

Send you a DM with an embed of “help” and this PDF file.

Permissions: ATTACH_FILES

Usage: ?help [command]

Command: The name or aliases of the commands.

Info

Display information of the bot.

Permissions: NONE

Usage: ?info

Ping

Ping the bot and it will show you something interesting (not really).

Permissions: NONE

Usage: ?ping

Profile

Display profile of yourself or the mentioned user on the server.

Permissions: NONE

Usage: ?profile [user | user ID]

User: The mention of the user.

User ID: The ID of the user.

Role-Info

Display information of a role.

Permissions: NONE

Aliases: “ri”

Usage: ?role-info <role | role ID | role name>

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Server

Display some server information.

Permissions: NONE

Usage: ?server

Welcome

Test the welcome message and image.

Permissions: NONE

Usage: ?welcome

APIs

Aki

Play Akinator on Discord!

Permissions: ADD_REACTIONS

Aliases: “akinator”

Usage: ?aki [region]

Region: The region of the Akinator game to start at. Use “?aki region” for list of regions.

Hypixel

Shows Hypixel related stuff.

Permissions: ADD_REACTIONS

Aliases: “hy”

Usage: ?hypixel [subcommand] <username | item>

Subcommand: Optional. Read below.

Username: The username of the player, except subcommands “auctionhouse” and “bazaar”.

Item: Items in Hypixel SkyBlock. Only used with subcommands "auctionhouse" and "bazaar".

Subcommands: "guild", "achievements", "tnt", "bedwars", "duels", "skywars", "blitz", "arcade", "murdermystery", "buildbattle", "copsandcrims", "vampirez", "paintball", "quake", "uhc", "walls", ""megawalls", "crazywalls", "smashhero", "speeduhc", "arena", "pit", "skyblock", "auctionhouse", "bazaar"

Guild (Aliases: "g"): Display the information of the Minecraft player's guild on Hypixel.

Achievements (Aliases: "ach"): Display the achievements gained by a Minecraft player in Hypixel.

TNT: Display the stats of the Minecraft player in TNT games on Hypixel.

Bedwars (Aliases: "bw"): Display the stats of the Minecraft player in Bedwars on Hypixel.

Duels (Aliases: "du"): Display the stats of the Minecraft player in Duels on Hypixel.

Skywars (Aliases: "sw"): Display the stats of the Minecraft player in Skywars on Hypixel.

Blitz (Aliases: "sg"): Display the stats of the Minecraft player in Blitz Survival Game on Hypixel.

Arcade (Aliases: "ar"): Display the stats of the Minecraft player in Arcade Games on Hypixel.

MurderMystery (Aliases: "mm"): Display the stats of the Minecraft player in Murder Mystery on Hypixel.

BuildBattle (Aliases: "bb"): Display the stats of the Minecraft player in Build Battle on Hypixel.

CopsAndCrims (Aliases: "mcgo"): Display the stats of the Minecraft player in Cops and Criminals on Hypixel.

VampireZ (Aliases: "vz"): Display the stats of the Minecraft player in VampireZ on Hypixel.

Paintball (Aliases: "pb"): Display the stats of the Minecraft player in Paintball on Hypixel.

Quake (Aliases: "q"): Display the stats of the Minecraft player in QuakeCraft on Hypixel.

UHC: Display the stats of the Minecraft player in UHC Champion on Hypixel.

Walls (Aliases: "wa"): Display the stats of the Minecraft player in Walls on Hypixel.

MegaWalls (Aliases: "mw"): Display the stats of the Minecraft player in Mega Walls on Hypixel.

CrazyWalls (Aliases: "cw"): Display the stats of the Minecraft player in Crazy Walls on Hypixel.

SmashHero (Aliases: "sh"): Display the stats of the Minecraft player in Smash Hero on Hypixel.

SpeedUHC (Aliases: "such"): Display the stats of the Minecraft player in Speed UHC on Hypixel.

Arena (Aliases: "are"): Display the stats of the Minecraft player in Arena on Hypixel.

Pit (Aliases: "p"): Display the stats of the Minecraft player in the Pit on Hypixel.

SkyBlock (Aliases: "sb"): Display the stats of the Minecraft player in SkyBlock on Hypixel and the timer of Magma Boss and Dark Auction.

AuctionHouse (Aliases: "ah"): Display prices information of an item from Auction House in Hypixel SkyBlock.

Bazaar (Aliases: "ba"): Display prices information of an item from Bazaar in Hypixel SkyBlock.

Know Your Meme

Display meme information from Know Your Meme.

Permissions: NONE

Aliases: "kym"

Usage: ?knowyourmeme <keywords>

Keywords: The meme you want to search for.

Krunker

Connect to the Krunker.io API and display stats.

Permissions: NONE

Aliases: "kr"

Usage: ?krunker <subcommand> <username | search term>

Subcommand: See below.

Username: The username of the Krunker.io player.

Search term: Krunker server browser search keywords.

Subcommands: "stats", "server"

Stats: Show user statistic.

Server: Krunker Server Browser.

Lyrics

Display lyrics of songs if they are found.

Permissions: NONE

Usage: ?lyrics <song>

Song: The name of the song you want to search.

Minecraft

Connect to the Minecraft API and display information.

Permissions: NONE

Aliases: “mc”

Usage: ?minecraft <subcommand> <username | IP>

Subcommand: Read below.

Username: The username of the Minecraft player.

IP: Only used when using subcommand “server”.

Subcommands: “profile”, “server”, “history”

Profile: Display a profile of the user.

Server: Check status of any Minecraft servers.

History: Display history of username of a player.

Muscore

Get information of a Muscore link, or search the site, and download if requested.

Permissions: NONE

Aliases: “muse”

Usage: ?musescore <link | keywords>

Link: The link to a sheetmusic on Musescore.

Keywords: The terms to be searched on Musescore.

Oxford

Search definitions of words from Oxford Dictionary. If it cannot search, use “urban” instead.

Permissions: NONE

Aliases: “ox”

Usage: ?oxford <keywords>

Keywords: The words to search for.

Reddit

Fetch memes from Reddit.

Permissions: NONE

Aliases: “meme”

Usage: ?reddit [subreddits]

Subreddits: Optional. The subreddits you want the memes to be fetched from.

SMM

Search courses of Super Mario Maker from smmdb.net. API by Tarnadas.

Permissions: NONE

Aliases: “supermariomaker”

Usage: ?smm <keywords>

Keywords: The course to search for.

SMM2

Search courses of Super Mario Maker 2 from smmdb.net. API by Tarnadas.

Permissions: NONE

Aliases: “supermariomaker2”

Usage: ?smm2 <keywords>

Keywords: The course to search for.

Speedrun

Display speedrun attempts of a game from Speedrun.com.

Permissions: NONE

Aliases: “sr”

Usage: ?speedrun <game>

Game: The name or abbreviation of the game.

Urban

Search the Urban Dictionary on Discord.

Permissions: NONE

Usage: ?urban <query>

Query: The string to search on Urban Dictionary.

Wiki

Search information on Wikipedia.

Permissions: NONE

Aliases: “wikipedia”

Usage: ?wiki <query>

Query: The string you want to search.

Music

All commands here require permissions CONNECT and SPEAK

Add

Add soundtracks to the queue without playing it.

Permissions: NONE

Usage: ?add [link | keywords | attachment]

Link: A link to YouTube/Spotify/SoundCloud/Musescore video/track/album/playlist/sheetmusic or direct/Google Drive link to the file.

Keywords: The keywords to search for music.

Attachment: An mp3 file attached to the message, not string.

Clear

Clear the current song queue. Also resets the volume to 100%.

Permissions: NONE

Usage: ?clear

Download

Download the soundtrack from the server queue or online.

Permissions: ATTACH_FILES

Aliases: "dl"

Usage: ?download [index | link | keywords]

Index: Index of the soundtrack in the server queue.

Link: Link to the soundtrack.

Keywords: Terms for searching the soundtrack.

Loop

Toggle loop of the song queue.

Permissions: NONE

Aliases: "lp"

Usage: ?loop

Migrate

Move the bot to the channel you are in. Use this when changing voice channel.

Permissions: NONE

Usage: ?migrate

Move

Move a music to a specific position of the song queue.

Permissions: NONE

Usage: ?move <target> <destination>

Target: The number of the music you want to move.

Destination: The number of position where the music will be.

Np

Display the music being played.

Permissions: NONE

Aliases: “nowplaying”

Usage: ?np

Pause

Pause the current music.

Permissions: NONE

Usage: ?pause

Play

Play music with the link or keywords provided. Only support YouTube videos currently.

Permissions: NONE

Aliases: “p”

Usage: ?play [link | keywords | attachment]

Link: A link to YouTube/Spotify/SoundCloud/Muscore video/track/album/playlist/sheetmusic or direct/Google Drive link to the file.

Keywords: The keywords to search for music.

Attachment: An mp3 file attached to the message, not string.

Queue

Display the current song queue.

Permissions: NONE

Aliases: “q”

Usage: ?queue [subcommand]

Subcommand: Optional. Read below.

Subcommands: “save”, “load”, “delete”, “list”, “sync”, “export”, “import”

Save: Save the current queue.

Load: Load a stored queue.

Delete: Delete a stored queue.

List: List all stored queues.

Sync: Synchronize the queue with another server.

Export: Export a queue into a file.

Import: Import a queue from a file.

Random

Play the queue randomly.

Permissions: NONE

Aliases: “rnd”

Usage: ?random

Remove

Remove soundtrack(s) from the queue.

Permissions: NONE

Usage: ?remove <index | starting index> [delete count]

Index: The number of soundtrack in the queue.

Starting Index: The number of soundtrack to start removing.

Delete Count: The number of soundtrack to remove after the starting index.

Repeat

Toggle repeat of a soundtrack.

Permissions: NONE

Aliases: “rep”, “rp”

Usage: ?repeat

Resume

Resume the paused music.

Permissions: NONE

Usage: ?resume

Reverse

Reverse the order of the server queue.

Permissions: NONE

Aliases: “rev”

Usage: ?reverse

Seek

Skip to the time specified for the current playing soundtrack.

Permissions: NONE

Aliases: “skipto”

Usage: ?seek <time>

Time: The position of the soundtrack to seek.

Shuffle

Shuffle the song queue.

Permissions: NONE

Usage: ?shuffle

Skip

Skip a music in the queue.

Permissions: NONE

Usage: ?skip [amount]

Amount: The amount of soundtracks in the queue to skip.

Stop

Stop the music and disconnect the bot from the voice channel.

Permissions: NONE

Aliases: “end”, “disconnect”

Usage: ?stop

Unskip

Go to the previous music in the queue.

Permissions: NONE

Usage: ?unskip [amount]

Amount: The amount of soundtracks in the queue to unskip.

Volume

Turn the volume of music up or down by percentage.

Permissions: NONE

Aliases: “vol”

Usage: ?volume <percentage> [np]

Percentage: How much volume you want the bot to change in percentage (but the “%” sign is not needed). Default is 100% as expected. “+” sign can be omitted for turning up the volume, while “-” sign is required to turn down the volume.

Np: Change the volume of the current soundtrack only, if it exists.

Server Configuration

This part we will introduce the Welcome Message, Image and Leave Message and how to change them.

Getting a token

To configure Welcome Message, Leave Message and other stuff, you need to get a token for your server. Using the command “?config” will either generate a new token for your server, or remind you the token generated before. Copy the token and they will be used later.

Configuration Panel

Note that the Configuration Panel require permissions `MANAGE_MESSAGES` and `ADD_REACTIONS`.

Now, with the token, you can access the Configuration Panel. Use the command “?config panel” to open the Configuration Panel. At first, you will be asked to login with the token, so just copy and paste the token generated earlier. After that, the panel will load and you can configure everything like Welcome Message, Image or the Giveaway Emoji.

Items

As the command “?shop” is finally finished, there are brand new items you can buy from the shop.

Mark Seven

This item is a lottery ticket. Similar to Mark Six in Hong Kong, Mark Seven allows you to choose numbers in a range to win money. Each user can only participate to lottery once a week. In each weekend, we will randomly choose 7 numbers and if the numbers someone bought matches the picked numbers, the user gets the prize. If no one wins the lottery, the money will

be put together and be a part of the next lottery. The time will be announced later.

Energy Drink

This item allows you to gain double amount of the money in command “?work”. The effect will last for 24 hours.

Suggestions

For any suggestions (if you have), please find the author of the bot on Discord (NorthWestWind#1885) or join the support server of the NOrthWestW1nd bot (<https://discord.gg/n67DUfQ>). Issues can also be reported here as well.

Conclusion

Welp, guess that's all of it. Hope you enjoy using my bot!