# **Certified Application Specialist: Performance Analytics** (CAS: PA) - Test 4 - Results

Return to review

Chart

Pie chart with 4 slices.

End of interactive chart.

Attempt 1

All knowledge areas

All questions

Question 1: Incorrect

Which statements are true about Responsive Dashboards?

#### Choose 3 answers

• Any user with a role can create and share Responsive Dashboards

(Correct)

• Responsive Dashboards are slower than non-Responsive Dashboards

(Incorrect)

• Responsive Dashboards require that you apply a preconfigured layout

(Incorrect)

 Responsive Dashboards allow to drag and move Widgets in order to resize them

(Correct)

• Responsive Dashboards are more customizable and perform better than Homepages

(Correct)

Question 2: Incorrect

What are the variables that can be used in a Performance Analytics script?

Choose 2 answers

score\_start

# (Correct)

score\_end

(Correct)

sys\_created\_on

(Incorrect)

collection\_job\_end

(Incorrect)

collection\_job\_start

Question 3: Correct

What is the most common usage of formula in creating formula indicators?

Select 3 answers from the below options.

• Combine data from different applications

(Correct)

Calculate ratios and percentages

(Correct)

- Generate a seasonal forecast based on a best-fit function
- Build predictive indicators based on historical performance

(Correct)

Question 4: Incorrect

As a good practice, which account should you run Data Collection as?

• System Administrator

(Incorrect)

A dedicated one

(Correct)

- Your own
- maint

Question 5: Incorrect

Among the provided options, which visualization types permit you to include multiple data sources of the same type in the UI Builder?

Select 2 answers from the below options.

Time Series

(Correct)

Pie and donuts

(Incorrect)

- Single Score
- Bars

(Correct)

#### Question 6: Incorrect

How are Additional conditions of an Indicator evaluated during Data Collection?

- Additional conditions are not available on Indicators. All conditions are defined in the Indicator Source.
- Additional conditions are used to narrow the results obtained from the already processed Indicator Source.

(Correct)

• Additional conditions override Source conditions.

(Incorrect)

 Additional conditions are evaluated at the same time as the Indicator Source conditions.

**Question 7: Incorrect** 

What is the purpose of Field during the Breakdown Mapping configuration?

• Defines the Facts table field used to map the Breakdown to Indicators

(Correct)

- Provides filtering of the Breakdown Elements
- Identifies the field that contains a unique value for every record in the Facts table

• Provides security for the Breakdown values based on user permissions

Question 8: Incorrect

As a recommended practice, how should Historical Collection be set up to run?

Daily

# (Incorrect)

- Weekly
- Once or On Demand

# (Correct)

Monthly

Question 9: Incorrect

You have the following configuration:

- Two Indicators based on the same Indicator Source
- No configured Breakdowns
- Collection job that includes the above Indicators configured as follows:
- -- Relative start: 30 days ago
- --Relative end: 1 day aggo
- -- Run: Daily

Based on the above, how many times is the database queried during job execution?

- 60
- 30

# (Incorrect)

- 1
- Not enough information provided

(Correct)

Question 10: Incorrect

Which of the subsequent functionalities are furnished by the Usage component within the Admin Console?

#### Choose 3 answers

How many new users are using the Knowledge Base

#### (Incorrect)

How many scores are added weekly

#### (Correct)

- The slowest running job
- How many tables have existing reports against them

#### (Correct)

• The most common visualization in reporting

#### (Correct)

#### Question 11: Incorrect

Which of the given options would you choose to allow the pa\_admin role to create and edit Metric Definitions?

- Share the specific Metric Definition with the pa\_admin
- pa\_admins already have rights to all metric tables

# (Incorrect)

- Grant the admin role to the pa\_admin user
- Grant the metric admin role to the pa\_admin user

#### (Correct)

#### **Ouestion 12: Incorrect**

What are the Access Control options that come by default when creating a new Indicator?

- Visible to Everyone, Visible by All Roles is False, role required is pa\_admin
- Visible to Just Me, Visible by All Roles is False
- Visible to Just Me, Visible by All Roles is False, role required is pa.admin

## (Incorrect)

Visible to Everyone, Visible by All Roles is True

#### Question 13: Incorrect

Which of the following best describes Performance Analytics Spotlight?

A calculated score based on the weighting of several conditions

(Correct)

· A visualization of an indicator score to display on a dashboard

(Incorrect)

- A view of the process data captured over a period of time
- A view of the record priority at the current time

Ouestion 14: Correct

What does the Spotlight group define?

• The data to evaluate and the weight threshold needed

(Correct)

- The data to evaluate and the weight target needed
- The score of a record as the total weight from all applicable criteria
- The total score from all applicable criteria

Question 15: Incorrect

What fields are analyzed when using Text Analytics?

- · All audit fields on all records
- All String fields on all records
- Short (less than 100 characters) String fields on all records

(Incorrect)

Configured String fields from Indicator sources that have scores collected

(Correct)

Question 16: Incorrect

Who has the responsability to manage data collection job and sources but he does not create Dashboards or Dashboard content?

- PA Target Admin
- PA Power User
- PA Contribution
- PA Data Collector

(Correct)

PA Viewer

#### (Incorrect)

Question 17: Incorrect

Who has the responsability to create Thresholds in the Analytics Hub?

- PA Administrator
- PA Data Collector

# (Incorrect)

- PA Contributor
- PA Threshold Admin

(Correct)

PA Viewer

Question 18: Incorrect

What are some additional options you can specify when sharing Reports?

#### Choose 2 answers

- If you belong to report\_global, you can share any report shared with your group
- If you belong to report\_group, you can share any report shared with everyone
- If you belong to report\_group, you can share any report shared with you or with a group you belong to

#### (Correct)

• If you belong to report\_admin you can share any report with everyone or with Groups and Users

#### (Correct)

• If you belong to report\_global, you can edit any report shared with you or with a group you belong to

# (Incorrect)

#### **Ouestion 19: Incorrect**

Which must true when using Snapshot to evaluate Spotlight records?

- The Main Indicator is a Daily Indicator
- Then Main Indicator is a Formula Indicator

• The Main Indicator and all Criteria Indicators have record collection enabled (Correct)

• The Main Indicator has a Threshold defined

Question 20: Incorrect

Which Indicator Frequency settings are valid when the Indicator Source is set to Daily?

• Daily, Weekly, Monthly, Yearly

# (Incorrect)

- Daily, Weekly, Monthly
- Daily, Weekly, Monthly
- Daily only

(Correct)

Question 21: Incorrect

Who can access and modify select Scoresheets to which they are given access

• PA Power User

(Incorrect)

PA Contributor

(Correct)

- PA Viewer
- PA Data Collector
- PA Target Admin

**Ouestion 22: Incorrect** 

Among the provided data aggregations for automated indicators, which ones facilitate an aggregate score calculation involving multiple elements within the KPI Details?

Select 3 answers from the below options.

Minimum

(Correct)

Count

(Correct)

Average

# (Incorrect)

• Sum

(Correct)

Question 23: Incorrect

What can you do with PA Solutions Library.

Choose 3 answers

- Design a new Widget
- Design a new Dashboard

(Incorrect)

• Update a Report

(Correct)

Reinstall a Widget

(Correct)

• Update a Dashboard

(Correct)

Question 24: Correct

Which of the following are valid Interactive Filter types?

Choose 3 answers

- Sys id
- Choice list

(Correct)

- Groups and Users
- Date

(Correct)

• Reference

#### Question 25: Incorrect

To restrict the selection of Breakdown Elements exclusively to users with the "hr\_user" role, what would be the appropriate security configuration?

- Breakdown Access Control Roles: hr\_user/ Defaut elements filter: specify elements to hide
- Breakdown Source Security type: Blacklist/ Element Security List Roles: hr user
- Breakdown Access Control Roles: hr\_user/ Default elements filter specify elements to show

#### (Incorrect)

 Breakdown Source Security type: Whitelist / Element Security List Roles: hr\_user

(Correct)

#### Question 26: Incorrect

Which feature allows you to trend the occurrence of "password reset" in Incident Descriptions?

• Text Analytics Phrases

# (Correct)

- Text Analytics Keywords
- Text Index Stop Words
- Text Analytics Stop Words

#### (Incorrect)

#### Ouestion 27: Incorrect

Which measurement should be excluded from a Historical Data Collection because its scores cannot be accurately collected?

- Number of new requests
- Summed age of open problems
- Number of incidents resolved in time

#### (Incorrect)

• Number of open problems not update in last 90 days

(Correct)

#### Ouestion 28: Incorrect

Is there any difference using Sum+ and Sum in time series?

• Sum takes the current scores and adds a pre-configured value.

# (Incorrect)

- Sum+ only shows data for complete months, Sum includes partial months as well
- Sum+ takes the current scores and adds a pre-configured value.
- Sum only shows data for complete months, Sum+ includes partial months as well

#### (Correct)

# Question 29: Incorrect

Select the outcome of enabling Use Snapshot in a Spotlight Group

- Scores are retrieved from business tables in real time
- Scores are retrieved from the collected Sys lds of an Indicator

# (Correct)

- Scores are retrieved form an external source
- Scores are retrieved from a database view

# (Incorrect)

#### Question 30: Incorrect

How can you use a Bucket Group in an Automated Breakdown?

• The Facts table of the Breakdown Source is set to [pa\_buckets]

#### (Correct)

• The Default elements filter of the Breakdown specifies the Bucket Groups

#### (Incorrect)

- The Facts table of the Breakdown is set to [pa\_buckets]
- The Related list conditions of the Breakdown Source identify the Bucket Groups

Question 31: Correct

What role or access level is required for users to take action on a signal, such as resetting a baseline or dismissing a signal?

- Responsible users without workspace access
- Users with the admin, pa\_admin, or pa\_kpi\_signal\_admin role without being a responsible user

- Users irrespective of their level of responsibility
- Only users with the admin role

Question 32: Incorrect

Order the Breakdown Rollup steps in the correct sequence:

- 1) Develop Parsing Script
- 2) Create Breakdown Relation
- 3) Verify Analytics Hub
- 4) New Breakdown with Script Map
- 5) Collect for the new Breakdown
  - 1 > 4 > 2 > 5 > 3

(Correct)

- 1 > 4 > 5 > 2 > 3
- 4 > 1 > 5 > 2 > 3

(Incorrect)

• 4 > 1 > 2 > 5 > 3

Question 33: Incorrect

How can you configure access to the Indicator Analytics Hub?

- By role only
- By groups and users AND By role

(Correct)

- By group only
- By configuring "report on" ACL for the Facts table

(Incorrect)

Ouestion 34: Correct

What are the Front Line Worker needs in Performance Analytics?

- Information around governance and high-level overview of process indicators to make better informed decisions.
- Relevant targeted information that would help make the right decisions quickly and result in more efficient and better service.

- Information that will help better understand what drives quality and cost of Service Delivery.
- Status and quality information about their submitted requests and the services they use.

Question 35: Incorrect

What are the display settings for a Time Series Analytics Widget?

Choose 3 answers

Show target

(Correct)

• Include elements without data in the legend

(Incorrect)

Show comments

(Correct)

Show confidence bands

(Correct)

Max colors

Question 36: Incorrect

Which of the following columns is not in common between Analytics Hub and Scorecard visualization of Breakdown Analytics widget?

Choose 2 answers

- Gap
- Trend
- Frequency

(Correct)

Change

(Incorrect)

Directions

#### **Ouestion 37: Incorrect**

Which of the below target types CANNOT be shared with other users in the KPI Details?

Personal

(Correct)

- Trend
- Global

#### (Incorrect)

- Threshold
- Forecast

Question 38: Incorrect

Is this a valid Formula Indicator syntax? Why?

# [[Number of resolved incidents by first assigned group / By month SUM+]]

- Yes. The formula divides the current score by the monthly SUM of scores
- No. By Month SUM+ is not a valid Time series
- No. The formula attempts illegal division

# (Incorrect)

• Yes. The formula returns the Monthly running SUM of Indicator scores

(Correct)

Ouestion 39: Incorrect

What are the Executive needs in Performance Analytics?

• Information around governance and high-level overview of process indicators to make better informed decisions.

(Correct)

• Information that will help better understand what drives quality and cost of Service Delivery.

#### (Incorrect)

- Relevant targeted information that would help make the right decisions quickly and result in more efficient and better service.
- Status and quality information about their submitted requests and the services they use.

Ouestion 40: Correct

Can the same Breakdown be applied to multiple Indicators based on different Facts tables?

 Yes, but you must create a mapping script to define the relationship between the

Indicator Facts tables and the Breakdown Source.

- No, you must create a separate Breakdown record for each Indicator Facts table.
- Yes, as long as the Indicator field uses the same Breakdown source, no further configuration is required.
- Yes, by creating separate Breakdown Mappings for each Indicator Facts table.

(Correct)

Question 41: Incorrect

When the 'Show Records' option is activated, how can you edit a listed record in KPI Details?

Select 2 answers from the below options.

- Clicking on a global target
- Clicking the Information icon next to the list entry

(Correct)

Clicking on Add targets to breakdowns

(Incorrect)

Clicking on a record number

(Correct)

Question 42: Incorrect

Which of the following are good methods to keep control of Breakdown data growth?

Choose 2 answers

• Exclude Breakdowns from historical collection jobs

• Uncheck "Collect breakdown matrix" in the Indicator definition

(Correct)

• Configure Breakdown Matrix Exclusions in the Indicator definition

(Correct)

Delete Breakdown scores from the Indicator scoresheet

(Incorrect)

Question 43: Incorrect

Which of the following describes a leading indicator?

Select 3 answers

Input oriented

(Correct)

• Easy to influence

(Correct)

Usually an average

(Incorrect)

- Measure outcomes
- Drives outcomes

(Correct)

Ouestion 44: Incorrect

Which Formula Indicator expression calculates the High risk of new changes as a percentage of all new changes?

- [[Number of new changes ]] / [[Number of new changes ]] \* 100
- [[Number of new changes > Risk High]] / [[Number of new changes]] \* 100

(Correct)

• [[Number of new changes.risk = high]] / {{Number of new changes}} \* 100

• [[Number of new changes]] / {{Number of new changes}} \* 100

Question 45: Incorrect

How do you display a Target in a Time series widget?

• Enable the Show target property of the Time series widget

(Correct)

• Click the Targets checkbox in the Display settings of the Time series widget

(Incorrect)

- It is not possible to show Targets on a Time series widget
- Add the Target to the Targets Related List of the Time series widget

Question 46: Incorrect

Which Workspace feature enables agents to accomplish business process workflows in a simple, task-oriented view?

- Integrated communication channels
- Playbook

(Correct)

• Integrated email client

(Incorrect)

Agent assistance

Question 47: Incorrect

Which is the most appropriate Aggregate to return the mean Duration of Resolved Incidents?

- Distinct Average
- Count
- Average

(Correct)

Sum

(Incorrect)

Question 48: Correct

How can the results on the KPI Details show favourability to distinguish increases or decreases in scores based on the direction of an indicator?

- By different sizes
- By different shapes
- By colour-coding

#### (Correct)

- By different patterns
- By naming convention

Question 49: Incorrect

Which of the following statements accurately describes Automated Indicators?

#### Choose 3 answers

One automated Indicator can act as the Indicator Source of another

(Incorrect)

- Only users with the pa\_data\_collector role can create Automated Indicators
- Multiple Indicators can use the same Indicator Source

(Correct)

Breakdowns can be applied for further classification

(Correct)

• Script can be used to calculate the Indicator scores

(Correct)

Question 50: Incorrect

For an indicator designed to monitor a money variable categorized as "Price," what Unit should be employed to ensure accurate score collection?

- Currency FX
- Integer
- \$

#### (Incorrect)

Use reference currency

(Correct)

Question 51: Incorrect

Which option must be configured within a workspace to enable users to click on a visualization value in order to view its corresponding data subset?

Enable drilldown

Activate breakdowns

(Incorrect)

- Follow filters
- New elements

Question 52: Incorrect

Order the Breakdown setup activities in the correct sequence:

- 1) Create Breakdown
- 2) Collect data and visualize
- 3) Add Breakdown to indicator
- 4) Create Breakdown Source
- 5) Create Breakdown Mapping to indicator fact table
- 6) Create Mapping Script if required
  - 1 > 4 > 3 > 5 > 6 > 2
  - 4 > 1 > 6 > 5 > 3 > 2

(Correct)

• 1 > 4 > 6 > 5 > 3 > 2

(Incorrect)

• 1 > 4 > 5 > 6 > 3 > 2

Question 53: Incorrect

What are the display settings for a Text Analytics Widget?

Choose 3 answers

Show data labels

(Incorrect)

Default field

(Correct)

Cutoff type

# (Correct)

Show comments

(Incorrect)

Maximum number of words

(Correct)

Question 54: Correct

What condition do you use on the Elements Filter record for the 'Groups' Breakdown Source to get only groups that had an incident assigned to them?

- By selecting 'Incident [incident]' for the Facts table
- By adding 'Incident->Assignment group' to the Related List Conditions

(Correct)

- By adding 'itil' type to the 'Conditions'
- By adding 'itil' to the Roles necessary to see the filter

Ouestion 55: Correct

Which option can you use to list the records moved out, shared, or moved in between any two periods on the KPI Details?

- Filter
- Show calendar
- Compare records

(Correct)

More options

Ouestion 56: Incorrect

Among the provided options, which Performance Analytics feature or application permits you to observe forecasted scores derived from past behavior?

Select 2 answers from the below options

Time series widgets

(Correct)

Analytics Hub

(Correct)

KPI Composer

# (Incorrect)

KPI Signals

#### (Incorrect)

Question 57: Correct

The list settings gear controls Filters and Columns to display in Analytics Hub.

Which of the following filters can be applied?

Choose 2 answers

- · With a threshold
- Manual

(Correct)

With a target

(Correct)

- Target hit
- · Breakdown elements

Question 58: Incorrect

How do you create and associate breakdowns on the breakdown source form?

By selecting the 'New' button on the 'Breakdowns' related list

(Correct)

• From the 'Additional actions' menu

(Incorrect)

- From the 'Create Breakdowns' related link
- By adding multiple 'Facts tables' under the Source tab

Question 59: Incorrect

What is the Run as tz setting used for in a Data Collection configuration?

- Sets the timezone for the job's schedule time
- Sets the timezone that will be used for date functions in conditions

- Reflects the timezone of the user running the job
- Sets the timezone for score\_start and score\_end

Question 60: Incorrect What is the meaning of the number of "Inserts" in a Job Log record?	
Question 60: Incorrect	
What is the meaning of the number of "Inserts" in a Job Log record?	
Number of Indicator Source records examined	
Number of Performance Analytics scores stored	(Correct)
The number of incidents inserted into the instance yesterday	
The sum of the stored scores	(Incorrect)