

## 1.Profile:

### *profile.php:*

1. \$data = \$connection->query(" SELECT NUME,PRENUME ,IS\_ADMIN FROM AUTH WHERE EMAIL= '\$email'");
2. \$data2 = \$connection->query(" SELECT SALARIU,FUNCTIE FROM ANGAJATI WHERE EMAIL= '\$email'");

## 2.Projects:

### *projects.php:*

1. \$data = \$connection->query(" SELECT NUME\_PROIECT ,DESCRIERE FROM PROIECTE WHERE ID\_PROIECT IN (SELECT ID\_PROIECT FROM PROIECTE\_ECHIPE WHERE ID\_ECHIPA IN (SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL = '\$email'))");//query complex

### *project\_manager\_add.php:*

1. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL= '\$email'");
2. \$connection->query("INSERT INTO PROIECTE (NUME\_PROIECT,DESCRIERE,DEADLINE) VALUES('\$project','\$descriere','\$deadline')");
3. \$data1 = \$connection->query(" SELECT ID\_PROIECT FROM PROIECTE WHERE NUME\_PROIECT = '\$project' AND DESCRIERE = '\$descriere' AND DEADLINE = '\$deadline'");
4. \$connection->query("INSERT INTO PROIECTE\_ECHIPE (ID\_PROIECT,ID\_ECHIPA) VALUES('\$id\_project','\$id echipa')");

### *project\_manager\_update.php:*

1. Delete:
  1. \$connection = new mysqli("localhost","admin","Informatica300","Gestiune\_Proiecte\_Base")
  2. \$connection->query("DELETE FROM PROIECTE\_ECHIPE WHERE ID\_PROIECT = '\$id\_p'")
  3. \$connection->query("DELETE FROM RAPORT\_PROIECT WHERE ID\_PROIECT = '\$id\_p'");
  4. \$connection->query("DELETE FROM TO\_DO\_PROIECT WHERE ID\_PROIECT = '\$id\_p'");
  5. \$connection->query("DELETE FROM UTILAJE\_PROIECT WHERE ID\_PROIECT = '\$id\_p'");
  6. \$connection->query("DELETE FROM MATERIALE\_PROIECT WHERE ID\_PROIECT = '\$id\_p'")
  7. \$connection->query("DELETE FROM PROIECTE WHERE ID\_PROIECT = '\$id\_p'");

2. Update:
  1. \$connection = new  
mysql("localhost","admin","Informatica300","Gestiune\_Proiecte\_Base");
  2. \$connection->query("UPDATE PROIECTE SET NUME\_PROIECT = '\$project\_name',  
DESCRIERE = '\$descriere' , DEADLINE = '\$deadline' WHERE ID\_PROIECT = '\$id\_p'  
");

#### ***projects\_details\_script.php:***

1. \$data = \$connection->query(" SELECT ID\_PROIECT,DEADLINE,DESCRIERE  
FROM PROIECTE WHERE NUME\_PROIECT = '\$project\_name'");
2. \$data1 = \$connection->query(" SELECT ID\_MATERIAL,CANTITATE FROM  
MATERIALE\_PROIECT WHERE ID\_PROIECT = '\$id\_project'");
3. \$data2 = \$connection->query(" SELECT NUME\_MATERIAL FROM MATERIALE  
WHERE ID\_MATERIAL = '\$id\_mat'");
4. \$data3 = \$connection->query(" SELECT ID\_UTILAJ,DATA\_START,DATA\_FINISH  
FROM UTILAJE\_PROIECT WHERE ID\_PROIECT = '\$id\_project'");
5. \$data4 = \$connection->query(" SELECT NUME\_UTILAJ FROM UTILAJE WHERE  
ID\_UTILAJ = '\$id\_ut'");
6. \$data5 = \$connection->query(" SELECT ID\_ECHIPA FROM PROIECTE\_ECHIPE  
WHERE ID\_PROIECT = '\$id\_project'");
7. \$data6 = \$connection->query(" SELECT NUME\_ECHIPA FROM ECHIPE WHERE  
ID\_ECHIPA = '\$id\_e'");

#### ***edit\_project\_start.php:***

1. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL =  
'\$email'");
2. \$data1 = \$connection->query(" SELECT NUME\_PROIECT, DESCRIERE ,DEADLINE  
FROM PROIECTE WHERE ID\_PROIECT = '\$id\_project'");
3. \$data1 = \$connection->query(" SELECT ID\_UTILAJ, NUME\_UTILAJ FROM UTILAJE");
4. \$data2 = \$connection->query(" SELECT ID\_UTILAJ FROM UTILAJE\_PROIECT WHERE  
ID\_PROIECT = '\$id\_project'");
5. \$data3 = \$connection->query(" SELECT DATA\_START,DATA\_FINISH FROM  
UTILAJE\_PROIECT WHERE ID\_UTILAJ = '\$id\_u' AND ID\_PROIECT = '\$id\_project'");
6. \$data4 = \$connection->query(" SELECT NUME\_UTILAJ FROM UTILAJE WHERE  
ID\_UTILAJ = '\$id\_u'");
7. \$data4 = \$connection->query(" SELECT ID\_MATERIAL,CANTITATE FROM  
MATERIALE\_PROIECT WHERE ID\_PROIECT = '\$id\_project'");
8. \$data5 = \$connection->query(" SELECT NUME\_MATERIAL FROM MATERIALE WHERE  
ID\_MATERIAL IN (SELECT ID\_MATERIAL FROM MATERIALE\_PROIECT WHERE  
ID\_PROIECT = '\$id\_project')");//query complex
9. \$data6 = \$connection->query(" SELECT ID\_MATERIAL,NUME\_MATERIAL FROM  
MATERIALE ");

### **3.TEAMS:**

#### ***teams\_script.php:***

1. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL = '\$email'");
2. \$data1 = \$connection->query(" SELECT EMAIL,TELEFON,FUNCTIE FROM ANGAJATI WHERE ID\_ECHIPA = '\$id\_echipa'");
3. \$data2 = \$connection->query(" SELECT NUME,PRENUME FROM AUTH WHERE EMAIL = '\$value'");
4. \$data3 = \$connection->query(" SELECT NUME\_ECHIPA FROM ECHIPE WHERE ID\_ECHIPA = '\$id\_echipa'");

#### **4.Raports:**

##### ***raport\_add.php:***

1. \$data = \$connection->query(" SELECT ID\_ANGAJAT FROM ANGAJATI WHERE EMAIL= '\$email'");
2. \$connection->query(" INSERT INTO RAPORT\_PROIECT (ID\_PROIECT,ID\_ANGAJAT,DESCRIERE) VALUES ('\$proiect','\$id\_angajat','\$raport')");

##### ***raport\_delete.php:***

1. \$connection->query("DELETE FROM RAPORT\_PROIECT WHERE ID\_RAPORT = '\$id'");

##### ***raport\_start\_script.php:***

1. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL = '\$email'");
2. \$data1 = \$connection->query("SELECT ID\_PROIECT FROM PROIECTE\_ECHIPE WHERE ID\_ECHIPA = '\$id\_echipa'");
3. \$data2 = \$connection->query("SELECT NUME\_PROIECT FROM PROIECTE WHERE ID\_PROIECT IN (SELECT ID\_PROIECT FROM PROIECTE\_ECHIPE WHERE ID\_ECHIPA = '\$id\_echipa')");//query complex
4. \$data3 = \$connection->query("SELECT ID\_ANGAJAT FROM ANGAJATI WHERE EMAIL = '\$email'");
5. \$data4 = \$connection->query(" SELECT ID\_RAPORT,ID\_PROIECT,DESCRIERE FROM RAPORT\_PROIECT WHERE ID\_ANGAJAT = '\$id\_angajat'");
6. \$data5 = \$connection->query("SELECT NUME\_PROIECT FROM PROIECTE WHERE ID\_PROIECT = '\$id\_pr'");
7. \$data6 = \$connection->query(" SELECT ID\_RAPORT,ID\_ANGAJAT,DESCRIERE FROM RAPORT\_PROIECT WHERE ID\_PROIECT IN (SELECT ID\_PROIECT FROM PROIECTE\_ECHIPE WHERE ID\_ECHIPA = '\$id\_echipa')");//query complex
8. \$data7 = \$connection->query(" SELECT NUME,PRENUME FROM AUTH WHERE EMAIL IN (SELECT EMAIL FROM ANGAJATI WHERE ID\_ANGAJAT = '\$id\_ang')");//query complex

9. \$data8 = \$connection->query("SELECT ID\_PROIECT FROM RAPORT\_PROIECT WHERE ID\_ANGAJAT = \$id\_a");
10. \$data9 = \$connection->query("SELECT NUME\_PROIECT FROM PROIECTE WHERE ID\_PROIECT = \$id\_p");

## 5.ToDo:

### *todo\_base\_script.php:*

1. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL = '\$email'");
2. \$data1 = \$connection->query(" SELECT DISTINCT ID\_PROIECT FROM TO\_DO\_PROIECT WHERE ID\_ECHIPA = '\$id\_echipa' ORDER BY ID\_PROIECT");
3. \$data2 = \$connection->query(" SELECT ID\_TASK,TASK,STATUS\_TASK,DEADLINE FROM TO\_DO\_PROIECT WHERE ID\_PROIECT = '\$p' AND ID\_ECHIPA = '\$id\_echipa' AND STATUS\_TASK = 0 ORDER BY DEADLINE");
4. \$data3 = \$connection->query(" SELECT NUME\_PROIECT FROM PROIECTE WHERE ID\_PROIECT = '\$pr'");
5. \$data4 = \$connection->query(" SELECT ID\_TASK,TASK,STATUS\_TASK,DEADLINE FROM TO\_DO\_PROIECT WHERE ID\_PROIECT = '\$pd' AND ID\_ECHIPA = '\$id\_echipa' AND STATUS\_TASK = 1 ORDER BY DEADLINE");
6. \$data5 = \$connection->query(" SELECT NUME\_PROIECT FROM PROIECTE WHERE ID\_PROIECT = '\$pdd'");

### *todo\_done\_script.php:*

1. \$data = \$connection->query("UPDATE TO\_DO\_PROIECT SET STATUS\_TASK = 1 WHERE ID\_TASK = '\$task'");

### *todo\_undone\_script.php:*

1. \$data = \$connection->query("UPDATE TO\_DO\_PROIECT SET STATUS\_TASK = 0 WHERE ID\_TASK = '\$task'");

## 6.Manage ToDo:

### *manage\_task\_add.php:*

1. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL= '\$email'");
2. \$connection->query("INSERT INTO TO\_DO\_PROIECT (ID\_PROIECT,ID\_ECHIPA,TASK,DEADLINE) VALUES('\$id\_proiect','\$id\_echipa','\$task','\$deadline')");
3. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL = '\$email'");
4. \$data1 = \$connection->query(" SELECT ID\_PROIECT FROM PROIECTE\_ECHIPE WHERE ID\_ECHIPA = (SELECT ID\_ECHIPA FROM ANGAJATI WHERE EMAIL = '\$email')");  
//query complex

5. `$data2 = $connection->query(" SELECT NUME_PROIECT FROM PROIECTE WHERE ID_PROIECT IN (SELECT ID_PROIECT FROM PROIECTE_ECHIPE WHERE ID_ECHIPA = (SELECT ID_ECHIPA FROM ANGAJATI WHERE EMAIL = '$email'))"); // // query complex`
6. `$data3 = $connection->query("SELECT ID_TASK,TASK ,ID_PROIECT FROM TO_DO_PROIECT WHERE ID_PROIECT IN (SELECT ID_PROIECT FROM PROIECTE_ECHIPE WHERE ID_ECHIPA = (SELECT ID_ECHIPA FROM ANGAJATI WHERE EMAIL = '$email')) AND ID_ECHIPA IN (SELECT ID_ECHIPA FROM ANGAJATI WHERE EMAIL = '$email')"); //query complex`

#### ***manage\_task\_update.php:***

1. `$data = $connection->query(" SELECT ID_ECHIPA FROM ANGAJATI WHERE EMAIL= '$email'");`
2. `$data1 = $connection->query(" SELECT ID_PROIECT FROM PROIECTE WHERE NUME_PROIECT= '$nume_project'");`
3. `$connection->query("DELETE FROM TO_DO_PROIECT WHERE ID_TASK = '$id_task'");`
4. `$data = $connection->query(" SELECT ID_ECHIPA FROM ANGAJATI WHERE EMAIL= '$email'");`
5. `$data1 = $connection->query(" SELECT ID_PROIECT FROM PROIECTE WHERE NUME_PROIECT= '$nume_project'");`
6. `$connection->query("UPDATE TO_DO_PROIECT SET TASK = '$task',DEADLINE = '$deadline' WHERE ID_TASK = '$id_task'");`

## **7.AdminPanel:**

#### ***admin\_panel\_add.php:***

1. `$data = $connection->query(" SELECT ID_ECHIPA FROM ECHIPE WHERE NUME_ECHIPA = '$echipa'");`
2. `$connection->query(" INSERT INTO AUTH (EMAIL,PASSWORD,NUME,PRENUME,IS_ADMIN) VALUES ('$email_ang','1234','$nume','$prenume',0)");`
3. `$connection->query(" INSERT INTO ANGAJATI (EMAIL,CNP,TELEFON,SALARIU,FUNCTIE,ID_ECHIPA) VALUES ('$email_ang','$cnp','$telefon','$salariu','$functie','$id_echipa')");`

#### ***admin\_panel\_add\_stock.php***

1. `$connection->query("UPDATE MATERIALE SET STOC = '$stoc' WHERE ID_MATERIAL = '$id_mat'");`

#### ***admin\_panel\_make\_update.php:***

1. `$connection->query("DELETE FROM AUTH WHERE EMAIL = '$email_id'");`

2. \$data = \$connection->query(" SELECT ID\_ECHIPA FROM ECHIPE WHERE NUME\_ECHIPA = '\$sechipa'");
3. \$connection->query(" UPDATE AUTH SET EMAIL = '\$email\_up',PASSWORD = '\$password',NUME = '\$nume',PRENUME = '\$prenume',IS\_ADMIN = '\$is\_admin' WHERE EMAIL = '\$email\_id'");
4. \$connection->query(" UPDATE ANGAJATI SET CNP ='\$cnp',TELEFON = '\$telefon',SALARIU = '\$salariu',FUNCTIE = '\$func',ID\_ECHIPA = '\$id\_echipa' WHERE EMAIL = '\$email\_up'");

#### ***admin\_panel\_panel\_script.php:***

1. \$data = \$connection->query("SELECT \* FROM AUTH AT INNER JOIN ANGAJATI A ON AT.EMAIL = A.EMAIL"); //join
2. \$data1 = \$connection->query("SELECT NUME\_ECHIPA FROM ECHIPE WHERE ID\_ECHIPA IN (SELECT ID\_ECHIPA FROM ANGAJATI WHERE ID\_ANGAJAT = '\$id\_a')"); //query complex
3. \$data2 = \$connection->query("SELECT NUME\_ECHIPA FROM ECHIPE");
4. \$data1 = \$connection->query("SELECT \* FROM AUTH AU INNER JOIN ANGAJATI A ON AU.EMAIL = A.EMAIL WHERE AU.EMAIL = '\$seml'"); //join
5. \$data11 = \$connection->query("SELECT NUME\_ECHIPA FROM ECHIPE WHERE ID\_ECHIPA = '\$id\_echipa\_u'");
6. \$data13 = \$connection->query("SELECT P.NUME\_PROIECT,P.DESCRIERE,P.DEADLINE,E.NUME\_ECHIPA FROM PROIECTE P LEFT JOIN PROIECTE\_ECHIPE PE ON P.ID\_PROIECT = PE.ID\_PROIECT LEFT JOIN ECHIPE E ON PE.ID\_ECHIPA = E.ID\_ECHIPA "); //join
7. \$data14 = \$connection->query("SELECT R.ID\_RAPORT, R.DESCRIERE, P.NUME\_PROIECT FROM RAPORT\_PROIECT R LEFT JOIN PROIECTE P ON P.ID\_PROIECT = R.ID\_PROIECT "); //join
8. \$data15 = \$connection->query("SELECT AUT.NUME,AUT.PRENUME FROM RAPORT\_PROIECT R LEFT JOIN ANGAJATI A ON A.ID\_ANGAJAT = R.ID\_ANGAJAT LEFT JOIN AUTH AUT ON AUT.EMAIL = A.EMAIL"); //join
9. \$data16 = \$connection->query("SELECT \* FROM MATERIALE ");
10. \$data17 = \$connection->query("SELECT \* FROM UTILAJE ");