

866-515-5481 **L** Cart

Q Search...

HOME / BRASS PIPE FITTINGS / BRASS COUPLING - FEMALE NPTF THREADS

 $\leftarrow \text{PREV} \; \mid \; \text{NEXT} \rightarrow$

FITTINGS BY MATERIAL

BRASS FITTINGS

LEAD FREE FITTINGS

STEEL FITTINGS

STAINLESS STEEL FITTINGS


BLACK & GALVANIZED FITTINGS

MALLEABLE IRON FITTINGS

BRONZE FITTINGS

PLASTIC FITTINGS

COPPER FITTINGS





TYPE: BRASS PIPE FITTINGS







CATEGORY: BRASS COUPLING - FEMALE NPTF THREADS

FITTINGS BY APPLICATION

AIR BRAKE - D.O.T. FITTINGS

API LINE PIPE COUPLINGS

BRASS FLARELESS FITTINGS

BRASS PIPE FITTINGS

BSPT / BSPP - METRIC FITTINGS

BULKHEAD FITTINGS

CAM & GROOVE FITTINGS

COMPRESSION FITTINGS

D.O.T. PUSH-IN FITTINGS

BRASS COUPLING - FEMALE NPTF THREADS

BRASS COUPLING - FEMALE NPTF THREADS - SAE# 130138 - FEMALE NPTF COUPLING

TYPICAL APPLICATION - GREASE, FUELS, LP AND NATURAL GAS (AVAILABLE ON SPECIAL ORDER), REFRIGERATION, INSTRUMENTATION AND HYDRAULIC SYSTEMS.

CONFORMANCE - MEETS SPECIFICATIONS AND STANDARDS OF ASA, ASME AND SAE.

PRESSURE - OPERATING PRESSURE UP TO 1200 PSI.

VIBRATION - FAIR RESISTANCE.

MATERIAL - CA360 BRASS FOR BARSTOCK FITTINGS. CA377 BRASS FOR FORGED FITTINGS.

CAN BE USED WITH - BRASS, BRONZE, COPPER, STEEL, ALUMINUM AND IRON PIPE.

SELECT SIZE

3/8 LIGHT PATTERN BRASS COUPLING - FEMALE N

SKU 28060L

3/8 LIGHT PATTERN BRASS COUPLING - FEMALE NPTF THREADS - OVERALL LENGTH 1", HEX 0.81"