Status	Finished
Started	Sunday, 18 October 2026, 6:04 PM
Completed	Sunday, 18 October 2026, 6:13 PM
Duration	8 mins 36 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Write the output of : print(min(tuple("computer")))

- a. o
- b. u
- c. t
- d. c ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial🦴 :
    if (n==1 or n==0):
        return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

- a. (n-1)*(n-2)
- b. n*(n-1)
- c. fact(n)*fact(n-1)
- d. (n * factorial(n - 1)) ✓

Question **3**

Correct

Mark 1.00 out of 1.00

____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

- a. Operator
- b. Datatype
- c. Token
- d. Function ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Choose the correct statement

- a. All of the mentioned ✓
- b. We can create function with argument(s) and no return value.
- c. We can create function with no argument and no return value.
- d. We can create function with no argument and with return value(s)

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

- a. Keyword argument
- b. Required argument
- c. initial argument ✓
- d. default argument

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def sayHello():
    print('Hello World!')
sayHello()
sayHello()
```

a. Hello
Hello

b. Hello World! ✓
Hello World!

c. 'Hello World!'
'Hello World!'

d. None of the mentioned

Question **7**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using ____.

a. String

b. List

c. Tuple ✓

d. Dictionary

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def test(i,j):
  if(i==0):
    return j
  else:
    return test(i-1,i+j)
print(test(4,7))
```

a. 7

b. 13

c. 17 ✓

d. Infinite loop

Question **9**

Correct

Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

a. def ✓

b. DEF

c. Define

d. Def

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y
print(maximum(2, 3))
```

a. None of the mentioned

b. 2

c. The numbers are equal

d. 3 ✓

Question **11**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. dictionary( ) ✓

b. print( )

c. tuple( )

d. input( )

Question **12**

Correct

Mark 1.00 out of 1.00

Python function always returns a value

Select one:

True ✓

False

Question **13**

Correct

Mark 1.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

a. 7
b. [1, 2, 3, 4]
c. [7] ✓
d. [4, 5, 6]

Question **14**

Correct

Mark 1.00 out of 1.00

Which one of the following is the correct way of calling a function?

a. ret function_name()
b. function function_name()
c. function_name() ✓
d. call function_name()

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

a. 15
b. Syntax Error
c. (8,7) ✓
d. 8