CLIENT REPORT DRAFT

Boxercraft Product Discovery Assessment

Rendered public-retail, public-wholesale, 36-query search/autocomplete normalization, all-node browse parity, and competitor discovery benchmark review of Boxercraft product discovery, including browse-path recovery, priority UCLA/Bruins terms, filters, recommendations, mobile, and public wholesale SKU variants. Authenticated wholesale workflows require approved access before final delivery.

Prepared for

Boxercraft Leadership Team

Prepared by Northvalley Intelligence LLC



PRIMARY READOUT

The full normalization matrix and all-node browse parity pass show useful exact-search coverage, but search, autocomplete, and browse do not consistently expose the same products or recovery paths. Boxercraft leads the tested public direct-brand competitor discovery score, while quarter-zip variants, color-plus-product phrases, team aliases, browse-node parity, and UCLA/Bruins competitive visibility still expose gaps.

SCOPE

36 variants + 96 nodes + 5 sites

Search, autocomplete, browse routing, all public browse nodes, priority team terms, public wholesale SKU checks, and competitor discovery benchmark.

Executive Summary

LEADERSHIP DECISION

Prioritize a shared intent map so search, autocomplete, and browse recovery handle customer language consistently. Boxercraft already recovers several exact apparel and UCLA/Bruins terms, but the full matrix shows avoidable dead ends before and after query submission.

This draft now includes rendered desktop/mobile browser evidence, screenshot artifacts, public retail search/autocomplete evidence, search/autocomplete-to-browse routing, all-node browse parity evidence, collection filter validation, product-page recommendation validation, public wholesale search checks, a 36-query Normalization Matrix, and a public competitor benchmark against L2 Brands, Colosseum Athletics, Concepts Sport, and Fanatics. It should still not be treated as final external delivery until authenticated wholesale workflows and broader recommendation/filter samples are validated. The user-reported UCLA commercial importance is treated as stakeholder context, not independently verified public proof of client size.

SEARCH
58/100
Useful exact and UCLA/Bruins search coverage, but weaker abbreviation, alternate terminology, and team recovery.

AUTOCOMPLETE
42/100
Some exact and UCLA/Bruins suggestions work; color-plus-product terms and some priority variants drop before search submission.

OVERALL
52/100
Full normalization plus all-node browse parity score; authenticated wholesale and broader recommendation/filter sampling remain open.

Key Findings

- **Search/autocomplete normalization is uneven.** Quarter-zip variants were 2/6 relevant in search and 3/6 in autocomplete; color-plus-product variants were 4/5 relevant in search but 0/5 in autocomplete.
- **Browse-node parity is materially inconsistent.** GEN-007 discovered 96 public collections and evaluated 93 non-empty browse nodes; only 5/60 category or fan-shop nodes had exact search/browse product-set parity. `blankets` returned 3 search/autocomplete products but only 2 browse products.
- **Boxercraft leads the tested competitor discovery benchmark.** In the GEN-006 public benchmark, Boxercraft scored 78 versus Colosseum 55 and L2 Brands 46, driven by stronger relevant search coverage and comparable browse evidence.
- **Priority team discovery is not protected.** UCLA/Bruins terms were mostly recoverable at 7/8 search and 6/8 autocomplete, but `UCLA quarter zip` dropped in autocomplete and `Bruins apparel` returned 0 search results.
- **Competitive pressure remains in licensed-team visibility.** Colosseum exposed more UCLA/Bruins public catalog matches than Boxercraft in the tested direct-site feeds, 20 versus 6.

Evidence Snapshot

Workflow	Evidence	Observed behavior
Normalization Matrix	Quarter-zip variants	6 variants tested. Search was relevant for 2/6 and autocomplete for 3/6; zero-search variants included `quarterzip`, `qtr zip`, `qtr-zip`, and `1/4 zip`.
Normalization Matrix	Women's fleece variants	5 variants tested. Search and autocomplete were each relevant for 3/5; `ladies fleece` and `female fleece` returned 0 search results in this run.
UCLA/Bruins	Priority-account terms	8 variants tested. Search was relevant for 7/8, autocomplete for 6/8, search-to-browse for 8/8, and autocomplete-to-browse for 5/8. `UCLA quarter zip` dropped in autocomplete; `Bruins apparel` returned 0 search results.
Browse Node Parity	All public collections	96 public collections discovered and 93 non-empty browse nodes evaluated. Only 5/60 category or fan-shop nodes had exact search/browse product-set parity; `blankets` returned 3 products in search/autocomplete but 2 in browse.
Search And Autocomplete To Browse	Recovery routing	UCLA and broad fan-shop terms usually exposed browse paths, but quarter-zip and color-product variants had browse-path gaps across 10 tested terms.
Search	Team aliases	Broad `college teams` and `fan shop` terms recovered, but `team apparel`, `Bulldogs`, and `Georgia Bulldogs` returned 0 search results.
Autocomplete	Color-plus-product	5 variants tested. Search was relevant for 4/5, but autocomplete was relevant for 0/5, including `maroon quarter zip`, `burgundy quarter zip`, `cardinal quarter zip`, and `red quarter zip`.
Filters	Fleece Collection	Rendered desktop and mobile fleece pages exposed filter/refine drawers, Type, Size, Color, sorting, and 17 visible products.
Recommendations	Product page	`You May Also Like` rendered, but the captured recommendation repeated the current product.
Wholesale	Public SKU variants	6 public wholesale variants tested. 4/6 were relevant; `BM-5205` and uppercase `BM5205` did not return a parsed relevant result in this run, while lowercase/spaced/product-name variants did.

Rendered browser evidence was captured June 25, 2026. The full GEN-004 normalization matrix was captured June 26, 2026 from public Boxercraft pages, Shopify/Boost search behavior, collection/page links, and public wholesale pages. GEN-007 all-node browse parity evidence was captured June 29, 2026 from public collection feeds and Boost search/autocomplete APIs. Revalidate before external delivery.

All Browse Nodes Compared To Search And Autocomplete

GEN-007 adds the stricter parity method: every public Boxercraft collection node is enumerated, the corresponding search query is generated from the collection handle or visible node label, full Boost search results are paged, Boost autocomplete product suggestions are captured separately, and product handles are compared against the browse-node product feed. This prevents parity claims from being based on a few sampled browse nodes.

Parity measure	GEN-007 result	Evidence basis	Readout
Public collections discovered	96 nodes	`/collections.json`	Full public browse-node inventory captured.
Non-empty nodes evaluated	93 nodes	Collection product feeds plus Boost APIs	All non-empty public nodes completed with no rate-limit errors in the final run.
Core category/fan-shop parity	5/60 exact matches	Product-handle set comparison	Search and browse parity is not reliable enough for sampled claims.
Search-only products	13/60 core nodes	Search results absent from matching browse node	Browse can under-expose products that search can find.
Browse-only products	51/60 core nodes	Browse products absent from matching search	Category labels and fan-shop labels often do not behave as searchable intents.
Autocomplete browse hits	47/60 core nodes had no browse-product hit	Boost suggestion product payload	Autocomplete should be checked separately because the suggestion payload is smaller than full search.

BLANKETS MISMATCH CONFIRMED

The `blankets` browse node returned 2 browse products, while search and autocomplete each reported 3 products for `blankets`. The search/autocomplete-only product was `Lambert Soccer Everest Blanket`, which appeared under Lambert Soccer Spiritwear and other merchandising collections, not the Blankets browse feed.

BROADER PATTERN

`fleece` returned 19 browse products versus 89 search products; `quarter zip pullovers` returned 14 browse products versus 27 search products; `UCLA Bruins` had 6 browse products but 0 search/autocomplete products for the fan-shop label.

Evidence source: GEN-007 browse-node parity JSON and Markdown under `assessments/boxercraft/browse-node-parity/`. Global catalog, empty collections, and merchandising/campaign nodes are recorded but excluded from the 60-node core parity denominator. Autocomplete parity is not treated as full recall because the Boost suggestion API returns a smaller product suggestion list than full search.

Search, Autocomplete, And Browse Comparison

The GEN-006 public benchmark compares Boxercraft with L2 Brands, Colosseum Athletics, Concepts Sport, and Fanatics using public catalog/list-price evidence plus rendered search, autocomplete, and browse samples. Boxercraft leads the tested direct-brand set overall, but the comparison shows where its advantage is strongest and where competitors still pressure the discovery experience.

Site	Search	Autocomplete	Browse	Readout
Boxercraft	7/8 relevant	4/8 relevant	30 visible product titles; filters observed	Best tested score at 78. Stronger search and browse evidence than peers, but autocomplete still trails search.
Colosseum Athletics	3/8 relevant	3/8 relevant	30 visible product titles; filters observed	Lower score at 55, but stronger UCLA/Bruins public catalog visibility than Boxercraft, 20 matches versus 6.
L2 Brands	3/8 relevant	0/8 relevant	20 visible product titles; filters observed	Score 46. Search has pockets of relevance; autocomplete was the clear weakness in this query set.
Concepts Sport	0/5 relevant	0/8 relevant	No parsed product-grid titles; filters observed	Relevant licensed lounge/sleepwear competitor, but automated public evidence was limited.
Fanatics	Marketplace benchmark	0/8 relevant	Access-limited in this automated scope	Useful marketplace reference, not a direct brand-owned catalog comparison without manual validation.

WHERE BOXERCRAFT LEADS

Search and browse are stronger than the tested direct-brand competitors in this automated public evidence pass. Boxercraft returned relevant results for 7/8 benchmark queries and exposed 30 visible browse product titles with filters.

WHERE COMPETITORS PRESSURE

Colosseum exposes more UCLA/Bruins public catalog matches, and Boxercraft's own autocomplete still under-recovers customer phrasing. The priority fix is cross-surface intent parity, not only more catalog items.

Competitor evidence captured in GEN-006 from public direct-site catalog feeds and rendered browser samples. Public prices and catalog matches are not wholesale, negotiated, inventory, or account-specific evidence. Concepts Sport and Fanatics require manual or alternate-source validation before strong client-facing claims.

Detailed Findings

FINDING 01 / HIGH

Search and autocomplete normalization are materially uneven

Observation: The 36-query Normalization Matrix shows quarter-zip variants at 2/6 relevant in search and 3/6 in autocomplete, women's fleece variants at 3/5 on both surfaces, and color-plus-product variants at 4/5 in search but 0/5 in autocomplete.

Customer impact: Customers using common spacing, abbreviation, gender, or color phrasing can receive a false dead-end signal.

Recommendation: Create a shared normalization map for spacing, punctuation, abbreviations, gender synonyms, and color-plus-product phrasing, then apply it consistently to search and autocomplete.

FINDING 02 / HIGH

Priority fan-shop and team discovery is not protected

Observation: UCLA/Bruins terms were mostly recoverable, but `UCLA quarter zip` dropped in autocomplete and `Bruins apparel` returned 0 search results. Team aliases also remained uneven: `team apparel`, `Bulldogs`, and `Georgia Bulldogs` returned 0 search results.

Customer impact: A fan-shop shopper can find some UCLA paths but still hit dead ends for likely team, mascot, or product-specific language.

Recommendation: Treat UCLA/Bruins and other priority team/mascot/university aliases as protected relevance sets with search, autocomplete, and zero-result recovery checks.

FINDING 03 / HIGH

Browse-node, search, and autocomplete parity is not reliable

Observation: GEN-007 evaluated 93 non-empty public browse nodes and found exact search/browse product-set parity on only 5/60 category or fan-shop nodes. `blankets` returned 2 browse products, while search and autocomplete reported 3 products; the missing browse product was `Lambert Soccer Everest Blanket`.

Customer impact: Customers can see different product availability depending on whether they browse, search, or type into autocomplete.

Recommendation: Make all-node browse parity a required gate: each priority collection should have matching collection membership, search indexing, autocomplete coverage, and fallback routing before parity is reported.

FINDING 04 / MEDIUM

Product-page recommendations are weakly related

Observation: `You May Also Like` rendered on a quarter-zip product page, but the captured recommendation repeated the same product.

Customer impact: Shoppers receive little help discovering alternatives or complements.

Recommendation: Tune recommendations toward distinct similar products, complements, or collection alternatives.

Recommended Improvements

Phase	Focus	Recommended work	Outcome
Now	**Normalization map**	Normalize spacing, punctuation, `qtr`/`1/4`, gender synonyms, and color-plus-product phrases across search and autocomplete.	Fewer false dead ends before and after search submission
Next	**Priority fan-shop routing**	Protect UCLA/Bruins and other team, mascot, university, and fan-shop vocabulary with search, autocomplete, browse, and zero-result checks.	More reliable high-intent licensed-product discovery
Then	**Browse parity gate**	Run all public browse nodes against corresponding search and autocomplete evidence, then fix collection membership, search indexing, suggestion payloads, and fallback routing together.	Consistent product recovery across browse, search, and autocomplete
Validate	**Final evidence**	Validate authenticated wholesale account/order workflows and broaden filter/recommendation samples.	Client-ready evidence quality

QUICK WIN

Add shared search/autocomplete normalization for quarter-zip abbreviations and color-plus-product phrases that current search can often recover but autocomplete drops.

STRATEGIC IMPROVEMENT

Create a shared intent map and browse-node parity gate across search, autocomplete, browse, zero-result recovery, recommendations, and public/wholesale catalog discovery so customer language lands on useful product, collection, or alternative paths consistently.

Next Steps And Validation

BEFORE CLIENT DELIVERY

Use the captured browser screenshots and GEN-004 normalization matrix as current evidence, then validate authenticated wholesale account/order workflows and expand recommendation/filter sampling before final external delivery.

REPORT PACKAGING

The Northvalley LaTeX report source now reflects rendered browser evidence, full normalization evidence, competitor benchmark evidence, revised scores, and confirmed findings.

Evidence URLs

https://boxercraft.com/search?q=maroon+quarter+zip

https://boxercraft.com/search?q=womens+fleece
https://boxercraft.com/search?q=quarterzip
https://boxercraft.com/search?q=blankets
https://boxercraft.com/collections/blankets
https://boxercraft.com/search?q=UCLA+quarter+zip
https://boxercraft.com/search?q=Bruins+apparel
https://boxercraft.com/search?q=Georgia+Bulldogs
https://boxercraft.com/collections/fleece
https://boxercraft.com/pages/college-team-fan-shop
https://wholesale.boxercraft.com/search.html?query=BM5205&page=1
https://wholesale.boxercraft.com/

STATUS

Rendered browser draft assessment with full GEN-004 normalization evidence, GEN-006 public competitor benchmark evidence, and GEN-007 all-node browse parity evidence. Evidence is current through June 29, 2026 and should be revalidated before external delivery. GitHub submission is complete: `main` tracks `origin/main` for the private Northvalley Intelligence repository.