

Tables (26)

Name	Type	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "main_app_customuser" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL

Name	Type	Schema
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
main_app_admin		CREATE TABLE "main_app_admin" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "admin_id" integer NOT NULL UNIQUE REFERENCES "main_app_customuser" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
admin_id	integer	"admin_id" integer NOT NULL UNIQUE
main_app_attendance		CREATE TABLE "main_app_attendance" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "date" date NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "session_id" integer NOT NULL REFERENCES "main_app_session" ("id") DEFERRABLE INITIALLY DEFERRED, "subject_id" integer NOT NULL REFERENCES "main_app_subject" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
date	date	"date" date NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
session_id	integer	"session_id" integer NOT NULL
subject_id	integer	"subject_id" integer NOT NULL
main_app_attendancereport		CREATE TABLE "main_app_attendancereport" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "status" bool NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "attendance_id" bigint NOT NULL REFERENCES "main_app_attendance" ("id") DEFERRABLE INITIALLY DEFERRED, "student_id" integer NOT NULL REFERENCES "main_app_student" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
status	bool	"status" bool NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
attendance_id	bigint	"attendance_id" bigint NOT NULL
student_id	integer	"student_id" integer NOT NULL
main_app_course		CREATE TABLE "main_app_course" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(120) NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(120)	"name" varchar(120) NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
main_app_customuser		CREATE TABLE "main_app_customuser" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "first_name" varchar(150) NOT NULL, "last_name" varchar(150) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "email" varchar(254) NOT NULL UNIQUE, "user_type" varchar(1)

Name	Type	Schema
		NOT NULL, "gender" varchar(1) NOT NULL, "profile_pic" varchar(100) NOT NULL, "address" text NOT NULL, "fcm_token" text NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL UNIQUE
user_type	varchar(1)	"user_type" varchar(1) NOT NULL
gender	varchar(1)	"gender" varchar(1) NOT NULL
profile_pic	varchar(100)	"profile_pic" varchar(100) NOT NULL
address	text	"address" text NOT NULL
fcm_token	text	"fcm_token" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
main_app_customuser_groups		CREATE TABLE "main_app_customuser_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "customuser_id" integer NOT NULL REFERENCES "main_app_customuser" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
customuser_id	integer	"customuser_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
main_app_customuser_user_permissions		CREATE TABLE "main_app_customuser_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "customuser_id" integer NOT NULL REFERENCES "main_app_customuser" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
customuser_id	integer	"customuser_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
main_app_feedbackstaff		CREATE TABLE "main_app_feedbackstaff" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "feedback" text NOT NULL, "reply" text NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "staff_id" integer NOT NULL REFERENCES "main_app_staff" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
feedback	text	"feedback" text NOT NULL
reply	text	"reply" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
staff_id	integer	"staff_id" integer NOT NULL
main_app_feedbackstude		CREATE TABLE "main_app_feedbackstudent" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,

Name	Type	Schema
nt		"feedback" text NOT NULL, "reply" text NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "student_id" integer NOT NULL REFERENCES "main_app_student" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
feedback	text	"feedback" text NOT NULL
reply	text	"reply" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
student_id	integer	"student_id" integer NOT NULL
main_app_leavereportstaff		CREATE TABLE "main_app_leavereportstaff" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "date" varchar(60) NOT NULL, "message" text NOT NULL, "status" smallint NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "staff_id" integer NOT NULL REFERENCES "main_app_staff" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
date	varchar(60)	"date" varchar(60) NOT NULL
message	text	"message" text NOT NULL
status	smallint	"status" smallint NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
staff_id	integer	"staff_id" integer NOT NULL
main_app_leavereportstudent		CREATE TABLE "main_app_leavereportstudent" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "date" varchar(60) NOT NULL, "message" text NOT NULL, "status" smallint NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "student_id" integer NOT NULL REFERENCES "main_app_student" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
date	varchar(60)	"date" varchar(60) NOT NULL
message	text	"message" text NOT NULL
status	smallint	"status" smallint NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
student_id	integer	"student_id" integer NOT NULL
main_app_notificationstaff		CREATE TABLE "main_app_notificationstaff" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "message" text NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "staff_id" integer NOT NULL REFERENCES "main_app_staff" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
message	text	"message" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
staff_id	integer	"staff_id" integer NOT NULL
main_app_notificationstudent		CREATE TABLE "main_app_notificationstudent" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "message" text NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "student_id" integer NOT NULL REFERENCES "main_app_student"

Name	Type	Schema
		("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
message	text	"message" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
student_id	integer	"student_id" integer NOT NULL
main_app_session		CREATE TABLE "main_app_session" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "start_year" date NOT NULL, "end_year" date NOT NULL)
id	integer	"id" integer NOT NULL
start_year	date	"start_year" date NOT NULL
end_year	date	"end_year" date NOT NULL
main_app_staff		CREATE TABLE "main_app_staff" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "admin_id" bigint NOT NULL UNIQUE REFERENCES "main_app_customuser" ("id") DEFERRABLE INITIALLY DEFERRED, "course_id" bigint NULL REFERENCES "main_app_course" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
admin_id	bigint	"admin_id" bigint NOT NULL UNIQUE
course_id	bigint	"course_id" bigint
main_app_student		CREATE TABLE "main_app_student" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "admin_id" bigint NOT NULL UNIQUE REFERENCES "main_app_customuser" ("id") DEFERRABLE INITIALLY DEFERRED, "course_id" bigint NULL REFERENCES "main_app_course" ("id") DEFERRABLE INITIALLY DEFERRED, "session_id" bigint NULL REFERENCES "main_app_session" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
admin_id	bigint	"admin_id" bigint NOT NULL UNIQUE
course_id	bigint	"course_id" bigint
session_id	bigint	"session_id" bigint
main_app_studentresult		CREATE TABLE "main_app_studentresult" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "test" real NOT NULL, "exam" real NOT NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "student_id" bigint NOT NULL REFERENCES "main_app_student" ("id") DEFERRABLE INITIALLY DEFERRED, "subject_id" integer NOT NULL REFERENCES "main_app_subject" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
test	real	"test" real NOT NULL
exam	real	"exam" real NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
student_id	bigint	"student_id" bigint NOT NULL
subject_id	integer	"subject_id" integer NOT NULL
main_app_subject		CREATE TABLE "main_app_subject" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(120) NOT NULL, "updated_at" datetime NOT NULL, "created_at" datetime NOT NULL, "course_id" bigint NOT NULL REFERENCES "main_app_course" ("id") DEFERRABLE INITIALLY DEFERRED, "staff_id" bigint NOT NULL REFERENCES "main_app_staff" ("id") DEFERRABLE INITIALLY DEFERRED)

Name	Type	Schema
id	integer	"id" integer NOT NULL
name	varchar(120)	"name" varchar(120) NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
course_id	bigint	"course_id" bigint NOT NULL
staff_id	bigint	"staff_id" bigint NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (32)

Name	Type	Schema
auth_group_permissions_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content_type_id_codename_01ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")

Name	Type	Schema
expire_date		"expire_date"
main_app_attendance_session_id_b5e3071a		CREATE INDEX "main_app_attendance_session_id_b5e3071a" ON "main_app_attendance" ("session_id")
session_id		"session_id"
main_app_attendance_subject_id_4de67085		CREATE INDEX "main_app_attendance_subject_id_4de67085" ON "main_app_attendance" ("subject_id")
subject_id		"subject_id"
main_app_attendancereport_attendance_id_8102922e		CREATE INDEX "main_app_attendancereport_attendance_id_8102922e" ON "main_app_attendancereport" ("attendance_id")
attendance_id		"attendance_id"
main_app_attendancereport_student_id_0957b64c		CREATE INDEX "main_app_attendancereport_student_id_0957b64c" ON "main_app_attendancereport" ("student_id")
student_id		"student_id"
main_app_customuser_groups_customuser_id_9d75aa94		CREATE INDEX "main_app_customuser_groups_customuser_id_9d75aa94" ON "main_app_customuser_groups" ("customuser_id")
customuser_id		"customuser_id"
main_app_customuser_groups_customuser_id_group_id_6dd2b9a7_uniq		CREATE UNIQUE INDEX "main_app_customuser_groups_customuser_id_group_id_6dd2b9a7_uniq" ON "main_app_customuser_groups" ("customuser_id", "group_id")
customuser_id		"customuser_id"
group_id		"group_id"
main_app_customuser_groups_group_id_9ee498f4		CREATE INDEX "main_app_customuser_groups_group_id_9ee498f4" ON "main_app_customuser_groups" ("group_id")
group_id		"group_id"
main_app_customuser_user_permissions_customuser_id_b28fdeb1		CREATE INDEX "main_app_customuser_user_permissions_customuser_id_b28fdeb1" ON "main_app_customuser_user_permissions" ("customuser_id")
customuser_id		"customuser_id"
main_app_customuser_user_permissions_customuser_id_permission_id_0bd2d638_uniq		CREATE UNIQUE INDEX "main_app_customuser_user_permissions_customuser_id_permission_id_0bd2d638_uniq" ON "main_app_customuser_user_permissions" ("customuser_id", "permission_id")
customuser_id		"customuser_id"
permission_id		"permission_id"
main_app_customuser_user_permissions_permission_id_595e7ce3		CREATE INDEX "main_app_customuser_user_permissions_permission_id_595e7ce3" ON "main_app_customuser_user_permissions" ("permission_id")
permission_id		"permission_id"
main_app_feedbackstaff_staff_id_b20848bb		CREATE INDEX "main_app_feedbackstaff_staff_id_b20848bb" ON "main_app_feedbackstaff" ("staff_id")
staff_id		"staff_id"

Name	Type	Schema
main_app_feedbackstudent_student_id_7509652e		CREATE INDEX "main_app_feedbackstudent_student_id_7509652e" ON "main_app_feedbackstudent" ("student_id")
student_id		"student_id"
main_app_leavereportstaff_staff_id_9c69ba31		CREATE INDEX "main_app_leavereportstaff_staff_id_9c69ba31" ON "main_app_leavereportstaff" ("staff_id")
staff_id		"staff_id"
main_app_leavereportstudent_student_id_2d19cc01		CREATE INDEX "main_app_leavereportstudent_student_id_2d19cc01" ON "main_app_leavereportstudent" ("student_id")
student_id		"student_id"
main_app_notificationstaff_staff_id_4170f50c		CREATE INDEX "main_app_notificationstaff_staff_id_4170f50c" ON "main_app_notificationstaff" ("staff_id")
staff_id		"staff_id"
main_app_notificationstudent_student_id_dcbe1f25		CREATE INDEX "main_app_notificationstudent_student_id_dcbe1f25" ON "main_app_notificationstudent" ("student_id")
student_id		"student_id"
main_app_staff_course_id_b4d19096		CREATE INDEX "main_app_staff_course_id_b4d19096" ON "main_app_staff" ("course_id")
course_id		"course_id"
main_app_student_course_id_8a4c712f		CREATE INDEX "main_app_student_course_id_8a4c712f" ON "main_app_student" ("course_id")
course_id		"course_id"
main_app_student_session_id_8f220969		CREATE INDEX "main_app_student_session_id_8f220969" ON "main_app_student" ("session_id")
session_id		"session_id"
main_app_studentresult_student_id_e57bb0c5		CREATE INDEX "main_app_studentresult_student_id_e57bb0c5" ON "main_app_studentresult" ("student_id")
student_id		"student_id"
main_app_studentresult_subject_id_6abff4dc		CREATE INDEX "main_app_studentresult_subject_id_6abff4dc" ON "main_app_studentresult" ("subject_id")
subject_id		"subject_id"
main_app_subject_course_id_e94ba4e3		CREATE INDEX "main_app_subject_course_id_e94ba4e3" ON "main_app_subject" ("course_id")
course_id		"course_id"
main_app_subject_staff_id_f1d6d399		CREATE INDEX "main_app_subject_staff_id_f1d6d399" ON "main_app_subject" ("staff_id")
staff_id		"staff_id"

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------