



OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

STATION:	SALEM		
SYSTEM:	Administrative		
TASK:	Determine the TSAS(s) for a dropped rod and complete the appropriate log		
TASK NUMBER:	1120700302		
JPM NUMBER:	14-01 NRC SRO A1-2		
ALTERNATE PATH:	☐	K/A NUMBER:	2.1.18
APPLICABILITY:	IMPORTANCE FACTOR:		3.8
EO ☐	RO ☐	STA ☐	SRO ☒
EVALUATION SETTING/METHOD:	Classroom		
REFERENCES:	Salem Tech Specs, OP-SA-108-115-1001, Rev. 7 (checked 9-12-15)		
TOOLS AND EQUIPMENT:	None		
VALIDATED JPM COMPLETION TIME:	20 min		
TIME PERIOD IDENTIFIED FOR TIME CRITICAL STEPS:	N/A		
Developed By:	G Gauding Instructor	Date:	9-12-15
Validated By:	K Hantho / B Boos SME or Instructor	Date:	9-29-30 / 9-30-15
Approved By:	 Training Department	Date:	10-7-15
Approved By:	 Operations Representative (mob)	Date:	10-9-15
ACTUAL JPM COMPLETION TIME:			
ACTUAL TIME CRITICAL COMPLETION TIME:			
PERFORMED BY:			
GRADE: ☐ SAT ☐ UNSAT			
REASON, IF UNSATISFACTORY:			
EVALUATOR'S SIGNATURE:		DATE:	

OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

NAME: _____

DATE: _____

SYSTEM: ADMINISTRATIVE

TASK: Determine the TSAS(s) for a dropped rod and complete the applicable log

TASK NUMBER: 1120700302

INITIAL CONDITIONS:

1. Unit 2 is at EOL in a 300 day run at 100% power.
2. Control Rod 2SA4 dropped fully into the core at 1015, the reactor did not trip.
3. The crew has implemented S2.OP-AB.ROD-0002, Dropped Rod.
4. Control Rod 2SA4 has been declared inoperable, and Reactor Engineering reports it will be at least into the next shift before they determine how to recover the rod.
5. The 3rd NCO has just completed a QPTR at 1025. The highest reading quadrant is 1.031.
6. Computerized LCO tracking is not being used.

INITIATING CUE:

As CRS, determine **ALL** TSAS(s) that apply and make the appropriate log entries on OP-SA-108-115-1001, Operability Assessment and Equipment Control Program, Attachment 4-1, and Form 1, Section 1.0.

Creation or documentation of notifications is not required.

Successful Completion Criteria:

1. All critical steps completed.
2. All sequential steps completed in order.
3. All time-critical steps completed within allotted time.
4. JPM completed within validated time. Completion time may exceed the validated time if satisfactory progress is being made.

Task Standard for Successful Completion:

1. Identifies TSAS 3.1.3.4.b , 3.1.3.1.c.3, and 3.2.4.a are applicable with correct action times identified.
2. Fills out Attachment 4-1 and Form 1's as per Standard in JPM body.

OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

NAME: _____

DATE: _____

SYSTEM: ADMINISTRATIVE

TASK: Determine the TSAS(s) for a dropped rod and complete the applicable log

*	STEP NO.	STEP (*Denotes a Critical Step)	STANDARD	EVAL S/U	COMMENTS (Required for UNSAT evaluation)
		Provide package consisting of blank copy of OP-SA-108-115-1001, Operability Assessment and Equipment Control Program, marked up copy of Attachment 4-1, and blank Form 1's.	Note to Evaluator: Completed Form 1's for each of the 3 TSAS's are included as keys with this JPM.		
*		Obtains a copy of Plant Technical Specifications and reviews for LCO applicability.	Determines the following LCO's apply: 3.1.3.4.b , 3.1.3.1.c.3, 3.2.4.a		
			Refers to Section 5.2, Entry into an Active/Tracking Technical Specification (T/S) LCO Action Statements of OP-SA-108-114-1001, Operability Assessment and Equipment Control Program.		
*	5.2.2	DETERMINE if the T/S LCO Action Statement is ACTIVE or TRACKING based on the following criteria:	Determines the LCOs are ACTIVE.		
	5.2.3	<u>IF</u> the cause of the SSC being INOPERABLE is a planned....evolution...	Determines the cause of the SSC being INOPERABLE it is NOT a planned evolution.		
	5.2.4	IF the cause of the SSC being INOPERABLE is unplanned but will not span beyond one shift in length THEN:	Determines from initial conditions that it WILL span beyond one shift.		

OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

NAME: _____
DATE: _____

SYSTEM: ADMINISTRATIVE

TASK: Determine the TSAS(s) for a dropped rod and complete the applicable log

*	STEP NO.	STEP (*Denotes a Critical Step)	STANDARD	EVAL S/U	COMMENTS (Required for UNSAT evaluation)
	5.2.5	For activities that cause a TECH SPECS SSC to be INOPERABLE that, do not meet the criteria of Section 5.2.3 or 5.2.4, DOCUMENT the condition as follows:			
	5.2.5.A	For SAP LCO tracking, REFER TO guidance provided in OP-SH-108-115-1001, LCO Entry/Exit & Operability Determination SAP Guidance.	Determines computerized SAP LCO tracking is not being used as per stem.		

OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

NAME: _____
DATE: _____

SYSTEM: ADMINISTRATIVE

TASK: Determine the TSAS(s) for a dropped rod and complete the applicable log

*	STEP NO.	STEP (*Denotes a Critical Step)	STANDARD	EVAL S/U	COMMENTS (Required for UNSAT evaluation)
*	5.2.5.B	For LCO tracking using Attachment 4 and Form 1, PERFORM the following: 1. ASSIGN the next consecutive LCO Index Number obtained from the Action Statement Log Index (Attachment 4) and LOG the T/S LCO ACTION Statement on the Index. 2. UPDATE Unit Status Board for the Technical Specification Action Statement (TSAS).	CUE: Provide copies of Attachment 4-1 and Form 1. On Att. 4-1, the first LCO Index No. should be filled in so the candidate can number sequentially. Makes entries on Att. 4-1: • Next LCO Index No. is 15-234 • TS No's. 3.1.3.4.b. 3.1.3.1.c.3, 3.2.4.a • Active • Summary Descriptions • Planned? NO • Entry Date/Time • Expiration: 3.1.3.1.c.3- 1 hour, 3.2.4.a- 1 hour, 3.1.3.4.b- 1 hour CUE: Another operator will update the Unit Status Board.		

OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

NAME: _____

DATE: _____

SYSTEM: ADMINISTRATIVE

TASK: Determine the TSAS(s) for a dropped rod and complete the applicable log

*	STEP NO.	STEP (*Denotes a Critical Step)	STANDARD	EVAL S/U	COMMENTS (Required for UNSAT evaluation)
*	5.2.5.B	3. COMPLETE Sections 1 and 2 of Form 1 by performing the following: • RECORD the LCO Index Number (from Attachment 4) • RECORD the LCO Status (Active / Tracking) • RECORD the applicable Technical Specification LCO number. When an INOPERABLE TECH SPECS/SSC affects multiple LCO Action Statements, RECORD the LCO number with the most limiting Action Time. • RECORD the Date/Time entered. • RECORD the Mode Applicability for the LCO. • RECORD the Date/Time Action Required. When recording the date and time that Action is required for an LCO Action Statement that has multiple actions, use the most limiting Action time. For Tracking Action Statements, record 'N/A'.	Makes entries on Form 1, Section 1.0 as per initiating cue: Note: Separate Form 1's may be filled out for each Tech Spec, listing the other 2 Tech Specs in the "Other Applicable T/S" section, or all may be included on one Form 1. • LCO Index No: same as Att. 4 • LCO Status: Active • TS No.: 3.1.3.1.c.3 (3.2.4.a)(3.1.3.4.b) • Date/Time entered: Same as Att. 4 • Applicability: MODES 1 & 2 (MODE 1 above 50% RTP)(MODES 1&2) • Date/Time Action Required: Within one hour from entry		

OPERATOR TRAINING PROGRAM
JOB PERFORMANCE MEASURE

NAME: _____
DATE: _____

SYSTEM: ADMINISTRATIVE

TASK: Determine the TSAS(s) for a dropped rod and complete the applicable log


*	STEP NO.	STEP (*Denotes a Critical Step)	STANDARD	EVAL S/U	COMMENTS (Required for UNSAT evaluation)
	5.2.5.B	• RECORD Other Applicable T/S. List only active LCO's. Applicable Tracking LCOs should be listed separately in the Summary Description of the Log Sheet. • RECORD the Equipment description. • Briefly STATE the reason for the SSC condition in the Summary Description section and include a brief summary of actions required, including submittal of any special reports to the NRC. NOTIFY the SOS of any reporting requirements.	• Other Applicable TS: 3.1.3.1.c.3, 3.2.4, 3.1.3.4.b (whichever 2 were not listed as "Tech Spec Number" in Section 1.0 top section.) • Equipment: Shutdown Rod 2SA4 • Summary: Brief summary of TS and required action for that TSAS. See provided keys (3) for Summary Description for each Active Tech Spec. Note to Evaluators: Providing the LCO Action number, i.e, "3.1.3.1 actions c.1,2,3a-d is acceptable in lieu of writing all the required actions.		
			When candidate returns all paperwork, terminate JPM.		

JOB PERFORMANCE MEASURE VALIDATION CHECKLIST

NOTE: All steps of this checklist should be performed upon initial validation. Prior to JPM usage, revalidate JPM using steps 8 and 11 below.

- AS ✓ 1. Task description and number, JPM description and number are identified.
- AS ✓ 2. Knowledge and Abilities (K/A) references are included.
- AS ✓ 3. Performance location specified. (in-plant, control room, or simulator)
- AS ✓ 4. Initial setup conditions are identified.
- AS ✓ 5. Initiating and terminating Cues are properly identified.
- AS ✓ 6. Task standards identified and verified by SME review.
- AS ✓ 7. Critical steps meet the criteria for critical steps and are identified with an asterisk (*).
- AS ✓ 8. Verify the procedure referenced by this JPM matches the most current revision of that procedure: Procedure Rev. 7 Date 9/29/15
- AS ✓ 9. Pilot test the JPM:
 - a. verify Cues both verbal and visual are free of conflict, and
 - b. ensure performance time is accurate.
- _____ 10. If the JPM cannot be performed as written with proper responses, then revise the JPM.
- _____ 11. When JPM is revalidated, SME or Instructor sign and date JPM cover page.

SME/Instructor:  Date: 9/29/15

SME/Instructor:  Brian Boos Date: 09/30/2015

SME/Instructor: _____ Date: _____

INITIAL CONDITIONS:

1. Unit 2 is at EOL in a 300 day run at 100% power.
2. Control Rod 2SA4 dropped fully into the core at 1015, the reactor did not trip.
3. The crew has implemented S2.OP-AB.ROD-0002, Dropped Rod.
4. Control Rod 2SA4 has been declared inoperable, and Reactor Engineering reports it will be at least into the next shift before they determine how to recover the rod.
5. The 3rd NCO has just completed a QPTR at 1025. The highest reading quadrant is 1.031.
6. Computerized LCO tracking is not being used.

INITIATING CUE:

As CRS, determine **ALL** TSAS(s) that apply and make the appropriate log entries on OP-SA-108-115-1001, Operability Assessment and Equipment Control Program, Attachment 4-1, and Form 1, Section 1.0.

Creation or documentation of notifications is not required.