

doctest::detail::types::false_type	
	doctest::detail::has_insertion_operators< T, decltype(operator<<)(declval< std::ostream &>(), declval< const T &>()), void())>
	doctest::detail::is_container< T, types::void_t< typename T::value_type, typename T::iterator, decltype(declval< T >().begin()), decltype(declval< T >().end())> >
	doctest::detail::is_pair< T, types::void_t< typename T::first_type, typename T::second_type, decltype(declval< T >().first), decltype(declval< T >().second)> >
	doctest::detail::is_std_string< T, typename types::enable_if< types::is_same< decltype(declval< const T &>().c_str()), const char * >::value &&types::is_same< decltype(declval< const T &>().size()), size_t >::value >::type >
	doctest::detail::types::is_array< T[SIZE]>
	doctest::detail::types::is_pointer< T *
	doctest::detail::types::is_rvalue_reference< T &&>
	doctest::detail::types::is_same< T, T >
	doctest::detail::deferred_false< T >
	doctest::detail::has_insertion_operators< T, typename >
	doctest::detail::is_container< T, typename >
	doctest::detail::is_pair< T, typename >
	doctest::detail::is_std_string< T, Enable >
	doctest::detail::types::is_array< T >
	doctest::detail::types::is_pointer< T >
	doctest::detail::types::is_rvalue_reference< T >
	doctest::detail::types::is_same< T, U >