

Modelling Personalized Book Recommendation using Hybrid Filtering

Rajiv Kumar Nath

Department of Computer Science and Engineering
Sharda School of Engineering and Technology
Sharda University, Greater Noida, G B Nagar, India
rajivknath@gmail.com

Sheetal Tyagi

Department of Computer Science and Engineering
Galgotias College of Engineering and Technology
Gautam Budh Nagar, India
sheetaltiyagi025@gmail.com

Hammad Khan

Department of Computer Science and Engineering
Galgotias College of Engineering and Technology
Gautam Budh Nagar, India
hammadkh241202@gmail.com

Priya Yadav

Department of Computer Science and Engineering
Galgotias College of Engineering and Technology
Gautam Budh Nagar, India
priyayadav180016@gmail.com

Abstract— The paper introduces a new method for personalised book recommendations using a hybrid filtering approach. Traditional methods like Collaborative filtering and Content-based filtering have limitations in capturing user preferences fully. To address this, the study suggests combining both methods to improve accuracy and coverage. The research involves collecting book ratings and metadata, analyzing user preferences, and building a neural network model using TensorFlow. Results show that the hybrid filtering model outperforms individual methods, improving precision, recall, and F1 score. It also handles diverse user preferences and the cold-start problem effectively. Overall, this research enhances recommendation systems by proposing a tailored approach for book recommendations. It provides useful insights for practitioners in developing more user-centric systems. Future research could explore additional data sources, incorporate contextual information, and improve model interpretability for enhanced accuracy and user satisfaction.

Keywords—Personalized Book Recommendation, Hybrid filtering, Collaborative filtering, Content-based filtering, Recommendation systems, Book recommendations, TensorFlow, Rating data, Metadata analysis.

I. INTRODUCTION

In the digital environment, the vast amount of digital content available poses challenges for online services to provide the personalized content recommendations. In the field of e-commerce, especially in the online book market, the demand for advanced recommendation systems that help users find books that match their tastes is rapidly increasing. This research focuses on a book recommendation system that aims to promote online book sales by accurately predicting users' interests and providing relevant literary suggestions. The Personalized recommendations play a key role in improving customer experience and increasing sales in a competitive digital environment. This work takes a closer look at content-based filtering [1] and collaborative filtering [3] techniques in designing recommender systems, and finally examines hybrid models [5] to improve accuracy. In this study, by analyzing user ratings of popular books on platforms such as Kaggle, we use Python 3.7 and various libraries to develop a recommendation model that recommends top books based on user preferences and ultimately the consumer experience in marketplaces.

A. Early History

The rise of online bookstores in the mid to late 1990s, Starting the initial stages of the recommender system. Initially, the recommendations were basic and used algorithms that suggested books based on general categories or popular genres, treating all users as a group without providing the personalized recommendations. In the late 1990s, Amazon introduced "collaborative filtering [8]", which provides recommendations for increased personalization based on similar user preferences. However, challenges such as data scarcity and cold start problems affected the common filter. "Content-based filtering [2]" has also appeared, and compares the content of an item to a user's profile for recommendations, but focuses on items that have already been liked and can lead to over-specialization. Although this period has seen a shift towards more personalized techniques, such as collaborative filtering [3] and content-based filtering [2], challenges such as data scarcity and over-expertise still exist, and our recommendations are now for progress. More on the dating system.

B. Evolution of Personalized Book Recommendation Models through Filtering Technique

The evolution of personalized book recommendation models has been a journey mirrored by careful tracking of reader preferences. Initially, content-based filtering systems [2] suggested books based on similarities to books they already enjoyed, but this exposure was limited. Collaborative filtering [3] recommends titles that are preferred by similar users, but suffer from cold start and scalability problems. To address the limitations, hybrid models have emerged that combine both techniques to increase the diversity and accuracy of recommendations. Machine learning and artificial intelligence have revolutionized systems by analyzing large data sets and incorporating advanced features such as natural language processing. The future focus will be on situational and emotional recognition, aiming to provide empathetic recommendations based on the user's current situation and emotions. Continuous innovation in the recommendation model aims to strengthen the connection between readers and books, ensuring a more intuitive and satisfying literary journey. Our commitment to improving these systems underscores our commitment to enriching the reader experience.

C. Hybrid Filtering Technique

In the early 2000s, facial emotion recognition systems advanced with new algorithms and increased user data. Researchers combined filtering techniques [1] to develop "hybrid filtering" models to improve accuracy. Machine learning and

artificial intelligence further enhanced book recommendation systems in the late 2000s. In recent years, book recommendations have seen a shift towards hybrid filter models to overcome traditional limitations. We show that the hybrid model provides personalized recommendations and significantly increases user satisfaction and adoption in online platforms.

II. ALGORITHMS USED

A. Collaborative Filtering

Collaborative filtering is a powerful book recommendation tool and outperforms content-based filtering when evaluating content quality. Use user comments and actions to build recommendation models that incorporate past ratings and interactions. Users with similar interests are matched to recommend books, strengthening the common ground of recommendations [1]. Item-based algorithms analyze user ratings to accurately predict preferences and provide personalized and relevant recommendations. Collaborative filtering excels in providing a user-centric approach to book recommendation, overcoming barriers to content evaluation, and providing a dynamic platform for discovery [7].

B. Content-based Filtering

Content-based filtering (CBF) recommends items to users based on their similarity to items the user has previously expressed interest in, and focuses on item attributes rather than user interaction. NLP is used to analyze text content, extract features such as genre, author, and metadata, and measure similarity between items [3][4]. This approach generates personalized recommendations based on user preferences and overcomes challenges such as cold start issues. CBF focuses on item attributes and makes it valuable in personalized recommender systems.

C. Hybrid Filtering Models

Hybrid filtering models combine collaborative and content-based filtering techniques to improve recommender systems. These models create datasets for recommendation algorithms by collecting user behavioral data, profile features, and feedback. The data is pre-processed for mathematical calculations and takes advantage of the strengths of both filter methods. Collaborative filtering recommends items that are preferred by users with similar tastes, while content-based filtering recommends items similar to items that users have expressed interest in. Integrating both methods through different approaches such as weighted or hybrid recommenders improves accuracy and personalization [5]. Hybrid models address issues such as cold start and dispersion and offer significant improvements over traditional methods in e-commerce and music recommendations..




Fig. 1. Hybrid Recommendations

Fig.1 shows the hybrid filter technique used in the recommender system. It integrates two approaches: collaborative filtering, which recommends items based on similar users' preferences, and content filtering, which recommends items based on descriptions and profiles. This combined approach aims to provide more accurate recommendations, taking into account your preferences and case characteristics.

III. LITERATURE REVIEW

A. Evolution of Book Recommendations System

Book recommendation systems have evolved significantly from the domain of librarians and booksellers to sophisticated algorithms that provide personalized recommendations. Previously, recommendations were based on expertise and familiarity with reader preferences, but the rise of online bookstores has necessitated automated systems. Early systems relied on bestseller lists and basic genres, but failed to introduce readers to new authors or genres. Content-based filtering improved recommendations using detailed book information [6], while collaborative filtering considered users' preferences and ratings to recommend similar books [8]. Hybrid systems that combine approaches and advances in machine learning and artificial intelligence further refine recommender engines and provide more refined and accurate recommendations [10]. Today's systems use advanced algorithms, natural language processing, and sentiment analysis to understand user preferences and provide customized recommendations that promise a more immersive reading experience for readers.

B. Hybrid Filtering Approaches in Literature Personalization

A hybrid filtering approach improves personalized book recommendations by combining content-based and collaborative methods to overcome the limitations of single filtering techniques. Content-based filtering focuses on book features, but lacks variety. Collaborative filtering, on the other hand, takes user preferences into account, but suffers from sparse data and cold start problems. The purpose of the hybrid filter is to use the strengths of both methods to achieve more accurate and attractive recommendations. Various hybrid models, such as weighted, switching, and hybrid approaches, uniquely integrate data from content-based and collaborative filters. Machine learning algorithms optimize a combination of techniques to improve the quality of recommendations. Context-aware hybrid models incorporate additional information such as the user's mood and time of day, enabling customized suggestions [11]. Overall, hybrid filtering provides a dynamic solution to the challenges of traditional recommendation systems, providing deeply personalized and diverse book recommendations to meet the evolving needs of readers, and generating personalized book recommendations.

C. Challenges and Innovations in Hybrid Filtering Models

Hybrid filter models face challenges such as cold start problem and data dispersion when integrating heterogeneous data sources for book recommendation. [14] aims to balance content-based documentation and user preferences, but extracting meaningful insights from limited data remains complex. However, innovations in machine learning and NLP have improved the performance of the model by identifying patterns in user behavior and analyzing sentiment from reviews. Context-aware systems now consider the user's current situation for better recommendations [12]. Despite these challenges, hybrid models are evolving to provide more accurate and personalized recommendations, improve user experience, and guide future research toward improving recommendation

systems. Complementing the capabilities of TensorFlow, Scikit-learn (Sklearn) served as the workforce for many preprocessing and model evaluation tasks. This library is equipped with a comprehensive set of tools for data preprocessing including normalization, feature extraction and missing values management. These are all important steps to prepare datasets for effective machine learning. Sklearn metrics such as mean squared error and accuracy provide quantitative metrics to evaluate model performance and guide iterative improvement.

IV. PROPOSED WORK

A. Data Set Collection

This research focuses on developing a personalized book recommendation system using Kaggle's extensive "Goodbooks-10k" dataset. This dataset contains user interactions and book information from Goodreads, including 10,000 books, user ratings, and metadata such as author, genre, and tags. The integrity of the data was carefully verified and checked to understand its structure and content. Cleaning and preprocessing steps were then performed to ensure data quality and template alignment for analysis purposes. Through this research, we aim to push the boundaries of book recommendation systems by using accurate user preferences and book features in our dataset for content-based [4-5] and collaborative filtering [6] techniques. The ultimate goal is to enhance readers' experiences of literary exploration and discovery by providing sophisticated tools that cater to their unique tastes and preferences. [8]

B. Data Preprocessing

The data preprocessing step appears as an important step in conditioning the dataset to effectively facilitate subsequent modeling efforts. Additionally, proper handling of NaN values (not a number) is essential and is often achieved through appropriate handling techniques such as assignment or deletion depending on the specific context. By performing these preprocessing tasks with great care, researchers build a solid foundation that helps them develop efficient and accurate recommender systems, thereby deepening their knowledge and understanding of the field.

C. Model Building

In the model building phase, researchers use machine learning techniques to build robust recommendation models. The dataset is divided into training and testing subsets for objective evaluation. Use advanced frameworks like TensorFlow to build neural network models with specialized layers to encode relationships between items. The model is trained to identify patterns and correlations, and parameters are iteratively adjusted for optimization. Validation of test data assesses the generalizability and effectiveness of the model and allows researchers to modify the system for practical use. [12] Through deep testing and refinement, researchers aim to exceed expectations and advance recommender system search.




Fig.2. Model Architecture Diagram

Fig.2 shows a flowchart illustrating the hybrid filtering method. This technique integrates two recommendation methods used in recommender systems: collaborative filtering and content-based filtering. Collaborative filtering recommends items based on the preferences of users with similar tastes, while content-based filtering recommends items that match the user's profile and item description. By combining these two approaches, we aim to provide more accurate recommendations that take into account user preferences and product features.




Fig. 3. Training Process Graph

Fig.3 is a line graph showing loss values over time. The y-axis represents the amount of loss and the x-axis represents the loss. The line graph starts with a value of 1.0 on the y-axis and decreases to 0.7 on the x-axis over time. Although the specific items to be measured are unknown, the graph shows that the value of the loss is decreasing over time. This may indicate an improvement in the machine learning model or training process.

D. Exploratory Data Analysis

Exploratory data analysis (EDA) is an integral part of our research methodology and serves as a foundation for understanding the data set and subsequent system design. The review begins by introducing a set of Python libraries, each of which plays a different analytical role. NumPy is used for efficient array manipulation, pandas for comprehensive data structure management, and matplotlib along with seaborn for powerful data visualization capabilities. Our dataset is a rich collection of user-submitted book ratings that summarize the collective judgments of a wide range of readers. The main component of our analysis, the "ratings.csv" file, records in detail user interactions with a collection of 10,000 books, listing up to 100 ratings for each book on a scale of 1-5. I am. Complementing this, books.csv provides rich metadata, toread.csv records user reading preferences, book_tags.csv enumerates user-assigned tags, and tags.csv provides a glossary. he does. From Tag Semantics 18] Initial evaluation is performed by applying the info() and describe() functions to the "Books" and "Ratings" data frames. [20] This step shows the structure, inherent data types, and distribution of ratings, and provides a basic understanding of the characteristics of the dataset. Advanced visualizations are also used to explore the dataset more deeply. Heatmaps allow you to visualize correlation matrices and provide a visual representation of how different variables relate to each other. A network diagram shows the relationship between books and tags, and provides a snapshot of how books are grouped around a particular topic or concept.

User read settings from the "toread.csv" file are especially useful for understanding user intent and predicting future trends. By analyzing this data, we can predict which books are likely to

be popular and which genres and topics are trending. This predictive insight is invaluable to the recommendation system's ability to suggest books that users want to read but haven't yet discovered.

The "book_tags.csv" and "tags.csv" files provide a wealth of information about user-assigned tags that indicate book content and thematic elements. By analyzing the tag data, we can enhance the content-based filtering capabilities of the hybrid model to match books with users based on more precise content preferences.

Finally, EDA is not a one-time process, but an iterative cycle that continues throughout the project's life cycle. Once the model is developed and tested, new patterns may emerge and you should return to the EDA phase to refine your understanding and approach. Through this iterative EDA process, we ensure that our model is built on a solid foundation of data-driven insights and is ready to provide accurate and personalized book recommendations to users.




Fig. 4. Top 20 Highest rated books

Fig.4 shows the "Top 20 Rated Books" on Amazon.com. The top 20 books are listed in order of ranking, but the titles and authors of the books are not listed.




Fig. 5. Top 20 Most Popular Books

Fig. 5 shows the "Top 20 popular books". The X-axis shows the rank of the book and the Y-axis shows its popularity. The most popular book seems to be ranked 1 with a popularity score of about 0.8. Title and author information. The images of each book are not displayed.




Fig. 6. Top 20 Most Popular Author

Fig.6 shows the "Top 20 Popular Authors". The X-axis shows the rank from 1 to 20 and the Y-axis shows the popularity score. The most popular items seem to have a score of around 0.8. However, the chart does not have labels indicating which items are ranked or the source of the data.




Fig. 7. Top 20 Most Popular Author

Fig.7 shows the "Top 20 Popular Authors". The X-axis shows the author's rank and the Y-axis shows the popularity score. The most popular author is ranked first and seems to have a popularity score of around 0.8. However, the images do not display the title or author information for each author.

V. TOOLS AND TECHNOLOGY USED

A. Programming Language Foundation

The foundation of our project is entirely based on Python, a dynamic and versatile programming language turned data science language. Python's readability and simplicity facilitate rapid development and iteration. This is a significant advantage in the fast-paced field of machine learning research. Its interpretive nature allows for exploratory coding, which is particularly useful in the early stages of data analysis and model prototyping. [7] Python's widespread adoption is driven by a vibrant community that continuously enriches the ecosystem with specialized libraries and frameworks. This community support ensures that Python remains on the cutting edge of data science and machine learning, providing comprehensive and accessible tools.

B. Data Manipulation, Analysis and Visualization Libraries

Our project relied heavily on Python's Pandas and NumPy libraries for data manipulation and analysis. Pandas is known for its powerful DataFrame objects, which are great for cleaning, transforming, and aggregating data. NumPy provides numerical tools for efficient computations with arrays and matrices, which are essential for high-dimensional data tasks. These libraries were necessary to prepare data for modeling. Matplotlib and Seaborn are used for visualization, with Matplotlib providing detailed and customizable charts to convey complex insights [6]. Overall, our book recommendation system made great use of these libraries, allowing us to process large matrices, implement algorithms, and create compelling visual stories from our data.

C. Machine Learning and Neural Network

Building and refining the advanced machine learning models at the heart of our personalized book recommendation system is now possible through TensorFlow, an advanced open source library developed by the Google Brain team. TensorFlow's flexible architecture enables the creation of complex computational graphs. This is essential for building complex neural network structures that serve your project goals. Support for automatic differentiation simplifies the optimization process and allows you to effectively adjust model parameters to minimize prediction errors. [13]

TensorFlow's extensive API, along with strong community participation, provides us with a set of pre-built functions and layers that greatly accelerate the development process. The ability to scale from research prototyping to production deployment ensures that the models you develop are not only theoretically sound, but also workable in practice. In this project, TensorFlow enabled us to implement a hybrid filtering approach, integrating subtle embeddings of users and books to predict preferences with surprising accuracy.

VI. RESULT

The effectiveness of our hybrid book recommendation system was empirically verified through its performance in generating personalized reading recommendations for user profiles. After training the model and completing the full validation process, we deployed a system capable of predicting and suggesting recommended books for a specific user. This was demonstrated by the system's ingenuity in recommending a list of five books that not only had a high average rating, but also showed a deep match with the user's documented preferences.

For example, when presented with a user profile that indicated a preference for both lighthearted humor and story-rich universes, the system successfully suggested titles that fell into a variety of genres and author styles. Among the suggested titles was Bill Watterson's The Days Are Only Closed: The Calvin and Hobbes Series. This special recommendation is a fitting response to our users' love of humor, and the book is known for its wit and poignant observations distilled into the popular comic strip format. The high average score of 4.68 confirms that this book resonates with a wide range of readers and is a reflection of the positive reviews expected by users.

In addition to demonstrating the system's mastery of literary genres, he also recommended Brandon Sanderson's novel Words of Radiance (Stormlight Archives, #2), which was praised for its imaginative world and complex plot. This fantasy epic has an impressive average score of 4.77, which shows the system's ability to recognize and respond to readers' preferences for complex and fantastical stories.

These and other recommendations generated by the system represent a move away from reliance on generic bestseller lists and usher in a more nuanced approach to literary discovery. By curating a selection of books tailored to readers' unique interests, our hybrid model ensures that each recommendation reflects personal taste rather than a mass-market product.

TABLE I. KEY ATTRIBUTE TABLE

SI.No	Attribute Name	Description
1.	Book ID	The ID of a particular Book.
2.	ISBN	Subcategory Id for the Book.
3.	Book Authors	Name of the Authors
4.	Book Title	Name of the Book.
5.	Book Average Rating	Average Rating of the Particular Book.
6.	Book Rating	Rating of the particular Book.
7.	User ID	ID of the Users.

The project involves creating a database table to store information about books and users, including attributes like Book ID, ISBN, Book Authors, Book Title, Book Average Rating, Book Rating, and User ID. This data will be used to develop a personalized book recommendation system using hybrid filtering techniques, combining collaborative filtering and content-based filtering methods. The system aims to provide users with tailored book recommendations based on their preferences and interactions.

VII. CONCLUSION AND FUTURE SCOPE

In conclusion, the use of a hybrid filtering project to provide realized book recommendations represents a significant advance in the field of identification arrangements. The hybrid model provides a more comprehensive, accurate and personalized approach to booking advice by integrating the content of the two collaborative and content-driven dribbling methods. These models address various challenges of traditional consulting arrangements, such as cold start questions. Lack of documentation and scalability issues. By effectively addressing these challenges, hybrid models improve verification accuracy relative to improving consumer incidence. Improving the accuracy and correctness of recommendations influences more consumer engagement, which in turn leads to increased consumer trust and platform advancement. Furthermore, the advantages of these models support the effectiveness of combining different penetration techniques and their potential use in different laws is predicted with recommendations for further books. To further extend the analysis, hybrid model capabilities are needed. These electronic devices enable greater cultural analysis and prediction, enhancing the quality of endorsements and the overall consumer experience. [11]

Overall, the impact of using hybrid refinement projects to shape materialized book endorsements is far-reaching, changing the habits of consumers in discovering books and interacting with the accompanying online manifests. The future of endorsement schemes lies in the continued cultivation and evolution of specific models that embody habits for a more personalized and engaging consumer experience.

In summary, the development and profitable implementation of a hybrid influence model for the verification of physical books is an important area in the field of verification structures. With collaborative, content-based [2] and immersive ordering, these models can provide accurate and comprehensive solutions and provide highly accurate and personalized recommendations.

REFERENCES

- [1] S. Kanetkar, A. Nayak, S. Swamy and G. Bhatia, "Web-based personalized hybrid book recommendation system," *2014 International Conference on Advances in Engineering & Technology Research (ICAETR - 2014)*, Unnao, India, 2014, pp. 1-5, doi: 10.1109/ICAETR.2014.7012952.
- [2] Melville, Prem, Raymond J. Mooney, and Ramadass Nagarajan. "Content-boosted Collaborative filtering for improved recommendations." Eighteenth national conference on Artificial intelligence. 2002.
- [3] Lops, Pasquale, Marco de Gemmis, and Giovanni Semeraro. "Content-based recommender systems: State of the art and trends." *Recommender systems handbook*. Springer, Boston, MA, 2011. 73-105.
- [4] Basu, Chumki, Haym Hirsh, and William Cohen. "Recommendation as classification: Using social and Content-based information in recommendation." *Proceedings of the 15th national/tenth conference on Artificial intelligence/Innovative applications of artificial intelligence*. 1998.
- [5] R. K. Nath and T. Ahmad, "Content Based Recommender System: Methodologies, Performance, Evaluation and Application," *2022 4th International Conference on Advances in Computing, Communication Control and Networking (ICAC3N)*, Greater Noida, India, 2022, pp. 423-428.
- [6] Burke, Robin. "Hybrid recommender systems: Survey and experiments." *User modeling and user-adapted interaction* 12.4 (2002): 331-370.
- [7] Desrosiers, Christian, and George Karypis. "A comprehensive survey of neighborhood-based recommendation methods." *Recommender systems handbook*. Springer, Boston, MA, 2011. 107-144.
- [8] Adomavicius, Gediminas, and Alexander Tuzhilin. "Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions." *IEEE transactions on knowledge and data engineering* 17.6 (2005): 734-749.
- [9] Sarwar, Badrul, et al. "Item-based Collaborative filtering [3] recommendation algorithms." *Proceedings of the 10th international conference on World Wide Web*. 2001.
- [10] Hoffmann, Holger, et al. "Expression intensity, gender and facial emotion recognition: Women recognize only subtle facial emotions better than men." *Acta psychologica* 135.3 (2010): 278-283.
- [11] S. Kanetkar, A. Nayak, S. Swamy and G. Bhatia, "Web-based personalized hybrid book recommendation system," *2014 International Conference on Advances in Engineering & Technology Research (ICAETR - 2014)*, Unnao, India, 2014, pp. 1-5, doi: 10.1109/ICAETR.2014.7012952
- [12] C. Jayapal, G. S and H. S.V., "Book Recommendation System Using Hybrid Filtering," *2023 2nd International Conference on Advancements in Electrical, Electronics, Communication, Computing and Automation (ICAECA)*, Coimbatore, India, 2023.
- [13] N. Sharma, A. Vaidya, S. Borate, A. Shinde, D. Khurge and S. Tade, "Hybridization Unleashed: Advancing Movie Recommendations Through Collaborative, Content Based and Hybrid Filtering," *2023 IEEE Pune Section International Conference (PuneCon)*, Pune, India, 2023
- [14] R. Chauhan, K. N. Vaghela, R. Bisht, C. Bhatt and D. Verma, "Content Based Movie Recommendation System Using Machine Learning Algorithm," *2023 International Conference on Advances in Computation, Communication and Information Technology (ICAICIT)*, Faridabad, India, 2023
- [15] M. M. ul Haque and B. Kotaiah, "Hybrid and Classical Models of Recommendation Systems- A Review," *2023 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECS)*, Bhopal, India, 2023.
- [16] Kumar, S. G., Sridhar, S. S., Hussain, A., Manikanthan, S. V., & Padmapriya, T. (2022). Personalized web service recommendation through mishmash technique and deep learning model. *Multimedia Tools and Applications*, 81(7), 9091-9109
- [17] Saha, I., Sarma, D., Chakma, R. J., Alam, M. N., Sultana, A., & Hossain, S. (2020, August). Phishing attacks detection using deep learning approach. In *2020 Third International Conference on Smart Systems and Inventive Technology (ICSSIT)* (pp. 1180-1185). IEEE
- [18] Ahmed, F., Chakma, R. J., Hossain, S., & Sarma, D. (2020, February). A combined belief rule based expert system to predict coronary artery disease. In *2020 international conference on inventive computation (ICICT)* (pp. 252-257). IEEE. Technologies
- [19] Sharma, S. C. M, Mitra, A., & Chakraborty, D. (2020). Concepts of Recommendation System from the Perspective of Machine Learning. *Recommender System with Machine Learning and Artificial Intelligence: Practical Tools and Applications in Medical, Agricultural and Other Industries*, 71-87.
- [20] Zhang, S., Yao, L., Sun, A., & Tay, Y. (2019). Deep learning based recommender system: A survey and new perspectives. *ACM computing surveys (CSUR)*, 52(1), 1-38
- [21] Sembium, V., Rastogi, R., Tekumalla, L., & Saroop, A. (2018, April). Bayesian models for product size recommendations. In *Proceedings of the 2018 world wide web conference* (pp. 679-687)