

# Stato di avanzamento

## Sprint 2

Zaid Cheikh Ibrahim  
PO Operativo

Tian Cheng Xia  
Scrum master

Qun Hao Henry Lee  
Developer

Manuel Paris  
Developer


Corso di Ingegneria del Software  
Alma Mater Studiorum · Università di Bologna

14 novembre 2022







# Obiettivi dello sprint

- ▶ Permettere di selezionare il numero di tweet da raccogliere con una singola richiesta
- ▶ Implementare la ricerca dei tweet per intervallo temporale
- ▶ Realizzare la ricerca dei tweet per parola chiave
- ▶ Visualizzare su mappa i dati di geolocalizzazione dei tweet
- ▶ Implementare la raccolta di tweet in tempo reale

# Use case



# Pre-retrospettiva

				
	<div data-bbox="187 190 327 428"><h3>Scrum Team</h3><p>The Scrum Team consists of a...</p><h3>Sprint Planning</h3><p>Collaboratively plan the work to be performed in the Sprint and agree what can be collected in the Sprint's increment. A time-boxed event of no more than 8 hours for a one-week Sprint (shorter for shorter Sprints).</p><p>Product Backlog, Item Order</p><p>Sprint Estimated</p><p>Conduct Activity</p><p>Team Planning</p><p>Sprint Backlog Forecast or Report</p><p>Sprint User Objective Date</p><p>2.04</p></div>	<div data-bbox="458 200 622 428"><h3>Definition of Done</h3><p>The quality criteria used to assess when work is complete on the product increment. Any one product or system should have a definition of done that is standard for any work done on it.</p><p>Completion Conditions Listed</p><p>Quality Criteria and Evidence Documented</p><p>Describes: Way of Working</p><p>2.04</p></div>		
	<div data-bbox="187 449 348 677"><h3>Increment</h3><p>The sum of all the Product Backlog items completed during a Sprint and the value of the increments of all previous Sprints. The Increment must be "Done" which means it must be in a usable condition and meet the Definition of Done.</p><p>Product Backlog Items Listed</p><p>Value Quantified</p><p>Describes: Sprint</p><p>2.04</p></div> <div data-bbox="355 522 492 620"><p>Sono state implementate la maggioranza delle US previste per lo sprint</p></div>	<div data-bbox="540 449 691 686"><h3>Scrum Pillars</h3><h3>Transparency</h3><p>The transparent process and work must be visible to those performing the work as well as those receiving the work.</p><p>Comunicazione in miglioramento</p><p>One of the Three Scrum Pillars</p><p>2.04</p></div>	<div data-bbox="813 449 978 667"><h3>Point-Based Estimation</h3><p>It is important to easily make estimates that are reliable enough to confidently forecast the amount of work that the team can complete in a Sprint.</p><p>Troppe time in eccesso</p><p>2.04</p></div>	<div data-bbox="1068 449 1226 667"><h3>In-Sprint Testing</h3><p>If your code hasn't been integrated and tested then it is not 'done'.</p><p>Teams that code and test their Product Backlog items in the same Sprint get more done and have better quality.</p><p>Mancano test automatizzati adeguati per il frontend</p><p>2.04</p></div>
		<div data-bbox="554 702 712 925"><h3>Daily Scrum</h3><p>Plan and replan the work for the next 24 hours to optimize team collaboration and performance. Held daily, this is 15-minute time-boxed event for the Development Team.</p><p>Sprint Planned</p><p>Conduct Activity</p><p>Team Planning</p><p>Work Under Control (contribute to)</p><p>Sprint Backlog Forecast or Report</p><p>2.04</p></div>		

# Stato attuale

- ▶ Ricerca dei tweet per parola chiave
- ▶ Possibilità di scegliere il numero di tweet da raccogliere con una richiesta
- ▶ Filtrare per intervallo temporale dei tweet



Figure: Burndown sprint 2