

```
MINGW64~/Users/Ilie/Desktop/lab1/lab1/laborator1
Ilie@Kinogo MINGW64 ~/Desktop/lab1
$ mkdir lab1
Ilie@Kinogo MINGW64 ~/Desktop/lab1
$ cd lab1
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1
$ git clone https://github.com/Notcky/Laborator1.git
Cloning into 'laborator1'...
info: please complete authentication in your browser...
remote: Repository not found.
fatal: repository 'https://github.com/Notcky/Laborator1.git/' not found
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1
$ git clone https://github.com/Notcky/Laborator1.git
Cloning into 'laborator1'...
warning: You appear to have cloned an empty repository.
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1
$ cd laborator1
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1
$ mkdir dvd
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ echo "# Raport Laborator 1" > README.md
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ echo ".iso" > .gitignore
echo ".img" > .gitignore
echo ".qcow2" > .gitignore
echo ".log" > .gitignore
echo ".tmp" > .gitignore
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Disable this message with 'git config set advice.addEmptyPaths false'
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git commit -m "Structura initiala conform laborator 1"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Ilie@Kinogo.(none)')
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git config --global user.email "ciornea2003@gmail.com"
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git config --global user.name "Ilie"
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git commit -m "Structura initiala conform laborator 1"
[main (root-commit) 457e0b4] Structura initiala conform laborator 1
 2 files changed, 6 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 README.md
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 20 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 318 bytes | 318.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Notcky/Laborator1.git
 * [new branch] main -> main
Ilie@Kinogo MINGW64 ~/Desktop/lab1/lab1/laborator1 (main)
$ |
```

```
root@Debian:~# sudo apt update && sudo apt upgrade -y
Hit:1 http://deb.debian.org/debian trixie InRelease
Hit:2 http://security.debian.org/debian-security trixie-security InRelease
Hit:3 http://deb.debian.org/debian trixie-updates InRelease
All packages are up to date.
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0
root@Debian:~#
```

```
root@Debian:~# sudo apt install apache2 -y
Installing:
  apache2


Installing dependencies:
  apache2-data  apache2-utils

Suggested packages:
  apache2-doc  apache2-suexec-pristine | apache2-suexec-custom  ufw

Summary:
```

```
root@Debian:~# sudo apt install mariadb-server php libapache2-mod-php php-mysql
-y
```

```
root@Debian:~# apt install phpmyadmin -y
```

Добро пожаловать в phpMyAdmin

Язык (Language)

Русский - Russian

Авторизация

Пользователь: kinogo

Пароль: ***

Авторизация