Online Job Portal

PROBLEM STATEMENT

- Tasks Required in hire freelancer application
- 1) Recruiters should be able to post jobs
- 2) Recruiters should be able to search and bookmark freelancers
- 3) Recruiter can award the job to a freelancer
- 4) Recruiter can rate and provide a feedback for freelancer who has completed
- the job for recruiter
- 5) Freelancers can search and apply for the jobs with a cover letter
- 6) Freelancers can look at all the previously applied applied
- 7) Freelancers can search and bookmark the jobs
- 8) Recruiters can bookmark freelancers for a particular skill

- Road Map

Application will be developed in following Sprints –

1. Core Java +JPA with Hibernate
2. Spring Boot + Rest Controller + JPA with Hibernate
3. Frontend with Jsp

Modules

- Login Module
- Admin Module
- Recruiter Module
- Freelancer Management Module
- Skill Management Module
- Job Module
- BookMark Job Module
- Job Application Module
- Feedback Module

Class Design

POJO Classes:



Class Design

Service Interface:

IFreelancerService
save(Freelancer freelancer):Freelancer
findById(Long id):Freelanc
update(Freelancer freelancer):Freelancer

IRecruiterService
save(Recruiter recruiter) :Recruiter
findById(Long id):Recruiter
update(Recruiter):Recruiter

IAdminService
save(Admin admin):Admin
update(Admin admin):Admin
findById(Long id):Admin

IJobService
postJob(Skill skill, Recruiter recruiter):Job
findById(Long id):Job
findJobsBySkill(Skill skill):List<Job>
close(Job job):void

IJobApplicationService
appplyToJob(Job job, String coverLetter, Freelancer freelancer) :JobApplication
updateJobApplication(Job job, String coverLetter, Freelancer freelancer):JobApplication
remove(Job job, Freelancer freelancer):void
findById(Long id):JobApplication

IBookmarkJobService
bookmarkJob(Job job, Freelancer freelancer) : BookmarkedJob
removeBookmark(Job job, Freelancer):void
findBookmarkedJobsBySkill(Skill skill, Freelancer):List<BookmarkedJob>
findById(Long id):BookmarkedJob

IFeedbackService
createFeedback(Recruiter recruiter,Freelancer freelancer, int rating, String review):Feedback
averageRating(Freelancer freelancer) : int
findFeedbacksByFreelancer(Freelancer freelancer): List<Feedback>

IBookmarkFreelancerService
bookmarkFreelancer(Freelancer freelancer, Skill skill ,Recruiter) : BookmarkedFreelancer
findBookmarkedFreelancersBySkill(Skill skill, Recruiter recruiter): List<BookmarkedFreelancer>
removeBookmarkedFreelancer(Freelancer freelancer, Skill skill, Recruiter):void
findById(Long id):BookmarkedFreelancer

ISkillService
save(Skill skill) :Skill
update(Skill skill):Skill
remove(Skill skill):void

ISkillExperienceService
addSkill(Skill skill, Freelancer freelancer, int experienceYears):SkillExperience
updateSkillYears(Skill skill, Freelancer freelancer, int experience):SkillExperience

Class Design

Repository:

IRecruiterDao

save(Recruiter recruiter) :Recruiter
findById(Long id):Recruiter
update(Recruiter recruiter):Recruiter

IFreelancerDao

save(Freelancer):Freelancer
update(Freelancer):Freelancer
findById(Long id):Freelancer

IAdminDao

save(Admin admin):Admin
update(Admin):Admin
findById(Long id):Admin

IJobAplicationDao

save(JobApplication application):JobApplication
remove(JobApplication application):void
update(JobApplication application):JobApplication

IJobDao

save(Job job):Job
findById(Long id): Job
remove(Job job):void
update(Job job): Job

IBookmarkedFreelancerDao

save(Bookmasave(BookmarkedFreelancer bookmarked) : BookmarkedFreelancer
remove(Bookmasave(BookmarkedFreelancer bookmarked) : void
findBookmarkedFreelancersBySkill(Skill skill) : List<BookmarkedFreelancer>

IBookmarkedJobDao

save(BookmarkedJob job):BookmarkedJob
remove(BookmarkedJob job):void
findById(Long id): BookmarkedJob
findBookmarkedJobsBySkill(Skill skill, Freelancer):List<BookmarkedJob>

ISkillExperienceDao

save(SkillExpereince experience) : SkillExperience
remove(SkillExpereince experience):void
update(SkillExpereince experience):SkillExperience

IFeedbackDao

save(Feedback feedback):Feedback
findById(Long id):Feedback
update(Feedback feedback): Feedback
averageRating(Freelancer freelancer) : int
findFeedbacksByFreelancer(Freelancer freelancer):List<Feedback>

ISkillDao

save(Skill skill):Skill
remove(Skill skill):void
update(Skill skill):Skill