



Practical File
of
Object Oriented Language

Course Code: CSEG1044

School of Computer Science

Submitted By Nikhil Sharma

Submitted To Dr. Khursheed Ahmad Bhat, Ph.D.

Student Name: Nikhil Sharma

SAP ID: 590012509

Course: BTech(CSE)

Semester: 4th

Batch: B1

Academic Year: 2025-26

Experiment 1

Source Code

index.html:

```
<!DOCTYPE html>

<html lang="en">

<head>
  <title>SimpleWebPage</title>
  <style>
  </style>
</head>

<body>
  <header>
    <nav>
      <ul>
        <li id="nav-logo"><a href="#">Home</a></li>
        <li><a href="#profile">ID Card</a></li>
        <li><a href="#survey">Survey</a></li>
        <li><a href="#media">Media</a></li>
        <li><a href="#anime">Top Anime</a></li>
        <li><a href="#about-me">About Me</a></li>
        <li><a href="#contact">Contacts</a></li>
      </ul>
    </nav>
  </header>
  <section id="banner">
    <section id="heading">
      <h1>Simple Webpage</h1>
      <blockquote
        cite="https://www.reddit.com/r/quotes/comments/1lqgxr9/an_apple_a_day_keep
        s_anyone_away_if_you_throw_it/#:~:text=Electrical_Mine-,%E2%80%9CAN%20appl
        e%20a%20day%20keeps%20anyone%20away%20if%20you%20throw,hard%20enough.%E2%8
        0%9D%20%2D%20Stephen%20Colbert">
          "An apple a day keeps anyone away if you throw it hard
          enough. - Stephen Colbert"</blockquote>
        </section>
      <section id="profile">
        <table>
          <tr>
```

```
        <th colspan="3" id="logo-box"></th>
    </tr>
    <tr>
        <td rowspan="3"></td>
        <td><b>NAME</b></td>
        <td>Nikhil Sharam</td>
    </tr>
    <tr>
        <td><b>SCHOOL</b></td>
        <td>School of Computer Science</td>
    </tr>
    <tr>
        <td><b>PROGRAM</b></td>
        <td>B.Tech (CSE) </td>
    </tr>
    <tr>
        <td><b>590012509</b></td>
        <td><b>BATCH</b></td>
        <td>2024-28</td>
    </tr>
</table>
</section>
</section>
<hr>
<section id="survey">
    <h2>Survey</h2>
    <form action="#">
        <fieldset id="desc">
            <legend>Your Description</legend>
            <label for="first-name">First Name: </label>
            <input type="text" id="first-name" placeholder="Enter your
first name">
            <label for="last-name">Last Name: </label>
            <input type="text" id="last-name" placeholder="Enter your
last name">
            <br>
            <label for="DOB">Date of Birth: </label>
            <input type="date" id="DOB" required>
            <br>
            <label for="email">Email Address: </label>
            <input type="email" id="email" placeholder="email">
            <br>
```

```

        <label for="salary">Salary: </label>
        <input type="number" id="salary" placeholder="salary">
        <br>
        <label for="phone">Phone: </label>
        <input type="tel" id="phone" pattern="[0-9]{10}"
placeholder="Phone Number">
    </fieldset>
    <fieldset id="pref">
        <legend>Your Preference</legend>
        <label>How often do you play sports?</label>
        <br>
        <input type="checkbox" name="activity-freq"
id="activity-freq-daily" value="daily">
        <label for="activity-freq-daily">Daily</label>
        <br>
        <input type="checkbox" name="activity-freq"
id="activity-freq-weekly" value="weekly">
        <label for="activity-freq-weekly">Weekly</label>
        <br>
        <input type="checkbox" name="activity-freq"
id="activity-freq-monthly" value="monthly">
        <label for="activity-freq-monthly">Monthly</label>
        <br>
        <label for="mindset">Your strategy while playing:</label>
        <br>
        <textarea id="mindset"></textarea>
    </fieldset>
    <fieldset id="rate">
        <legend>Rating</legend>
        <label for="mood">How is your mood right now:</label>
        <select name="mood" id="mood">
            <optgroup
label="Basic"><legend>Basic</legend></optgroup>
                <option value="happy">Happy</option>
                <option value="sad">Sad</option>
            <optgroup
label="Peak"><legend>Peak</legend></optgroup>
                <option value="motivated">Motivated</option>
                <option value="depressed">Depressed</option>
            </select>
            <br>
            <label for="color">Your favourite color:</label>
            <input type="color" id="color">
        </fieldset>

```



```

        <input id="submit-button" type="submit" value="submit">
    </form>
</section>
<hr>
<h2 style="margin-block-start: 2rem;">Good Vibes</h2>
<section id="media">
    <div>
        <h3>Costa Rica: </h3>
        <video controls src="">It seems that this video is currently
unavailable</video>
    </div>
    <div>
        <h3>Background Music: </h3>
        <audio controls
src="https://music.youtube.com/watch?v=Xs0Lxiflu9E">
            It seems that this audio is currently unavailable
        </audio>
    </div>
</section>
<h2 style="margin-block-start: 3rem;">PDF</h2>
<section id="pdf">
    <div>
        <h3>iFrame:</h3>
        <iframe src="../../Media/Resume.pdf"></iframe>
    </div>
    <div>
        <h3>embed:</h3>
        <embed src="../../Media/Resume.pdf" type="application/pdf">
    </div>
    <div>
        <h3>object:</h3>
        <object data="../../Media/Resume.pdf"
type="application/pdf"></object>
    </div>
</section>
    <div>
        <h3>How to use iframe:</h3>
        <iframe id="site"
src="https://elementor.com/blog/what-is-an-iframe/"></iframe>
    </div>
    <div id="code">
        <h3>Code:</h3>
        <pre>
public class main{

```

```

public static void main(String []args){
    System.out.println("Hello World!");
}
}

</pre>
</div>
<hr>
<section id="anime">
    <h2>Top Anime:</h2>
    <ol class="japanese-list">
        <li>1) 葬送のフリーレン</li>
        <li>2) 劇場版 チェンソーマン レゼ篇</li>
        <li>3) 鬼滅の刃</li>
        <li>4) ブラッククローバー</li>
        <li>5) 日常</li>
    </ol>

</section>
<hr>
<section id="about-me">
    <details open>
        <summary>
            <h2 id="about-me-heading">About me</h2>
        </summary>
        <p>
            <strong>Loves computers</strong> – from
<del>building</del> using desktops and laptops to programming
            and
            working with advanced tools and
            technologies. Has hands-on experience with <mark>Docker,
Wireshark, <abbr
                title="Network Mapper">Nmap</abbr>, <abbr
title="Elastic Compute 2">AWS EC2</abbr>, web dev,
                Postman, MongoDB and
                various <abbr title="Internet of Things">IoT</abbr>
development boards, including <abbr
                title="Espressif 32">ESP32</abbr>, Arduino Uno,
and Raspberry Pi</mark>. Has built various
                practical
                3D models using AutoCAD Fusion 360 including but not
limited to Gear Shift Pro (A smart and modular
                pedle
                assist system) and SpringPod (A retractable shelter for
emergencies). A <ins>very</ins> confident Linux

```

```
        user.
    </p>
</details>
</section>
<hr>
<section id="contact">
    <div id="address">
        <h2>Meet me</h2>
        <address>
            Tulip Ace Appartments,<br>
            Sector-89,<br>
            Gurugram, Haryana<br>
            122505
        </address>
    </div>
    <div id="social">
        <h2>Contact me</h2>
        <a href="https://github.com/Nothinormuch"></a>
        <a href="https://www.linkedin.com/in/nothinormuch"></a>
        <a href="mailto:nothin.main@gmail.com"></a>

        <a href="tel:youwillneverknow"></a>
    </div>
</section>
<hr>
<footer>
    <p id="copyright-text">&copy; 2026 Nothin Enterprise</p>
</footer>
</body>

</html>
```

Output

- [Home](#)
- [ID Card](#)
- [Survey](#)
- [Media](#)
- [Top Anime](#)
- [About Me](#)
- [Contacts](#)

Simple Webpage

"An apple a day keeps anyone away if you throw it hard enough. - Stephen Colbert"





NAME Nikhil Sharam

SCHOOL School of Computer Science

PROGRAM B.Tech(CSE)



PROGRAM B.Tech(CSE)

590012509

BATCH 2024-28

Survey

Your Description

First Name:

Last Name:

Date of Birth:

Email Address:

Salary:

Phone:

Your Preference

How often do you play sports?

☐ Daily

☐ Weekly

☐ Monthly

Your strategy while playing:

Rating

How is your mood right now:

Your favourite color:

Good Vibes

Costa Rica:

Rating

How is your mood right now:


Happy

Your favourite color:

submit

Good Vibes

Costa Rica:



Background Music:



PDF

iframe:



embed:

object:

How to use iframe:



Code:

```
public class main{
    public static void main(String []args){
        System.out.println("Hello World!");
    }
}
```

Top Anime:

- 1.) 葬送のフリーレン
- 2.) 劇場版 チェンソーマン レゼ篇
- 3.) 鬼滅の刃
- 4.) ブラックローバー
- 5.) 日常



About me

Loves computers – from building using desktops and laptops to programming and working with advanced tools and technologies. Has hands-on experience with Docker, Wireshark, Nmap, AWS EC2, web dev,

▼

About me

Loves computers – from building using desktops and laptops to programming and working with advanced tools and technologies. Has hands-on experience with Docker, Wireshark, Nmap, AWS EC2, web dev, Postman, MongoDB and various IoT development boards, including ESP32, Arduino Uno, and Raspberry Pi. Has built various practical 3D models using AutoCAD Fusion 360 including but not limited to Gear Shift Pro (A smart and modular pedal assist system) and SpringPod (A retractable shelter for emergencies). A very confident Linux user.

Meet me

Tulip Ace Apartments,
Sector-89,
Gurgaon, Haryana
122505

Contact me



Experiment 2

Source Code

index.html:

```
<link rel="stylesheet" href="./style.css">
```

style.css:

```
:root {
  --bg-dark: hsl(220 100% 93%);
  --bg: hsl(220 100% 98%);
  --bg-light: hsl(220 100% 100%);
  --text: hsl(239 100% 10%);
  --text-muted: hsl(221 49% 33%);
  --highlight: hsl(220 100% 100%);
  --border: hsl(220 40% 56%);
  --border-muted: hsl(220 58% 68%);
  --primary: hsl(196, 67%, 45%);
  --primary-muted: hsl(196, 67%, 60%);
  --secondary: hsl(44 100% 14%);
  --danger: hsl(8 40% 42%);
  --warning: hsl(52 82% 24%);
  --success: hsl(154 58% 29%);
  --info: hsl(217 42% 43%);
}

* {
  padding: 0;
  margin: 0;
  box-sizing: border-box;
}

body {
  min-height: 100vh;
  background-color: var(--bg-dark);
  color: var(--text);
}

.icon {
  max-width: 2rem;
  max-height: 2rem;
}

.logo {
  max-width: 5rem;
}
```

```
.pfp {
  max-height: 8rem;
}

footer {
  position: sticky;
  bottom: 0;
  background-color: var(--primary);
  width: 100%;
  padding: 1rem;
  text-align: center;
  align-items: center;
}

table,
th,
td {
  border: 1px solid black;
  border-collapse: collapse;
}

#logo-box {
  text-align: left;
}

td,
th {
  padding: 0.5rem;
}

#contact {
  display: flex;
  justify-content: space-between;
  align-items: center;
}

#contact #social {
  text-align: right;
}

header {
  display: block;
  position: sticky;
```



```
    top: 0;
    z-index: 100;
}

nav {
    background-color: var(--primary);
    box-shadow: 3px 3px 5px rgba(0, 0, 0, 0.1);
}

nav ul {
    width: 100%;
    display: flex;
    list-style: none;
    justify-content: flex-end;
}

nav ul li {
    padding-block: 1rem;
    padding-inline: 1rem;
}

nav ul li:first-child {
    margin-inline-end: auto;
}

nav ul li a {
    color: black;
    text-decoration: none;
}

nav ul li:hover{
    background-color: var(--primary-muted);
    box-shadow: 0 0 10px 2px rgba(0, 0, 0, 0.05);
    transition: background-color 0.5s;
}

section {
    margin-block: 2rem;
    margin-inline: 2rem;
}

video {
    width: 16rem;
    height: 9rem;
```

```
}

.japanese-text {
  writing-mode: vertical-rl;
}

.japanese-list li {
  display: inline-block;
  writing-mode: vertical-rl;
}

h1 {
  margin-block-end: 1.25rem;
}

h2 {
  margin-block-end: 1rem;
}

h3 {
  margin-block-end: 0.75rem;
}

#about-me-heading {
  display: inline;
}

mark {
  background-color: var(--primary);
}

fieldset {
  padding-block: 1rem;
  padding-inline: 1rem;
  margin-block: 1rem;
  margin-inline: 1rem;
  border-radius: 1rem;
}

input,textarea {
  background-color: var(--bg);
  color: var(--text-muted);
  padding-inline: 0.5rem;
  padding-block: 0.2rem;
  border: 1px solid var(--border-muted);
}
```

```
border-radius: 0.4rem;
margin-block: 0.5rem;
margin-inline-end: 1rem;
outline:none;
accent-color: var(--primary);
}

textarea {
  padding-block: 0.5rem;
}

input::placeholder {
  color: var(--text-muted);
}

select{
  color: var(--text);
  background-color: var(--bg);
  outline:none;
  border-radius: 0.3rem;
  border: 1px solid var(--border-muted);
  padding-inline:0.5rem;
  padding-block:0.2rem;
  color: var(--text);
}

option{
  color: var(--text);
}

legend{
  color: var(--text-muted);
}

label {
  margin-block: 0.5rem;
}

#banner {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin-block: 1rem;
  margin-inline: 1rem;
}

#submit-button {
  font-size: 1rem;
  display: block;
```

```
margin-inline: auto;
padding: 0.5rem;
grid-column-start: 1;
grid-column-end: 3;
background-color: var(--primary);
color: var(--text);
}

#submit-button:hover{
  background-color: var(--primary-muted);
  box-shadow: 0 0 10px 2px rgba(0, 0, 0, 0.05);
  transition: background-color 0.5s;
}

h2,
h3 {
  text-align: center;
}

form {
  display: grid;
  grid-template-columns: 1fr 1fr;
}

form #rate {
  grid-column-start: 1;
  grid-column-end: 3;
}

legend {
  text-align: center;
  font-weight: bold;
}

textarea {
  width: 80%;
  height: 30%;
}

#desc input {
  width: 25%;
}

#desc {
  display: block;
}

audio {
  display: block;
  margin-block: 1rem;
}
```

```
    margin-inline: auto;
}
#media {
    display: flex;
    justify-content: space-around;
    align-items: center;
}
video {
    width: 60vw;
    height: auto;
}
#pdf {
    display: flex;
    justify-content: space-between;
    align-items: center;
}
#pdf iframe,
#pdf embed,
#pdf object {
    width: 30vw;
    height: 50vh;
}
#site {
    display: block;
    margin-inline: auto;
}
#code {
    margin-block-start: 2rem;
    position: relative;
    min-height: 8rem;
}
pre {
    position: absolute;
    left: 50%;
    transform: translate(-50%);
}
```

Output

Home

ID CardSurveyMediaTop AnimeAbout MeContacts

Simple Webpage

"An apple a day keeps anyone away if you throw it hard enough. – Stephen Colbert"

UPES

	NAME	Nikhil Sharam
	SCHOOL	School of Computer Science
	PROGRAM	B.Tech(CSE)
590012509	BATCH	2024-28

Survey

Your Description

First Name:

Last Name:

Date of Birth:

Email Address:

Salary:

Phone:

Your Preference

How often do you play sports?

☐ Daily

☐ Weekly

☐ Monthly

Your strategy while playing:

Rating

How is your mood right now:

Your favourite color:

© 2026 Nothin Enterprise

Home

ID CardSurveyMediaTop AnimeAbout MeContacts

Salary:

Phone:

Rating

How is your mood right now:

Your favourite color:

submit

Good Vibes

Costa Rica:

▶ 0:00

⏮ ⏪ ⏩ ⏭

Background Music:

▶ 0:00 / 0:00

⏮ ⏪ ⏩ ⏭

PDF

iframe:

embed:

object:

© 2026 Nothin Enterprise

Home

ID CardSurveyMediaTop AnimeAbout MeContacts

0:00

iframe:

PDF

embed:

object:

How to use iframe:

elementor blog

© 2026 Nothin Enterprise

Home

ID CardSurveyMediaTop AnimeAbout MeContacts

How to use iframe:

elementor blog

GET STARTED

Code:

```
public class main{
    public static void main(String []args){
        System.out.println("Hello World!");
    }
}
```

Top Anime:

1) 新装版 藤沢のツルシーマン

2) チェンソーマン

3) 電鋸の刃

4) プラッククロバー

5) 目黒

▼ About me

Loves computers – from building using desktops and laptops to programming and working with advanced tools and technologies. Has hands-on experience with [Docker](#), [Wireshark](#), [Nmap](#), [AWS EC2](#), [web dev](#), [Postman](#), [MongoDB](#) and various [IoT development boards](#), including [ESP32](#), [Arduino Uno](#), and [Raspberry Pi](#). Has built various practical 3D models using AutoCAD Fusion 360 including but not limited to Gear Shift Pro (A smart and modular pedle assist system) and SpringPod (A retractable shelter for emergencies). A [very](#) confident Linux user.

© 2026 Nothin Enterprise

Home

ID CardSurveyMediaTop AnimeAbout MeContacts

Code:

```
public class main{
    public static void main(String []args){
        System.out.println("Hello World!");
    }
}
```

Top Anime:

1) 新装版 藤沢のツルシーマン

2) チェンソーマン

3) 電鋸の刃

4) プラッククロバー

5) 目黒

▼ About me

Loves computers – from building using desktops and laptops to programming and working with advanced tools and technologies. Has hands-on experience with [Docker](#), [Wireshark](#), [Nmap](#), [AWS EC2](#), [web dev](#), [Postman](#), [MongoDB](#) and various [IoT development boards](#), including [ESP32](#), [Arduino Uno](#), and [Raspberry Pi](#). Has built various practical 3D models using AutoCAD Fusion 360 including but not limited to Gear Shift Pro (A smart and modular pedle assist system) and SpringPod (A retractable shelter for emergencies). A [very](#) confident Linux user.

Meet me

Tulip Ace Appartments,
Sector-89,
Gurugram, Haryana
122505

Contact me

© 2026 Nothin Enterprise

Experiment 3

Source Code

Index.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>FakeChat</title>
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <div class="chat-container">
      <div class="chat-header">Chat Module</div>
      <div class="chat-body">
      </div>
      <div class="chat-footer">
        <input type="text" name="prompt" id="prompt" placeholder="Enter the message" />
        <input type="submit" value="Send" id="submit"/>
      </div>
    </div>
    <script src="script.js"></script>
  </body>
</html>
```

Style.css:

```
:root {
  --primary: rgba(104,52,212,1);
  --secondary: rgba(104,52,212,0.8);
  --background-primary: white;
  /* --background-secondary: rgb(242,240,239); */
  --background-secondary: #f0f4ff;
  --text-primary: white;
  --text-secondary: black;
}

* {
  padding: 0;
  margin: 0;
  box-sizing: border-box;
}
```



```
body {
  background-color: var(--background-secondary);
}

.chat-container {
  background-color: var(--background-primary);
  width: 30rem;
  border-radius: 1rem;
  margin-block: 20vh;
  margin-inline: auto;
  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0,
0.19)
}

.chat-container .chat-header {
  background-color: var(--primary);
  border-top-left-radius: 1rem;
  border-top-right-radius: 1rem;
  text-align: center;
  color: var(--text-primary);
  padding-block: 1rem;
  font-weight: bolder;
}

.chat-container .chat-body {
  height: 25rem;
  overflow-y: scroll;
  display: flex;
  flex-direction: column;
}

.chat-container .chat-body .message {
  border-radius: 1rem;
  margin-inline: 0.5rem;
  margin-block: 0.5rem;
  transition: all 2s;
}

.chat-container .chat-body .notSent {
  width: 0;
  font-size: 0;
  margin-block-end: 4rem;
  transition: all 2s;
}
```

```
.chat-container .chat-body .sent {
  padding-inline: 1rem;
  padding-block: 0.5rem;
  transition: all 0.15s;
}

.chat-container .chat-body .user {
  background-color: var(--primary);
  color: var(--text-primary);
  align-self: flex-end;
  margin-inline-start: 4rem;
}

.chat-container .chat-body .bot {
  background-color: var(--background-secondary);
  color: var(--text-secondary);
  align-self: flex-start;
  margin-inline-end: 4rem;
}

.chat-container .chat-footer {
  border-bottom-left-radius: 1rem;
  border-bottom-right-radius: 1rem;
  border-top: 1px solid rgba(179, 179, 179, 0.5);
  padding-block: 0.75rem;
  display: flex;
  justify-content: space-between;
  padding-inline: 1rem;
}

.chat-container .chat-footer #prompt {
  border-radius: 1.5rem;
  border: 1px solid rgba(179, 179, 179, 1);
  padding-inline: 1rem;
  padding-block: 0.75rem;
  flex: 1;
  margin-inline-end: 0.5rem;
  transition: transform 0.1s;
  outline: none;
}

.chat-container .chat-footer #prompt:hover {
  transform: translateY(-1.5px);
}
```

```

        transition: transform 0.1s;
    }

    .chat-container .chat-footer #submit {
        border-radius: 1.5rem;
        padding-inline: 1rem;
        padding-block: 0.75rem;
        border: none;
        background-color: var(--primary);
        color: var(--text-primary);
        font-weight: bolder;
        margin-inline-start: 0.5rem;
        transition: transform 0.1s;
        outline: none;
    }

    .chat-container .chat-footer #submit:hover {
        transform: translateY(-1.5px);
        background-color: var(--secondary);
        transition: transform 0.1s;
    }

```

[script.js:](#)

```

const submitButton = document.getElementById("submit");
const chatBody = document.querySelector(".chat-body");
const prompt = document.getElementById("prompt");
submitButton.addEventListener('click', (ev) => {sendMessage("click",ev)});
prompt.addEventListener('keydown', (ev) => {sendMessage("keyPress",ev)});

chatBody.scrollTop = chatBody.scrollHeight;

function sendMessage(type,ev) {
    if (prompt.value=="clear") {
        const messageList = document.querySelectorAll(".message");
        for(i of messageList) {
            i.remove();
        }
        prompt.value="";
    }
    else if(prompt.value!="") {
        const userPrompt = prompt.value;
        if(type=="click" || type=="keyPress" && ev.key=='Enter'){
            const userMessage = document.createElement("div");
            userMessage.textContent = userPrompt;
            prompt.value = "";

```

```

        userMessage.classList.add("message", "notSent", "user");
        chatBody.appendChild(userMessage);

        chatBody.scrollTop = chatBody.scrollHeight;

        setTimeout(() => {
            userMessage.classList.remove("notSent");
            userMessage.classList.add("sent");
        }, 1);

        setTimeout(() => {
            const botMessage = document.createElement("div");


            const genericReplies = ["Hello", "Hi", "Ill keep that in mind", "How are you", "Bye", "Understood", "Totally", "Ill review and get back to you", "Thanks for sharing!", "Makes sense"];
            botMessage.textContent = genericReplies[Math.floor(Math.random() * genericReplies.length)];
            prompt.value = "";
            botMessage.classList.add("message", "notSent", "bot");
            chatBody.appendChild(botMessage);

            chatBody.scrollTop = chatBody.scrollHeight;

            setTimeout(() => {
                botMessage.classList.remove("notSent");
                botMessage.classList.add("sent");
            }, 1);
        }, 150);
    }
}

```

Output



Experiment 4

Source Code

Index.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <!-- <link rel="icon" type="image/svg+xml" href="/favicon.svg" /> -->
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Calculator</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/index.jsx"></script>
  </body>
</html>
```

Index.jsx:

```
import { createRoot } from 'react-dom/client';
import App from './App.jsx';
import './index.css';

createRoot(document.getElementById('root')).render(
  <App />
)
```

Index.css:

```
*{
  margin:0px;
  padding:0px;
  box-sizing: border-box;
}

body {
  background-color: hsl(220 100% 93%);
}
```

App.jsx:

```
import Calculator from './components/Calculator/Calculator.jsx';

function App() {
  return (
    <>
      <Calculator />
    </>
  )
}
```

```
}
```

```
export default App
```

D:\Life\UPES\Sem4\Frontend\WebPages\Calculator\src\components\Calculator\Calculator.jsx:

```
import { useState } from "react";
import Button from "../Button/Button.jsx";
import './Calculator.css';

function Calculator() {

  let [expression, setExpression] = useState("");
  let [result, setResult] = useState(0)

  function buttonPressed(value) {
    setExpression((old) => {
      return old + value;
    })
  }

  function genResult() {
    if (expression) {
      setResult(eval(expression));
      setExpression("");
    }
  }

  function clearDisplay() {
    setExpression("");
    setResult(0);
  }

  function backspace() {
    setExpression((old) => {
      return old.slice(0, old.length - 1);
    })
  }

  let buttonGrid =
  [{value: "%", color: "special"}, {value: "/", color: "operator"}, {value: "7", color: "num"}, {value: "8", color: "num"}, {value: "9", color: "num"}, {value: "*", color: "operator"}, {value: "4", color: "num"}, {value: "5", color: "num"}, {value: "6", color: "num"}, {value: "-", color: "operator"}, {value: "1", color: "num"}, {value: "2", c
```

```

color:"num"},{value:"3",color:"num"},{value:"+",color:"operator"},{value:"("
",color:"num"},{value:"0",color:"num"},{value:")",color:"num"}];

return (
  <>
    <div className='main-window'>
      <div className="display">
        <p id="expression">{expression}</p>
        <p id="result">{result}</p>
      </div>
      <div className="button-grid">
        <Button name="AC" value="AC"
buttonPressed={clearDisplay} color="special" />
        <Button name="<=" value="<=" buttonPressed={backspace}
color="special" />
        {buttonGrid.map((value)=>{return(<Button
name={value.value} value={value.value} buttonPressed={buttonPressed}
color={value.color} />))})}
        <Button name="=" value="=" buttonPressed={genResult}
color="operator" />
      </div>
    </div>
  </>
)
}

export default Calculator;

```

D:\Life\UPES\Sem4\Frontend\WebPages\Calculator\src\components\Calculator\Calculator.css:

```

:root{
  --background:rgba(45, 45, 45);
  --text:rgba(253, 253, 253);
  --text-muted:hsl(0, 0%, 80%);
}

#root{
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}

.main-window{
  background-color: var(--background);

```



```

    display: flex;
    flex-direction: column;
    border: 0.25rem solid rgba(109, 109, 109);
    width: 25rem;
    height: 40rem;
    align-items: flex-end;
    justify-content: center;
    border-radius: 2rem;
    padding-inline: 1rem;
    padding-block: 1rem;
  }

  .display{
    padding-inline: 1rem;
    display: flex;
    flex-direction: column;
    max-width: 100%;
    overflow-x: hidden;
    overflow-y: hidden;
    color: var(--text);
    text-align: end;
  }

  #expression{
    font-size: 2rem;
    min-height: 2.5rem;
  }

  #result{
    font-size: 4rem;
  }

  .button-grid{
    flex-grow: 1;
    display: grid;
    grid-template-columns: auto auto auto auto;
    grid-template-rows: auto auto auto auto auto;
    gap: 0.9rem;
  }

```

D:\Life\UPES\Sem4\Frontend\WebPages\Calculator\src\components\Button\Button.jsx:

```
import './Button.css'
```

```

function Button(props) {
  return (

```

```
    </>
    <button className={props.color}
onClick={ () => {props.buttonPressed(props.value)}} >{props.name}</button>
    </>
  )
}

export default Button;
```

D:\Life\UPES\Sem4\Frontend\WebPages\Calculator\src\components\Button\Button.css:

```
button{
  outline: none;
  border:none;
  border-radius: 0.4rem;
  height:5rem;
  width:5rem;
  color: white;
  font-size: 2rem;
  font-weight: 700;
}
.special{
  background-color: rgba(76, 76, 76);
}
.operator{
  background-color: rgba(178, 90, 42);
}
.num{
  background-color: rgba(51, 51, 51);
}
```

Output



Experiment 5

Source Code

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\index.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>VotingApplication</title>
    <script
      src="https://kit.fontawesome.com/fac69c3900.js"
      crossorigin="anonymous"
    ></script>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Inter:ital,opsz,wght@0,14..32,100..900;1,14..32,100..900&display=swap"
      rel="stylesheet"
    />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/index.jsx"></script>
  </body>
</html>
```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\index.jsx:

```
import { createRoot } from "react-dom/client";
import App from "../App";

createRoot(document.getElementById("root")).render(
  <>
    <App />
  </>,
);
```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\App.jsx:

```
import { useState } from "react";
import VotingWindow from "../components/VotingWindow/VotingWindow";
import UserWindow from "../components/UserWindow/UserWindow";
import ResultWindow from "../components/ResultWindow/ResultWindow.jsx";
import questions from "../data/question.js";
```

```

import "../App.css";

export default () => {
  let userCount = 5;
  let [currentUser, setCurrentUser] = useState(0);
  let [votes, setVotes] = useState(
    questions.choices.map((choice) => {
      return { choice: choice, count: 0 };
    }),
  );

  function incrementUser() {
    setCurrentUser((oldVal) => oldVal + 1);
  }

  function voteFor(choiceIndex) {
    setVotes((oldArr) => [
      ...oldArr.slice(0, choiceIndex),
      {
        choice: oldArr[choiceIndex].choice,
        count: oldArr[choiceIndex].count + 1,
      },
      ...oldArr.slice(Number(choiceIndex) + 1),
    ]);
  }

  let voteList = votes.map((value) => Number(value.count));
  let max = votes.map((value) => value.choice)[
    voteList.indexOf(Math.max(...voteList))
  ];
  let winner =
    voteList.filter((x) => x === Math.max(...voteList)).length > 1
      ? "There was a tie between multiple options!"
      : "Winner: " +
        max +
        " with " +
        Math.max(...voteList) +
        ` vote${Math.max(...voteList) > 1 ? "s" : ""}!`;
  console.log(Math.max(...voteList));
  console.log(voteList);
  console.log(voteList.filter((x) => x === Math.max(...voteList)));
  return (
    <>
    {currentUser < userCount ? (
      <>

```

```

        <VotingWindow
            userCount={userCount}
            currentUser={currentUser}
            question={questions.question}
            votes={votes}
            setVotes={voteFor}
            incrementUser={incrementUser}
        />
        <UserWindow currentUser={currentUser} userCount={userCount} />
    </>
    ) : (
        <>
            <ResultWindow winner={winner} />
        </>
    )}
</>
);
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\App.css:

```

:root {
  --bg-dark: hsl(220 59% 91%);
  --bg: hsl(220 100% 97%);
  --bg-light: hsl(220 100% 100%);
  --text: hsl(226 85% 7%);
  --text-muted: hsl(220 26% 31%);
  --highlight: hsl(220 100% 100%);
  --border: hsl(220 19% 53%);
  --border-muted: hsl(220 27% 65%);
  --primary: #007bff;
  --primary-muted: #79b6eb;
  --secondary: hsl(44 100% 14%);
  --danger: hsl(9 21% 41%);
  --warning: hsl(52 23% 34%);
  --success: hsl(147 19% 36%);
  --info: hsl(217 22% 41%);
}

* {
  margin: 0px;
  padding: 0px;
  box-sizing: border-box;
}

```

```

body {
  background-color: var(--bg-dark);
  font-family: Inter;
  color: var(--text);
  letter-spacing: -5%;
}

#root {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  width: 100vw;
  height: 100vh;
  gap: 5rem;
}

.vote-container,
.user-container,
.result-container {
  background-color: var(--bg);
  box-shadow:
    inset 0 0 15px rgba(135, 135, 135, 0.1),
    0 0 18px 3px rgba(0, 0, 0, 0.3);
  text-align: center;
  border-radius: 2rem;
}

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\data\[question.js](#):

```

export default {
  question: "Which programming language is the best?",
  choices: ["Python", "C", "Java", "Rust", "JavaScript", "Bash"],
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\components\VotingWindow\VotingWindow.jsx:

```

import question from "../../data/question.js";
import "./VotingWindow.css";

export default (props) => {
  function vote(formData) {
    if (props.currentUser < props.userCount + 1) {
      let data = formData.get(props.question);
      if (data == null) {

```

```

        return;
    } else {
        props.setVotes(formData.get(props.question));
        props.incrementUser();
    }
} else {
    props.incrementUser();
}
clearSelection();
}

function clearSelection() {
    for (let i of document.getElementsByClassName("selected")) {
        i.classList.remove("selected");
    }
}

function select(e) {
    clearSelection();
    e.target.classList.add("selected");
}

return (
    <>
    <form action={vote} className="vote-container">
        <h2 className="question">{props.question}</h2>
        <div className="choice-container">
            {props.votes.map((choice, index) => {
                return (
                    <div className={"choice choice-" + index}>
                        <div className={"choice-input input-" + index}>
                            <input
                                type="radio"
                                name={props.question}
                                id={"radio-" + index}
                                value={index}
                            />
                        <label
                            htmlFor={"radio-" + index}
                            id={"label-" + index}
                            onClick={(e) => {
                                select(e);
                            }}
                        >
                            {choice.choice}

```



```

        </label>
      </div>
      <p className={"vote vote-" + index}>{choice.count}</p>
    </div>
  );
  }}}
</div>
<button type="submit">Vote</button>
</form>
</>
);
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\components\VotingWindow\VotingWindow.css:

```

.vote-container {
  min-height: 20rem;
  width: 50rem;
  padding-inline: 5rem;
  padding-block: 5rem;
}

.choice-container {
  display: flex;
  width: 100%;
  gap: 1rem;
  flex-direction: column;
}

.choice {
  display: flex;
  justify-content: space-between;
}

input[type="radio"] {
  display: none;
}

.choice-input {
  align-self: flex-start;
  font-weight: 700;
  padding-block: 0.5rem;
  transition: all 0.1s ease-out;
}

.choice-input:hover {

```

```
    cursor: pointer;
    font-size: 1.2rem;
    transition: all 0.1s ease-out;
}

.selected {
    font-size: 1.2rem;
    background-color: var(--primary) !important;
    transition: all 0.1s ease-out;
}

label {
    background-color: var(--bg);
    margin-inline-start: 0.5rem;
    padding-inline: 1rem;
    padding-block: 0.5rem;
    transition: all 0.1s ease-out;
    border-radius: 1rem;
}

label:hover {
    cursor: pointer;
    background-color: var(--primary-muted);
}

.question {
    font-weight: 800;
    font-size: 2rem;
}

button {
    outline: none;
    border: none;
    font-size: 1rem;
    font-weight: 700;
    padding-inline: 2rem;
    padding-block: 1rem;
    background-color: var(--primary);
    color: white;
    border-radius: 2rem;
    transition: all 0.1s linear;
}

button:hover {
    background-color: var(--primary-muted);
    cursor: pointer;
}
```

```

    transition: all 0.1s linear;
    padding-inline: 2.2rem;
    padding-block: 1.2rem;
  }
  form {
    display: flex;
    flex-direction: column;
    gap: 2rem;
    align-items: center;
  }
  .choice-input {
    align-self: flex-start;
  }
  .vote {
    align-self: flex-end;
  }
}

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\components\UserWindow\UserWindow.jsx:

```

import "../UserWindow.css";

export default (props) => {
  let users = [];
  if (props.currentUser === props.userCount) {
    users.push(<i className={"fa-regular fa-circle-user voted"}></i>);
  } else {
    for (let i = 0; i < props.currentUser; i++) {
      users.push(<i className={"fa-regular fa-circle-user voted"}></i>);
    }
    users.push(<i className={"fa-regular fa-circle-user current"}></i>);
    for (let i = props.currentUser + 1; i < props.userCount; i++) {
      users.push(<i className={"fa-regular fa-circle-user"}></i>);
    }
  }

  return <div className="user-container">{users}</div>;
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\components\UserWindow\UserWindow.css:

```

.user-container {
  padding-inline: 2rem;
  padding-block: 2rem;
  font-size: 3rem;
  display: flex;

```

```

    justify-content: center;
    gap: 1rem;
    align-items: center;
    color: #f7cb73;
    min-height: 8rem;
  }

  .current {
    color: var(--primary);
    font-size: 4rem;
  }

  .voted {
    color: #5dbe3f;
  }

  i {
    transition: all 0.2s linear;
  }

```

D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\components\ResultWindow\ResultWindow.jsx:

```

import "../ResultWindow.css";
export default (props) => {
  return (
    <div className="result-container">
      <p>{props.winner}</p>
    </div>
  );
};

```


D:\Life\UPES\Sem4\Frontend\WebPages\VotingApplication\src\components\ResultWindow\ResultWindow.css:



```



.result-container {
  padding-inline: 2rem;
  padding-block: 2rem;
  font-size: 1.5rem;
  font-weight: 700;
}


```

Output









Experiment 6

Source Code

D:\Life\UPES\Sem4\Frontend\WebPages\PasswordCritic\index.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>PasswordCritic</title>
    <script
      src="https://code.jquery.com/jquery-4.0.0.js"
      integrity="sha256-9fsHeVnKBvqh3FB2HYu7g2xseAZ5MlN6Kz/qnkASV8U="
      crossorigin="anonymous"
    ></script>
    <script src="./index.js"></script>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Inter:ital,opsz,wght@0,14..32,100..900;1,14..32,100..900&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="./style.css">
  </head>
  <body>
    <div class="wrapper">
      <h1>PasswordCritic</h1>
      <input type="password" placeholder="eg: DeheHef@24">
      <p></p>
    </div>
  </body>
</html>
```

D:\Life\UPES\Sem4\Frontend\WebPages\PasswordCritic\style.css:

```
:root {
  --bg-dark: hsl(220 59% 91%);
  --bg: rgb(240, 245, 255);
  --bg-light: hsl(220 100% 100%);
  --text: hsl(226 85% 7%);
  --text-muted: hsl(220 26% 31%);
  --highlight: hsl(220 100% 100%);
  --border: hsl(220 19% 53%);
```

```
--border-muted: hsl(220 27% 65%);
--primary: hsl(221 49% 33%);
--secondary: hsl(44 100% 14%);
--danger: hsl(9 21% 41%);
--warning: hsl(52 23% 34%);
--success: hsl(147 19% 36%);
--info: hsl(217 22% 41%);
}

* {
  margin: 0px;
  padding: 0px;
  box-sizing: border-box;
}

body {
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  background-color: var(--bg-dark);
  font-family: Inter;
  color: var(--text);
}

.wrapper {
  padding-inline: 10rem;
  padding-block: 13rem;
  width: 51rem;
  height: 40rem;
  display: flex;
  flex-direction: column;
  box-shadow:
    inset 0 0 15px rgba(135, 135, 135, 0.1),
    0 0 18px 3px rgba(0, 0, 0, 0.3);
  border-radius: 1rem;
  background-color: rgba(240, 245, 255);
  border: 1px solid rgba(235, 235, 235, 0.1);
}

h1 {
  font-size: 4rem;
  margin-block-end: 2rem;
  font-weight: 700;
}
```

```
    text-align: center;
}

input {
    background-color: var(--bg-light);
    border: none;
    outline: none;
    font-size: 2rem;
    padding-inline: 2rem;
    padding-block: 1rem;
    border-radius: 1rem;
    margin-block-end: 1rem;
    font-weight: 900;
    border: 2.5px solid rgba(58, 72, 100, 0.2);
}

p {
    font-size: 1rem;
    font-weight: 900;
    margin-inline-start: 0.8rem;
    min-height: 1rem;
}

.level1 p,
.level1 input {
    color: red;
}

.level1 input {
    border: 2.5px solid red;
}

.level2 p,
.level2 input {
    color: darkorange;
}

.level2 input {
    border: 2px solid darkorange;
}

.level3 p,
.level3 input {
    color: orange;
}

.level3 input {
```

```

    border: 2px solid orange;
}

.level4 p,
.level4 input {
    color: yellow;
}

.level4 input {
    border: 2px solid yellow;
}

.level5 p,
.level5 input {
    color: lime;
}

.level5 input {
    border: 2px solid lime;
}

```

D:\Life\UPES\Sem4\Frontend\WebPages>PasswordCritic\index.js:

```

function checkCapital(str) {
    return !(str == str.toLowerCase());
}

function checkNumber(str) {
    for (i of [0, 1, 2, 3, 4, 5, 6, 7, 8, 9]) {
        if (str.includes(i)) {
            return true;
        }
    }
    return false;
}

function checkSpecial(str) {
    for (i of str) {
        if (i.charCodeAt(0) < 57 || i.charCodeAt(0) > 122) {
            return true;
        }
    }
    return false;
}

function checkLength(str) {
    return str.length > 7;
}

function clearLevels() {

```

```



    for (let i = 0; i < 6; i++) {
        $(".wrapper")[0].classList.remove("level" + i);
    }
    $("p").html("")
}



let level = 1;
let replies = ["Very Weak: This is basically no password.", "Weak: You can
do better than this.", "Moderate: Not terrible, not impressive.", "Strong:
Finally, some effort.", "Very Strong: Surprisingly competent."]


$(document).ready(function () {
    $("input").keyup(function (event) {
        console.log($(this).val())
        if ($(this).val() == "") {
            clearLevels();
            return;
        }
        level = 1;
        if (checkCapital($(this).val())) {
            level++;
        }
        if (checkNumber($(this).val())) {
            level++;
        }
        if (checkSpecial($(this).val())) {
            level++;
        }
        if (checkLength($(this).val())) {
            level++;
        }
        clearLevels();
        $(".wrapper")[0].classList.add("level" + level);
        $("p").html(replies[level-1])
    });
});

```

Output:







Experiment 7

Source Code

D:\Life\UPES\Sem4\Frontend\WebPages\RateMe\index.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>RateMe</title>
    <script
      src="https://code.jquery.com/jquery-4.0.0.js"
      integrity="sha256-9fsHeVnKBvqh3FB2HYu7g2xseAZ5MlN6Kz/qnkASV8U="
      crossorigin="anonymous"
    ></script>
    <script
      src="https://kit.fontawesome.com/fac69c3900.js"
      crossorigin="anonymous"
    ></script>
    <script src="./index.js"></script>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Inter:ital,opsz,wght@0,14..32,100..900;1,14..32,100..900&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="./style.css" />
  </head>
  <body>
    <div class="wrapper">
      <h1>RateMe</h1>
      <div class="star-container">
        <i class="fa-solid fa-star" ></i><i class="fa-solid fa-star" ></i><i class="fa-solid fa-star" value="3"></i><i class="fa-solid fa-star" value="4"></i><i class="fa-solid fa-star" value="5"></i>
      </div>
    </div>
  </body>
</html>
```

D:\Life\UPES\Sem4\Frontend\WebPages\RateMe\style.css:

```
:root {
  --bg-dark: hsl(220 59% 91%);
```

```
--bg: rgb(240, 245, 255);
--bg-light: hsl(220 100% 100%);
--text: hsl(226 85% 7%);
--text-muted: rgb(58, 72, 100);
--highlight: hsl(220 100% 100%);
--border: hsl(220 19% 53%);
--border-muted: hsl(220 27% 65%);
--primary: hsl(221 49% 33%);
--secondary: hsl(44 100% 14%);
--danger: hsl(9 21% 41%);
--warning: hsl(52 23% 34%);
--success: hsl(147 19% 36%);
--info: hsl(217 22% 41%);
}

* {
  margin: 0px;
  padding: 0px;
  box-sizing: border-box;
}

body {
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  background-color: var(--bg-dark);
  font-family: Inter;
  color: var(--text);
}

.wrapper {
  padding-inline: 10rem;
  padding-block: 12rem;
  width: 51rem;
  height: 40rem;
  display: flex;
  flex-direction: column;
  box-shadow:
    inset 0 0 15px rgba(135, 135, 135, 0.1),
    0 0 18px 3px rgba(0, 0, 0, 0.3);
  border-radius: 1rem;
  background-color: rgb(240, 245, 255);
  border: 1px solid rgba(235, 235, 235, 0.1);
}
```

```

}

h1 {
  font-size: 4rem;
  margin-block-end: 4rem;
  font-weight: 700;
  text-align: center;
}

.star-container{
  display: flex;
  justify-content: space-between;
}

p {
  font-size: 1rem;
  font-weight: 900;
  margin-inline-start: 0.8rem;
  min-height: 1rem;
}

i{
  font-size: 5rem;
  color: rgba(58, 72, 100,0.5);
}

.filled{
  color: hsl(48, 97%, 48%);
}

```

D:\Life\UPES\Sem4\Frontend\WebPages\RateMe\index.js:

```

function clearUp(stars, val) {
  for (let i = val; i < 5; i++) {
    stars[i].classList.remove("filled");
  }
}

function clearDown(stars, val) {
  for (let i = val; i > -1; i--) {
    stars[i].classList.remove("filled");
  }
}


function fill(stars, val) {
  for (let i = 0; i < val + 1; i++) {
    stars[i].classList.add("filled");
  }
}


```

```
}

$(document).ready(function () {
  let stars = $(".fa-star");
  let rating = 0;
  stars.on({
    mouseover: function () {
      fill(stars, $(this).index());
    },
    mouseleave: function () {
      clearDown(stars, $(this).index());
      fill(stars, rating - 1);
    },
    click: function () {
      rating = $(this).index() + 1;
      clearUp(stars, rating);
    },
  });
});
```

Output:





Experiment 8

Source Code

D:\Life\UPES\Sem4\Frontend\WebPages\Login\index.html:

```
<!doctype html>

<html lang="en">

  <head>

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0"
  />

    <title>SimpleAuthentication</title>

    <script src="./src/index.jsx" type="module"></script>

    <link rel="preconnect" href="https://fonts.googleapis.com" />

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />

    <link

href="https://fonts.googleapis.com/css2?family=Inter:ital,opsz,wght@0,14..
32,100..900;1,14..32,100..900&family=Karla:ital,wght@0,200..800;1,200..800
&family=Nunito:ital,wght@0,200..1000;1,200..1000&display=swap"

      rel="stylesheet"

    />

    <script

      src="https://kit.fontawesome.com/fac69c3900.js"

      crossorigin="anonymous"

    ></script>

  </head>

  <body>

    <div id="root"></div>

  </body>

</html>
```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\index.jsx:

```
import { createRoot } from "react-dom/client";

import App from "./App.jsx";

createRoot(document.getElementById("root")).render(<App />);
```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\App.jsx:

```
import { createBrowserRouter, RouterProvider } from "react-router-dom";

import NotFoundPage from "./pages/NotFoundPage/NotFoundPage.jsx";

import MainPage from "./pages/MainPage/MainPage.jsx";

import RegisterPage from "./pages/RegisterPage/RegisterPage.jsx";

import LoginPage from "./pages/LoginPage/LoginPage.jsx";

import "./App.css";

export default () => {

  const router = createBrowserRouter(

    [

      {

        path: "/",

        element: <MainPage />,

        errorElement: <NotFoundPage />,

        children: [

          { index: true, element: <LoginPage /> },

          {

            path: "register",

            element: <RegisterPage />,

          },

        ],

      },

    ],

  ),

  {

    
```



```

        basename: "/Frontend/Login",

    },

);

return <RouterProvider router={router} />;

};

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\App.css:

```

:root{

    --bg: rgb(187, 219, 252);

    --bg-light: #c4dffc;

    --bg-dark: hsl(210, 26%, 54%);

    --primary: hsl(210, 80%, 74%);

    --primary-light: hsl(210, 80%, 77%);

    --text-primary: hsl(209, 23%, 28%);

    --text-primary-super-light: #eff2f5;

    --text-primary-dark: hsl(209, 23%, 10%);

    --text-secondary: hsl(180, 92%, 30%);

    --text-secondary-active: hsl(180, 92%, 35%);

    --text-secondary-dark: hsl(180, 92%, 10%);

    --text-secondary-super-light: hsl(180, 92%, 95%);

    --text-secondary-light: hsl(180, 92%, 95%);

    --text: hsl(210, 80%, 74%);

    --text-light: #ffffff;

    --input-bg: hsl(0, 0%, 97%);

    --border: rgba(102, 102, 102,0.3);

    --item-bg: hsl(210, 91%, 95%);

    --muted-bg: rgba(0,0,0,0.6);

}

* {

    padding: 0rem;

```

```

margin: 0rem;

box-sizing: border-box;

font-family: Nunito;
}

body {

  background-color: var(--bg-light);
}

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\pages\RegisterPage\RegisterPage.jsx:

```
import { useOutletContext } from "react-router-dom";
```

```
import "../RegisterPage.css";
```

```
import { useEffect } from "react";
```

```
import { useNavigate } from "react-router-dom";
```

```
export default () => {
```

```
  const props = useOutletContext();
```

```
  async function register(userData) {
```

```
    if (
```

```
      props.users.filter((user) => {
```

```
        return userData.get("email") === user.email;
```

```
      })).length > 0
```

```
    ) {
```

```
      alert("This Email is already in use!");
```

```
    } else if (
```

```
      props.users.filter((user) => {
```

```
        return userData.get("name") === user.name;
```

```
      })).length > 0
```

```
    ) {
```

```
      alert("This Username is already taken!");
```

```
    } else {
```

```

    const passHash = await props.hashGen(userData.get("pass"));

    props.addUser(userData.get("name"), userData.get("email"),
passHash);

  }

}

const navigate = useNavigate();
useEffect(() => {

  if (props.users.length > 0) {

    alert("User successfully Registered, please Login!");

    navigate("/");

  }

}, [props.users]);

return (

  <>

    <div className="register-page">

      <div className="register-container">

        <form action={register}>

          <fieldset>

            <legend>Username</legend>

            <input type="text" placeholder="Username" name="name" />

          </fieldset>

          <fieldset>

            <legend>Email</legend>

            <input type="email" placeholder="Email" name="email" />

          </fieldset>

          <fieldset>

            <legend>Password</legend>

            <input type="password" placeholder="Password" name="pass" />

          </fieldset>

        </form>

      </div>

    </div>

  </>
)

```

```

        <button>Register</button>

    </form>

</div>

</div>

</>

);

};

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\pages\RegisterPage\RegisterPage.css:

```

.register-page {
    display: flex;
    justify-content: center;
    align-items: center;
    height: 80vh;
}

.register-page .register-container {
    background-color: var(--item-bg);
    padding-inline: 10rem;
    padding-block: 5rem;
    border-radius: 2rem;
    display: flex;
    flex-direction: column;
    gap: 1rem;
}

.register-page .register-container form {
    display: flex;
    flex-direction: column;
    gap: 1rem;
}

```

```
.register-page .register-container fieldset {
  background-color: var(--input-bg);
  padding-block-end: 0.8rem;
  padding-block-start: 0.3rem;
  padding-inline: 0.8rem;
  font-size: 1rem;
  font-weight: 700;
  transition: all 0.2s ease-out;
}

.register-page .register-container fieldset:focus-within {
  color: var(--text-secondary);
  border: 2px solid var(--text-secondary);
  transition: all 0.2s ease-in;
}

.register-page .register-container fieldset input {
  outline: none;
  border: none;
  background-color: var(--input-bg);
  font-size: 1.5rem;
  transition: all 0.2s ease-in;
}

.register-page .register-container fieldset input::placeholder {
  transition: all 0.2s ease-in;
}

.register-page .register-container fieldset input:focus::placeholder {
  transition: all 0.2s ease-out;
}
```

```

    color: var(--input-bg);
}

.register-page .register-container button {
  margin-block-start: 1.5rem;
  background-color: var(--text-secondary);
  outline: none;
  border: 1px solid var(--text-secondary-dark);
  border-radius: 1rem;
  padding-block: 1rem;
  color: var(--text-secondary-dark);
  font-size: 1.2rem;
  font-weight: 800;
}

.register-page .register-container button:hover {
  background-color: var(--text-secondary-active);
  cursor: pointer;
}

```

D:\Life\UPES\Sem4\Frontend\WebPages>Login\src\pages\NotFoundPage\NotFoundPage.jsx:

```

import { Link } from "react-router-dom";

export default () => {
  return (
    <>
      <h1>File Not Found</h1>
      <Link to="/">Back to Home</Link>
    </>
  );
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\pages\MainPage\MainPage.jsx:

```
import { Outlet } from "react-router-dom";

import { useState } from "react";

import Navbar from "../../components/Navbar/Navbar.jsx";

import "../MainPage.css";

export default () => {

  const [userList, setUserList] = useState([]);

  function addUser(name, email, passHash) {

    setUserList((userList) => {

      return [...userList, { name: name, email: email, passHash: passHash

    }];

    });

  }

  async function hashGen(pass) {

    return Array.from(

      new Uint8Array(

        await crypto.subtle.digest("SHA-256", new

TextEncoder().encode(pass)),

      ),

    )

    .map((b) => b.toString(16).padStart(2, "0"))

    .join("");

  }

  const [currentUser, setCurrentUser] = useState("");

  function changeCurrentUser(name) {

    setCurrentUser(name);

  }

}
```

```

    }

    return (
      <>
        <header>
          <Navbar
            currentUser={currentUser}
            changeCurrentUser={changeCurrentUser}
          />
        </header>
        <main className="wrapper-wrapper">
          <div className="wrapper">
            <Outlet
              context={{
                addUser: addUser,
                users: userList,
                changeCurrentUser: changeCurrentUser,
                currentUser: currentUser,
                hashGen: hashGen,
              }}
            />
          </div>
        </main>
      </>
    );
  };
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\pages\MainPage\MainPage.css:

```

.wrapper-wrapper {
  display: flex;
  justify-content: center;

```



```

}

.wrapper {
  max-width: 80rem;
}

@media screen and (max-width: 820px) {
  .wrapper {
    max-width: 100vw;
  }
}

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\pages\LoginPage\LoginPage.jsx:

```

import { useOutletContext } from "react-router-dom";

import "../LoginPage.css";

import { useEffect } from "react";

import { useNavigate } from "react-router-dom";

export default () => {
  const props = useOutletContext();

  async function login(credentials) {
    const passHash = await props.hashGen(credentials.get("pass"));
    const user = props.users.filter((user) => {
      return (
        (user.name === credentials.get("name-or-email") ||
          user.email === credentials.get("name-or-email")) &&
        user.passHash === passHash
      );
    });

    if (user.length > 0) {
      props.changeCurrentUser(user[0].name);
    } else {

```

```
        alert("Your credentials are invalid!");
    }
}

const navigate = useNavigate();

useEffect(() => {
    if (props.currentUser !== "") {
        alert("You have sucessfully LoggedIn!");
        navigate("/");
    }
}, [props.currentUser]);

return (
    <>
        <div className="login-page">
            <div className="login-container">
                <form action={login}>
                    <fieldset>
                        <legend>Username</legend>
                        <input
                            type="text"
                            placeholder="Username or Email"
                            name="name-or-email"
                        />
                    </fieldset>
                    <fieldset>
                        <legend>Password</legend>
                        <input type="password" placeholder="Password" name="pass" />
                    </fieldset>
                    <button>Login</button>
                </form>
            </div>
        </div>
    </>
)
```

```
        </div>

    </div>

</>

);

};
```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\pages\LoginPage\LoginPage.css:

```
.login-page {

    display: flex;

    justify-content: center;

    align-items: center;

    height: 80vh;

}

.login-page .login-container {

    background-color: var(--item-bg);

    padding-inline: 10rem;

    padding-block: 5rem;

    border-radius: 2rem;

    display: flex;

    flex-direction: column;

    gap: 1rem;

}

.login-page .login-container form {

    display: flex;

    flex-direction: column;

    gap: 1rem;

}

.login-page .login-container fieldset {
```

```
background-color: var(--input-bg);

padding-block-end: 0.8rem;

padding-block-start: 0.3rem;

padding-inline: 0.8rem;

font-size: 1rem;

font-weight: 700;

transition: all 0.2s ease-out;
}

.login-page .login-container fieldset:focus-within {

  color: var(--text-secondary);

  border: 2px solid var(--text-secondary);

  transition: all 0.2s ease-in;
}

.login-page .login-container fieldset input {

  outline: none;

  border: none;

  background-color: var(--input-bg);

  font-size: 1.5rem;

  transition: all 0.2s ease-in;
}

.login-page .login-container fieldset input::placeholder {

  transition: all 0.2s ease-in;
}

.login-page .login-container fieldset input:focus::placeholder {

  transition: all 0.2s ease-out;

  color: var(--input-bg);
}
```

```

.login-page .login-container button {
  margin-block-start: 1.5rem;
  background-color: var(--text-secondary);
  outline: none;
  border: 1px solid var(--text-secondary-dark);
  border-radius: 1rem;
  padding-block: 1rem;
  color: var(--text-secondary-dark);
  font-size: 1.2rem;
  font-weight: 800;
}

.login-page .login-container button:hover {
  background-color: var(--text-secondary-active);
  cursor: pointer;
}

```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\components\Profile\Profile.jsx:

```

import "../Profile.css";

export default (props) => {
  function logout() {
    props.changeCurrentUser("");
    alert("Successfully Logged Out!");
  }
  return (
    <>
      <div className="profile">
        <button onClick={logout}>
          <i className="fa-solid fa-circle-user"></i>

```

```

        <span>{props.currentUser}</span>

      </button>

    </div>

  </>

);

};

```

D:\Life\UPES\Sem4\Frontend\WebPages>Login\src\components\Profile\Profile.css:

```

.profile button{

  display: flex;

  flex-direction: column;

  justify-content: center;

  align-items: center;

  border: 0.2rem solid var(--text-primary) !important;

  background-color: var(--text-primary-super-light) !important;

  padding-inline: 0.8rem;

  padding-block: 0.8rem;

  border-radius: 1rem;

  font-size: 1.2rem;

  font-weight: 900;

}

.profile i {

  font-size: 1.5rem;

}

.profile span {

  line-height: 1rem;

  font-size: 1rem;

  font-weight: 700;

```

```
}
```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\components\Navbar\Navbar.jsx:

```
import { Link } from "react-router-dom";

import Logo from "../Logo/Logo.jsx";

import "../Navbar.css";

import Menu from "../Menu/Menu.jsx";

export default (props) => {

  return (

    <nav>

      <ul>

        <li className="nav-list logo item">

          <Link to="/">

            <Logo />

          </Link>

        </li>

        <li className="nav-list menu item">

          <Menu

            cart={props.cart}

            toggleCartShown={props.toggleCartShown}

            currentUser={props.currentUser}

            changeCurrentUser={props.changeCurrentUser}

          />

        </li>

      </ul>

    </nav>

  );

};
```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\components\Navbar\Navbar.css:

```
nav {  
  
  background-color: var(--primary);  
  
}  
  
ul {  
  
  display: flex;  
  
  justify-content: space-between;  
  
  align-items: center;  
  
  list-style: none;  
  
  gap: 2rem;  
  
}  
  
li {  
  
  padding-block: 0.5rem;  
  
  padding-inline: 0.5rem;  
  
}  
  
.nav-list.logo.item:hover {  
  
  background-color: var(--primary-light);  
  
  transition: background-color 0.2s ease-out;  
  
}
```

D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\components\Menu\Menu.jsx:

```
import { Link } from "react-router-dom";  
  
import "../Menu.css";  
  
import Profile from "../../Profile/Profile";  
  
export default (props) => {  
  
  return (  

```



```

<div className="menu-list">

  {props.currentUser === "" ? (

    <>

      <Link to="/">

        <button className="login-btn">LogIn</button>

      </Link>

      <Link to="/register">

        <button className="register-btn">Register</button>

      </Link>

    </>

  ) : (

    <>

      <Profile currentUser={props.currentUser}
changeCurrentUser={props.changeCurrentUser} />

    </>

  )}

</div>

);

};

```

D:\Life\UPES\Sem4\Frontend\WebPages>Login\src\components\Menu\Menu.css:

```

.menu-list {

  display: flex;

  align-items: center;

  justify-content: center;

}

@media screen and (min-width: 1616px) {

  .menu-list {

    margin-inline-start: 6rem;

  }

}

```

```
}  
  
}  
  
.menu-list button {  
  outline: none;  
  border: none;  
  padding-inline: 0.8rem;  
  padding-block: 0.8rem;  
  border-radius: 1rem;  
  background-color: var(--input-bg);  
  font-size: 1.2rem;  
  font-weight: 900;  
}  
  
.menu-list button:hover {  
  cursor: pointer;  
}  
  
.menu-list .login-btn {  
  background-color: var(--text-primary-super-light);  
  border: 0.2rem solid var(--text-primary);  
  color: var(--text-primary);  
}  
  
.menu-list .register-btn {  
  background-color: var(--text-primary-super-light);  
  border: 0.2rem solid var(--text-secondary);  
  color: var(--text-secondary);  
}
```

```

.menu-list{
  border-radius: 1rem;
  padding-inline: 1rem;
  transition: background-color 0.2s ease-out;
}

.menu-list:hover {
  background-color: var(--primary-light);
  transition: background-color 0.2s ease-out;
}

```

D:\Life\UPES\Sem4\Frontend\WebPages>Login\src\components\Logo\Logo.jsx:

```

import "../Logo.css";

export default () => {
  return (
    <>
      <span className="logo primary">
        <span className="logo initial">S</span>
        <span className="logo body">imple</span>
      </span>
      <span className="logo secondary">
        <span className="logo initial">A</span>
        <span className="logo body">uthentication</span>
      </span>
    </>
  );
};

```


D:\Life\UPES\Sem4\Frontend\WebPages\Login\src\components\Logo\Logo.css:


```
a {  
  display: block;  
  text-decoration: none;  
  color: var(--text);  
  font-size: 2.4rem;  
  font-weight: 900;  
  padding-inline: 0.6rem;  
  padding-block: 0.6rem;  
}  
  
.logo.primary {  
  color: var(--text-primary);  
}  
  
.logo.secondary {  
  color: var(--text-secondary);  
}  
  
@media screen and (max-width: 1030px) {  
  .logo.body {  
    display: none;  
  }  
}  
  
.logo{  
  transition: background-color 0.2s ease-out;  
}
```


Output:


The screenshot shows a web browser window with the following details:


- Browser Tabs:** CSFS2004P_53373213: Frontend Dev, FrontendLabFile - Google Docs, SimpleAuthentication.
- Address Bar:** <http://localhost:5173/Frontend/Login>
- Page Header:** A blue bar containing the 'SA' logo on the left and two buttons, 'Login' and 'Register', on the right.
- Main Content Area:** A light blue background with a central white rounded rectangle containing the login form.
- Login Form:**
 - Username:** A label above a text input field containing the placeholder text 'Username or Email'.
 - Password:** A label above a text input field containing the placeholder text 'Password'.
 - Login Button:** A teal button with the text 'Login' centered below the input fields.














Experiment 9

Output:

Really Simple

About

Categories

Stories

Contact

Privacy Policies



July 12, 2021

Prepare Your Home Office by Making it Efficient and Suitable for Studies

OFFICE

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam justo elit, sodales non leboris dapibus, molestie in mauris. Aenean vel enim enim. Vestibulum eleifend consectetur...

Flaubert Henriques



June 30, 2021

High Performance Guide for WordPress Development

DEVELOPMENT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam justo elit, sodales non leboris dapibus, molestie in mauris. Aenean vel enim enim. Vestibulum eleifend consectetur...

Flaubert Henriques



June 30, 2021

Keep a Notepad Close by for Ideas that Show up as Lightning

OFFICE

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam justo elit, sodales non leboris dapibus, molestie in mauris. Aenean vel enim enim. Vestibulum eleifend consectetur...

Flaubert Henriques



June 30, 2021

A Happy Office With a Custom Structure and Intuitive Tools

OFFICE

Mussum Ipsum, cacilds vidis litro abertis. Sapien in monti palavris qui num significa nadis i pareci latim. Aenean aliquam molestie leo, vitae iaculis nisl. Interagi...

Flaubert Henriques

Search

Search for:

Search

Calendar

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

July 2021

« Jun

Archives

- July 2021
- June 2021
- November 2018
- October 2018
- January 2013
- March 2012
- January 2012
- March 2011
- October 2010
- September 2010
- August 2010
- July 2010
- June 2010
- May 2010
- April 2010
- March 2010
- February 2010
- January 2010
- October 2009

Experiment 10

Sourcecode:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\App.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\App.css" & echo.)
```

File: D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\App.css

```
:root{
  --bg: rgb(187, 219, 252);
  --bg-light: #c4dffc;
  --bg-dark: hsl(210, 26%, 54%);
  --primary: hsl(210, 80%, 74%);
  --primary-light: hsl(210, 80%, 77%);
  --text-primary: hsl(209, 23%, 28%);
  --text-primary-super-light: #eff2f5;
  --text-primary-dark: hsl(209, 23%, 10%);
  --text-secondary: hsl(180, 92%, 30%);
  --text-secondary-active: hsl(180, 92%, 35%);
  --text-secondary-dark: hsl(180, 92%, 10%);
  --text-secondary-super-light: hsl(180, 92%, 95%);
  --text-secondary-light: hsl(180, 92%, 95%);
  --text: hsl(210, 80%, 74%);
  --text-light: #ffffff;
  --input-bg: hsl(0, 0%, 97%);
  --border: rgba(102, 102, 102,0.3);
  --item-bg: hsl(210, 91%, 95%);
  --muted-bg: rgba(0,0,0,0.6);
}

* {
  padding: 0rem;
  margin: 0rem;
```

```
    box-sizing: border-box;
    font-family: Nunito;
}
```

```
body {
    background-color: var(--bg-light);
}
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\App.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\App.jsx" & echo.)
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\App.jsx
```

```
import { createBrowserRouter, RouterProvider } from "react-router-dom";
import NotFoundPage from "../pages/NotFoundPage/NotFoundPage.jsx";
import MainPage from "../pages/MainPage/MainPage.jsx";
import RegisterPage from "../pages/RegisterPage/RegisterPage.jsx";
import HomePage from "../pages/HomePage/HomePage.jsx";
import LoginPage from "../pages/LoginPage/LoginPage.jsx";
import BrowsePage from "../pages/BrowsePage/BrowsePage.jsx";
import "../App.css";
import CartPage from "../pages/CartPage/CartPage.jsx";
```

```
export default () => {
    const router = createBrowserRouter(
        [
            {
                path: "/",
                element: <MainPage />,
                errorElement: <NotFoundPage />,
                children: [
                    { index: true, element: <HomePage /> },
                    {
```

```

    path: "register",
    element: <RegisterPage />,
  },
  { path: "login", element: <LoginPage /> },
  { path: "browse", element: <BrowsePage /> },
],
},
],
{
  basename: "/Frontend/SimpleGroceries",
},
);
return <RouterProvider router={router} />;
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\index.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\index.jsx" & echo.)

File: D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\index.jsx

```
import { createRoot } from "react-dom/client";
```

```
import App from "../App.jsx";
```

```
createRoot(document.getElementById("root")).render(<App />);
```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartButton\
CartButton.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartButton\
CartButton.css" & echo..)

File:

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartButton\
CartButton.css

```
.cart-btn-container {  
  position: relative;  
}
```

```
.cart-btn {  
  border: 0.2rem solid var(--text-secondary) !important;  
  background-color: var(--text-primary-super-light) !important;  
}
```

```
.cart-size {  
  position: absolute;  
  color: var(--text-light);  
  background-color: var(--text-secondary);  
  font-size: 1.2rem;  
  line-height: 1rem;  
  padding-inline: 0.6rem;  
  padding-block-start: 0.5rem;  
  padding-block-end: 0.4rem;  
  border-radius: 1rem;  
  top: 0px;  
  right: -10px;  
}
```

.

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartButton\  
CartButton.jsx & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartButton\  
CartButton.jsx" & echo.. )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartButton\  
CartButton.jsx
```

```
import { useOutletContext } from "react-router-dom";
```



```

import "../CartButton.css";

export default (props) => {
  const uniqueItems = props.cart.filter((item) =>
    item.count > 0 ? true : false,
  );
  return (
    <>
      <div className="cart-btn-container">
        <button className="cart-btn">
          <i className="fa-solid fa-basket-shopping"></i>
        </button>
        {uniqueItems.length > 0 ? (
          <span className="cart-size">{uniqueItems.length}</span>
        ) : null}
      </div>
    </>
  );
};

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartNavbar\
CartNavbar.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartNavbar
\CartNavbar.css" & echo.. )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartNavbar\
CartNavbar.css

```

```

.cart-navbar {
  background-color: var(--bg);
  width: 100%;
  padding-block: 1rem;
  padding-inline: 0.5rem;
}

```

```
}
```

```
.cart-navbar ul {  
  display: flex;  
  justify-content: start;  
  gap: 0;  
}
```

```
.cart-navbar li {  
  padding: 0px;  
}
```

```
.cart-navbar .close-button {  
  background-color: var(--bg);  
  border: none;  
  font-size: 1rem;  
  margin-inline-start: 0.6rem;  
}
```

```
.cart-navbar .close-button:hover {  
  cursor: pointer;  
}
```

```
.cart-navbar h2 {  
  font-weight: 800;  
  font-size: 1.2rem;  
  margin-inline-start: 0.6rem;  
}
```

```
.
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\CartNavbar\  
CartNavbar.jsx & type
```

```
"D:\\Life\\UPES\\Sem4\\Frontend\\WebPages\\SimpleGroceries\\src\\components\\CartNavbar\\CartNavbar.jsx" & echo.. )
```

File:

```
D:\\Life\\UPES\\Sem4\\Frontend\\WebPages\\SimpleGroceries\\src\\components\\CartNavbar\\CartNavbar.jsx
```

```
import './CartNavbar.css';
```

```
export default (props) => {
```

```
  return (
```

```
    <>
```

```
    <nav className="cart-navbar">
```

```
      <ul>
```

```
        <button
```

```
          className="close-button"
```

```
          onClick={() => {
```

```
            props.toggleCartShown();
```

```
          }}
```

```
        >
```

```
        <li>
```

```
          <i className="fa-solid fa-arrow-left"></i>
```

```
        </li>
```

```
      </button>
```

```
      <li>
```

```
        <h2>My Cart</h2>
```

```
      </li>
```

```
    </ul>
```

```
  </nav>
```

```
);
```

```
};
```

```
.
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ChangeAm
mountButton\ChangeAmmountButton.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ChangeAm
mountButton\ChangeAmmountButton.css" & echo.. )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ChangeAm
mountButton\ChangeAmmountButton.css
```

```
.change-ammount-button button {
  outline: none;
  border: 2px solid var(--text-secondary);
  background-color: var(--text-secondary-light);
  color: var(--text-secondary);
  font-size: 1rem;
  font-weight: 700;
  padding-inline: 0.5rem;
  padding-block: 0.2rem;
  border-radius: 0.5rem;
}
```

```
.change-ammount-button button:hover {
  cursor: pointer;
}
```

.

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ChangeAm
mountButton\ChangeAmmountButton.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ChangeAm
mountButton\ChangeAmmountButton.jsx" & echo.. )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ChangeAm
mountButton\ChangeAmmountButton.jsx
```

```
import "../ChangeAmmountButton.css";
```

```
export default (props) => {
```

```

return (
  <div className="change-ammount-container">
    <button
      className="change-ammount-button decrement"
      onClick={() => {
        props.removeItem(props.index);
      }}
    >
      -
    </button>
    <span className="ammount">{props.cart[props.index].count}</span>
    <button
      className="change-ammount-button increment"
      onClick={() => {
        props.addItem(props.index);
      }}
    >
      +
    </button>
  </div>
);
};
.

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ItemListing\I
temListing.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ItemListing\
ItemListing.css" & echo..)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ItemListing\
temListing.css

```

.item-listing.container {
  background-color: var(--input-bg);

```

```
background-color: var(--item-bg);
max-height: 30rem;
max-width: 15rem;
padding-inline: 0.8rem;
padding-block: 0.8rem;
border-radius: 0.5rem;
color: var(--text-primary-dark);
font-weight: 700;
border: 0.2px solid var(--border);
display: flex;
flex-direction: column;
justify-content: space-between;
}
```

```
@media screen and (max-width: 820px) {
  .item-listing.container {
    max-height: 35rem;
    max-width: 30rem;
  }
}
```

```
.item-listing.container img {
  max-width: 100%;
  border-radius: 0.5rem;
  object-fit: cover;
  border: 0.2px solid var(--border);
}
```

```
.item-listing.container .dilevry-time {
  margin-block-start: 0.5rem;
  font-size: 0.5rem;
}
```

```
.item-listing.container h2 {  
  font-size: 0.8rem;  
}
```

```
.item-listing.container h3 {  
  font-size: 0.7rem;  
  color: var(--text-primary);  
  font-weight: 600;  
}
```

```
.item-listing.container .shop-container {  
  margin-block-start: 1rem;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
}
```

```
.item-listing.container .shop-container button {  
  outline: none;  
  border: 2px solid var(--text-secondary);  
  background-color: var(--text-secondary-light);  
  color: var(--text-secondary);  
  font-size: 1rem;  
  font-weight: 700;  
  padding-inline: 0.5rem;  
  padding-block: 0.2rem;  
  border-radius: 0.5rem;  
}
```

```
.item-listing.container .shop-container button:hover {  
  cursor: pointer;
```

```
}
```

```
.item-listing.container .price-container {  
  display: flex;  
  font-size: 0.8rem;  
  flex-direction: column;  
  line-height: 0.8rem;  
}
```

```
.item-listing.container .price-container .MRP {  
  text-decoration: line-through;  
  color: var(--text-primary);  
  font-weight: 400;  
}
```

```
@media screen and (max-width: 820px) and (min-width: 0px) {  
  .item-listing.container .dilevry-time {  
    font-size: 0.7rem;  
  }  
}
```

```
.item-listing.container h2 {  
  font-size: 1rem;  
}
```

```
.item-listing.container h3 {  
  font-size: 0.9rem;  
}
```

```
.item-listing.container .shop-container {  
  margin-block-start: 1.2rem;  
}
```



```
.item-listing.container .shop-container button {
  font-size: 1.2rem;
}
```

```
.item-listing.container .price-container {
  font-size: 1rem;
  line-height: 1rem;
}
}
```

```
.ammount{
  margin-inline: 0.5rem;
}
```

.

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ItemListing\I
temListing.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ItemListing\
ItemListing.jsx" & echo.. )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\ItemListing\I
temListing.jsx
```

```
import ChangeAmmountButton from
"./ChangeAmmountButton/ChangeAmmountButton";
```

```
import "./ItemListing.css";
```

```
export default (props) => {
```

```
  return (
    <div className="item-listing container">
      <img src={props.link}></img>
      <p className="dilevry-time">
        <i className="fa-regular fa-stopwatch"></i>
        {props.eta}
      </p>
    </div>
  )
}
```

```

<h2>{props.name}</h2>
<h3>{props.weight}</h3>
<div className="shop-container">
  <div className="price-container">
    <span className="price">{props.price}</span>
    <span className="MRP">{props.mrp}</span>
  </div>
  {props.cart[props.index].count == 0 ? (
    <button
      className="add-button"
      onClick={() => {
        props.addItem(props.index);
      }}
    >
      Add
    </button>
  ) : (
    <ChangeAmmountButton
      index={props.index}
      cart={props.cart}
      addItem={props.addItem}
      removeItem={props.removeItem}
    />
  )}
</div>
</div>
);
};
.

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Logo\Logo.

```
css & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Logo\Logo.  
css" & echo.. )
```

```
File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Logo\Logo.  
css
```

```
a {  
  display: block;  
  text-decoration: none;  
  color: var(--text);  
  font-size: 2.4rem;  
  font-weight: 900;  
  padding-inline: 0.6rem;  
  padding-block: 0.6rem;  
}
```

```
.logo.primary {  
  color: var(--text-primary);  
}
```

```
.logo.secondary {  
  color: var(--text-secondary);  
}
```

```
@media screen and (max-width: 1030px) {  
  .logo.body {  
    display: none;  
  }  
}
```

```
.logo{  
  transition: background-color 0.2s ease-out;  
}
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Logo\Logo.j
sx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Logo\Logo.
jsx" & echo.. )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Logo\Logo.j
sx
```

```
import "./Logo.css";
```

```
export default () => {
  return (
    <>
      <span className="logo primary">
        <span className="logo initial">S</span>
        <span className="logo body">imple</span>
      </span>
      <span className="logo secondary">
        <span className="logo initial">G</span>
        <span className="logo body">roceries</span>
      </span>
    </>
  );
};
.
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Menu\Menu
.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Menu\Men
u.css" & echo.. )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Menu\Menu
.css
```

```
.menu-list {
  display: flex;
```

```
align-items: center;
justify-content: center;
}
```

```
@media screen and (min-width: 1616px) {
  .menu-list {
    margin-inline-start: 6rem;
  }
}
```

```
.menu-list button {
  outline: none;
  border: none;
  padding-inline: 0.8rem;
  padding-block: 0.8rem;
  border-radius: 1rem;
  background-color: var(--input-bg);
  font-size: 1.2rem;
  font-weight: 900;
}
```

```
.menu-list button:hover {
  cursor: pointer;
}
```

```
.menu-list .login-btn {
  background-color: var(--text-primary-super-light);
  border: 0.2rem solid var(--text-primary);
  color: var(--text-primary);
}
```

```
.menu-list .register-btn {
```

```

background-color: var(--text-primary-super-light);
border: 0.2rem solid var(--text-secondary);
color: var(--text-secondary);
}

```

```

.menu-list{
border-radius: 1rem;
padding-inline: 1rem;
transition: background-color 0.2s ease-out;
}

```

```

.menu-list:hover {
background-color: var(--primary-light);
transition: background-color 0.2s ease-out;
}.

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Menu\Menu
.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Menu\Menu
u.jsx" & echo.. )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Menu\Menu
.jsx

```

```

import { Link } from "react-router-dom";
import "./Menu.css";
import CartButton from "../CartButton/CartButton";
import Profile from "../Profile/Profile";

```

```

export default (props) => {
return (
<div className="menu-list">
{props.currentUser === "" ? (
<>

```

```

    <Link to="/login">
      <button className="login-btn">Login</button>
    </Link>
    <Link to="/register">
      <button className="register-btn">Register</button>
    </Link>
  </>
): (
  <>
    <a
      onClick={() => {
        props.toggleCartShown();
      }}
    >
      <CartButton cart={props.cart} />
    </a>
    <Profile currentUser={props.currentUser} />
  </>
)}
</div>
);
};
.

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Navbar\Nav
bar.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Navbar\Na
vbar.css" & echo... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Navbar\Nav
bar.css

```

```

nav {
  background-color: var(--primary);

```

```
}
```

```
ul {
```

```
  display: flex;
```

```
  justify-content: space-between;
```

```
  align-items: center;
```

```
  list-style: none;
```

```
  gap: 2rem;
```

```
}
```

```
.nav-list.search.item {
```

```
  flex-grow: 1;
```

```
}
```

```
li {
```

```
  padding-block: 0.5rem;
```

```
  padding-inline: 0.5rem;
```

```
}
```

```
.nav-list.logo.item:hover {
```

```
  background-color: var(--primary-light);
```

```
  transition: background-color 0.2s ease-out;
```

```
}
```

```
.nav-list.search.item:hover {
```

```
  border: 1px solid var(--border);
```

```
};
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Navbar\Nav
bar.jsx  & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Navbar\Na
vbar.jsx"  & echo.... )
```


File:

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Navbar\Navbar.jsx

```
import { Link } from "react-router-dom";
```

```
import Logo from "../Logo/Logo.jsx";
```

```
import SearchBar from "../SearchBar/SearchBar.jsx";
```

```
import "../Navbar.css";
```

```
import Menu from "../Menu/Menu.jsx";
```

```
export default (props) => {
```

```
  return (
```

```
    <nav>
```

```
      <ul>
```

```
        <li className="nav-list logo item">
```

```
          <Link to="/">
```

```
            <Logo />
```

```
          </Link>
```

```
        </li>
```

```
        <li className="nav-list search item">
```

```
          <SearchBar />
```

```
        </li>
```

```
        <li className="nav-list menu item">
```

```
          <Menu
```

```
            cart={props.cart}
```

```
            toggleCartShown={props.toggleCartShown}
```

```
            currentUser={props.currentUser}
```

```
          />
```

```
        </li>
```

```
      </ul>
```

```
    </nav>
```

```
  );
```

```
};
```

```
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\OrderListIte
m\OrderListItem.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\OrderListIte
m\OrderListItem.css" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\OrderListIte
m\OrderListItem.css
```

```
.order-list-item {
  padding-inline: 1.5rem;
  padding-block: 1rem;
  display: flex;
  justify-content: space-between;
  align-items: center;
}
```

```
.order-list-item img {
  height: 5rem;
  border-radius: 0.5rem;
}
```

```
.order-list-item .item-details {
  max-width: 14rem;
  display: flex;
  justify-content: start;
  gap: 1rem;
}
```

```
.order-list-item h2 {
  font-weight: 600;
  color: var(--text-primary-dark);
  font-size: 1rem;
```

```
}  
.order-list-item h3 {  
  font-weight: 400;  
  color: var(--text-primary);  
  font-size: 0.8rem;  
}  
.order-list-item .price {  
  font-size: 0.8rem;  
  font-weight: 900;  
  color: var(--text-primary-dark);  
}  
.order-list-item .mrp {  
  font-size: 0.8rem;  
  font-weight: 300;  
  letter-spacing: -10%;  
  color: var(--text-primary);  
  margin-inline-start: 0.3rem;  
  text-decoration: line-through;  
}  
.order-list-item .price-details {  
  font-size: 0.8rem;  
}  
.order-list-item .text {  
  display: flex;  
  flex-direction: column;  
  justify-content: space-between;  
  margin-block: 0.5rem;  
}  
...
```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\OrderListIte

```
m\OrderListItem.jsx & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\OrderListIt  
em\OrderListItem.jsx" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\OrderListIt  
m\OrderListItem.jsx
```

```
import ChangeAmmountButton from  
"./ChangeAmmountButton/ChangeAmmountButton";  
import "./OrderListItem.css";
```

```
export default (props) => {  
  return (  
    <>  
      <div className="order-list-item">  
        <div className="item-details">  
          <img src={props.items[props.index].imageLink} alt="" />  
          <div className="text">  
            <div className="headings">  
              <h2>{props.items[props.index].itemName}</h2>  
              <h3>{props.items[props.index].weight}</h3>  
            </div>  
            <div className="price-details">  
              <span className="price">  
                {props.items[props.index].currentPrice}  
              </span>  
              <span className="mrp">  
                {props.items[props.index].originalPrice}  
              </span>  
            </div>  
          </div>  
          <div className="change-ammount-button">  
            <ChangeAmmountButton
```

```

        index={props.index}
        cart={props.cart}
        addItem={props.addItem}
        removeItem={props.removeItem}
      />
    </div>
  </div>
</>
);
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Profile\Profile.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Profile\Profile.css" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Profile\Profile.css

```

.profile {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  border: 0.2rem solid var(--text-primary) !important;
  background-color: var(--text-primary-super-light) !important;
  padding-inline: 0.8rem;
  padding-block: 0.8rem;
  border-radius: 1rem;
  font-size: 1.2rem;
  font-weight: 900;
}

```

```
.profile i {
  font-size: 1.5rem;
}

.profile i:hover{
  cursor: default;
}
```

```
.profile span {
  line-height: 1rem;
  font-size: 1rem;
  font-weight: 700;
}
```

```
.profile span:hover{
  cursor: default;
}...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Profile\Profil
e.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Profile\Prof
ile.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\Profile\Profil
e.jsx
```

```
import "./Profile.css";
```

```
export default (props) => {
  return (
    <>
      <div className="profile">
        <i className="fa-solid fa-circle-user"></i>
        <span>{props.currentUser}</span>
      </div>
```

```
</>  
);  
};  
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\SearchBar\  
SearchBar.css & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\SearchBar\  
SearchBar.css" & echo.... )
```

```
File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\SearchBar\  
SearchBar.css
```

```
.nav-list.search {  
  display: flex;  
  align-items: center;  
  background-color: var(--input-bg);  
  border-radius: 0.8rem;  
  padding-inline: 0.4rem;  
  padding-block: 0.2rem;  
  width: 100%;  
}
```

```
.nav-list.search input {  
  border: none;  
  flex-grow: 1;  
  font-size: 1rem;  
  padding-block: 0.6rem;  
  padding-inline: 0.5rem;  
  background-color: var(--input-background);  
  outline: none;  
  border: none;  
}
```

```
.nav-list.search i {
  border: none;
  color: var(--text-primary);
}
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\SearchBar\
SearchBar.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\SearchBar\
SearchBar.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\components\SearchBar\
SearchBar.jsx
```

```
import "./SearchBar.css";
```

```
export default () => {
  return (
    <div className="nav-list search">
      <i className="fas fa-search"></i>
      <input type="text" placeholder="search 'milk'" />
    </div>
  );
};
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\data\items.js & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\data\items.js" &
echo.... )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\data\items.js
```

```
export default [
  {
    imageLink:
```


"https://cdn.grofers.com/da/cms-assets/cms/product/9b4cd95e-3f9e-4305-92a0-16d9875c6b4d.png",

eta: "23 MIN",

itemName: "Green Chilli (Hari Mirch)",

weight: "100 g",

currentPrice: "₹ 10",

originalPrice: "₹ 12",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/f53c1ea1-cfa0-438b-a14c-b4f5ebeed7dd.png",

eta: "23 MIN",

itemName: "Onion (Pyaz)",

weight: "1 kg",

currentPrice: "₹ 27",

originalPrice: "₹ 31",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/2d79def7-60ff-4d91-a80d-c99112fd2639.png",

eta: "23 MIN",

itemName: "Lemon",

weight: "200 g",

currentPrice: "₹ 71",

originalPrice: "₹ 86",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/e29ff4ab-7a96-4b90-b251-0489fa0416a2.png",

eta: "23 MIN",

itemName: "Green Cucumber (Kheera)",

weight: "500 g",

currentPrice: "₹ 21",

originalPrice: "₹ 25",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/e7c9461c-4a81-46cc-8215-5f9155026a6e.png",

eta: "23 MIN",

itemName: "Ginger (Adrak)",

weight: "200 g",

currentPrice: "₹ 27",

originalPrice: "₹ 34",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/4ea129f5-d31b-4c96-8825-3680f77f4c5c.png",

eta: "23 MIN",

itemName: "Hybrid Tomato (Tamatar)",

weight: "500 g",

currentPrice: "₹ 26",

originalPrice: "₹ 30",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/097061a9-9b7e-4d7e-88d1-4e3f58fc51e0.png",

eta: "23 MIN",

itemName: "Potato - New Crop (Aloo)",

weight: "1 kg",

currentPrice: "₹ 23",

originalPrice: "₹ 29",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/9cb3146c-eaf7-434d-9743-99708a9d9b15.png",

eta: "23 MIN",

itemName: "Cauliflower (Phool Gobhi)",

weight: "400 g",

currentPrice: "₹ 40",

originalPrice: "₹ 50",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/0908a205-26bf-4135-969a-9002b302069c.png",

eta: "23 MIN",

itemName: "Green Capsicum (Shimla Mirch)",

weight: "250 g",

currentPrice: "₹ 15",

originalPrice: "₹ 18",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/27a22d9c-469e-483d-bebf-7a2b1e86a64c.png",

eta: "23 MIN",

itemName: "Desi Tomato (Tamatar)",

weight: "500 g",

currentPrice: "₹ 26",

originalPrice: "₹ 30",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/9b4cd95e-3f9e-4305-92a0-16d9875c6b4d.png",

eta: "23 MIN",

itemName: "Garlic (Lehsun)",

weight: "100 g",

currentPrice: "₹ 18",

originalPrice: "₹ 21",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/2d79def7-60ff-4d91-a80d-c99112fd2639.png",

eta: "23 MIN",

itemName: "Mint Leaves (Pudina)",

weight: "100 g",

currentPrice: "₹ 8",

originalPrice: "₹ 9",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/e29ff4ab-7a96-4b90-b251-0489fa0416a2.png",

eta: "23 MIN",

itemName: "English Cucumber (Kheera)",

weight: "500 g",

currentPrice: "₹ 33",

originalPrice: "₹ 39",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/f53c1ea1-cfa0-438b-a14c-b4f5ebeed7dd.png",

eta: "23 MIN",

itemName: "Onion - Pack of 2 (Pyaz)",

weight: "2 x 1 kg",

currentPrice: "₹ 53",

originalPrice: "₹ 63",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/4ea129f5-d31b-4c96-8825-3680f77f4c5c.png",

eta: "23 MIN",

itemName: "Organically Grown Tomato (Hybrid) (Tamatar)",

weight: "500 g",

currentPrice: "₹ 47",

originalPrice: "₹ 60",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/9cb3146c-eaf7-434d-9743-99708a9d9b15.png",

eta: "23 MIN",

itemName: "Lady Finger (Bhindi)",

weight: "250 g",

currentPrice: "₹ 17",

originalPrice: "₹ 20",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/0908a205-26bf-4135-969a-9002b302069c.png",

eta: "23 MIN",

itemName: "Coriander (Without Roots) (Dhaniya)",

weight: "100 g",

currentPrice: "₹ 20",

originalPrice: "₹ 24",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/e7c9461c-4a81-46cc-8215-5f9155026a6e.png",

eta: "23 MIN",

itemName: "Organically Grown Ginger (Adrak)",

weight: "100 g",

currentPrice: "₹ 30",

originalPrice: "₹ 36",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/27a22d9c-469e-483d-bebf-7a2b1e86a64c.png",

eta: "23 MIN",

itemName: "Curry Leaves (Kadi Patta)",

weight: "50 g",

currentPrice: "₹ 9",

originalPrice: "₹ 11",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/097061a9-9b7e-4d7e-88d1-4e3f58fc51e0.png",

eta: "23 MIN",

itemName: "Green Peas (Matar)",

weight: "250 g",

currentPrice: "₹ 38",

originalPrice: "₹ 48",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/9b4cd95e-3f9e-4305-92a0-16d9875c6b4d.png",

eta: "23 MIN",

itemName: "Organically Grown Garlic (Lehsun)",

weight: "100 g",

currentPrice: "₹ 32",

originalPrice: "₹ 38",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/2d79def7-60ff-4d91-a80d-c99112fd2639.png",

eta: "23 MIN",

itemName: "Sweet Potato (Shakarkandi)",

weight: "450 g",

currentPrice: "₹ 43",

originalPrice: "₹ 49",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/9cb3146c-eaf7-434d-9743-99708a9d9b15.png",

eta: "23 MIN",

itemName: "Broccoli",

weight: "300 g",

currentPrice: "₹ 89",

originalPrice: "₹ 108",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/f53c1ea1-cfa0-438b-a14c-b4f5ebeed7dd.png",

eta: "23 MIN",

itemName: "Organically Grown - Onion (Pyaz)",

weight: "500 g",

currentPrice: "₹ 30",

originalPrice: "₹ 36",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/0908a205-26bf-4135-969a-9002b302069c.png",

eta: "23 MIN",

itemName: "Green Peas (Peeled)",

weight: "200 g",

currentPrice: "₹ 65",

originalPrice: "₹ 82",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/e7c9461c-4a81-46cc-8215-5f9155026a6e.png",

eta: "23 MIN",

itemName: "Bitter Gourd (Karela)",

weight: "250 g",

currentPrice: "₹ 22",

originalPrice: "₹ 28",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/27a22d9c-469e-483d-bebf-7a2b1e86a64c.png",

eta: "23 MIN",

itemName: "Peeled Garlic",

weight: "100 g",

currentPrice: "₹ 55",

originalPrice: "₹ 69",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/097061a9-9b7e-4d7e-88d1-4e3f58fc51e0.png",

eta: "23 MIN",

itemName: "Broad Beans 250 g (Sem Phali)",

weight: "250 g",

currentPrice: "₹ 24",

originalPrice: "₹ 30",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/4ea129f5-d31b-4c96-8825-3680f77f4c5c.png",

eta: "23 MIN",

itemName: "Organically Grown Green Capsicum",

weight: "250 g",

currentPrice: "₹ 30",

originalPrice: "₹ 36",

},

{

imageLink:

"https://cdn.grofers.com/da/cms-assets/cms/product/e29ff4ab-7a96-4b90-b251-0489fa0416a2.png",

eta: "23 MIN",

itemName: "Sweet Corn - Packet",

weight: "180 g",

currentPrice: "₹ 36",

originalPrice: "₹ 44",

},

{

imageLink:

```
"https://cdn.grofers.com/da/cms-assets/cms/product/0908a205-26bf-4135-969a-9002b302069c.png",
```

```
eta: "23 MIN",
```

```
itemName: "Coriander (Without Roots) (Dhaniya)",
```

```
weight: "100 g",
```

```
currentPrice: "₹ 20",
```

```
originalPrice: "₹ 24",
```

```
},
```

```
{
```

```
imageLink:
```

```
"https://cdn.grofers.com/da/cms-assets/cms/product/e7c9461c-4a81-46cc-8215-5f9155026a6e.png",
```

```
eta: "23 MIN",
```

```
itemName: "Organically Grown Ginger (Adrak)",
```

```
weight: "100 g",
```

```
currentPrice: "₹ 30",
```

```
originalPrice: "₹ 36",
```

```
},
```

```
];
```

```
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\BrowsePage\BrowsePage.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\BrowsePage\BrowsePage.css" & echo.... )
```

```
File:
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\BrowsePage\BrowsePage.css
```

```
.listings-container {
```

```
display: grid;
```

```
grid-template-columns: 1fr 1fr 1fr 1fr 1fr;
```

```
gap: 1rem;
```

```
padding-inline: 1rem;
padding-block: 1rem;
}
```

```
@media screen and (max-width: 1300px) and (min-width: 1050px) {
  .listings-container {
    grid-template-columns: 1fr 1fr 1fr 1fr;
  }
}
```

```
@media screen and (max-width: 1050px) and (min-width: 820px) {
  .listings-container {
    grid-template-columns: 1fr 1fr 1fr;
  }
}
```

```
@media screen and (max-width: 820px) and (min-width: 0px) {
  .listings-container {
    grid-template-columns: 1fr 1fr;
  }
}...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\BrowsePage\BrowsePage.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\BrowsePage\BrowsePage.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\BrowsePage\BrowsePage.jsx
```

```
import { useOutletContext } from "react-router-dom";
import ItemListing from "../../components/ItemListing/ItemListing";
import "../BrowsePage.css";
```

```

export default () => {
  const props = useOutletContext();

  return (
    <>
      <div className="listings-container">
        {props.items.map((item, index) => {
          return (
            <ItemListing
              key={index}
              index={index}
              link={item.imageLink}
              eta={item.eta}
              name={item.itemName}
              weight={item.weight}
              price={item.currentPrice}
              mrp={item.originalPrice}
              addItem={props.addItem}
              removeItem={props.removeItem}
              cart={props.cart}
            />
          );
        })}
      </div>
    </>
  );
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
 D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\CartPage\CartPag
 e.css & type

```
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\CartPage\CartPage.css" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\CartPage\CartPage.css
```

```
.cart-wrapper {  
    position: fixed;  
    width: 100vw;  
    height: 100vh;  
    background-color: var(--muted-bg);  
    top: 0px;  
    right: 0px;  
    display: flex;  
    justify-content: end;  
}
```

```
.cart-panel {  
    background-color: var(--bg-dark);  
    height: 100vh;  
    width: 25rem;  
    overflow-y:auto;  
}
```

```
.cart-item-list {  
    background-color: var(--bg);  
    margin-inline: 0.5rem;  
    margin-block: 0.5rem;  
    border-radius: 0.5rem;  
}
```

```
.delivery-detail {  
    display: flex;  
    align-items: center;  
}
```

```
.delivery-detail i {  
  font-size: 2rem;  
  color: var(--text-light);  
  background-color: var(--bg-dark);  
  border-radius: 0.4rem;  
  padding: 0.4rem;  
  margin: 0.5rem;  
}
```

```
.delivery-detail .text h2 {  
  font-size: 1rem;  
  color: var(--text-primary-dark);  
  font-weight: 900;  
}
```

```
.delivery-detail .text p {  
  font-size: 0.8rem;  
  color: var(--text-primary);  
}
```

```
.delivery-detail {  
  display: flex;  
}
```

```
.bill-wrapper{  
  background-color: var(--bg);  
  margin-inline: 0.5rem;  
  margin-block: 0.5rem;  
  border-radius: 0.5rem;  
  padding-inline: 1rem;  
  padding-block: 1rem;  
}
```

```
.bill-entry{
```

```

display: flex;
justify-content: space-between;
}
.bill-wrapper h2{
font-weight: 900;
font-size: 1rem;
color: var(--text-primary-dark);
}
.key{
color: var(--text-primary);
font-weight: 600;
font-size: 0.8rem;
}
.value{
color: var(--text-primary);
font-weight: 600;
font-size: 0.8rem;
}

.total{
font-weight: 900;
color: var(--text-primary-dark);
}...

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\CartPage\CartPage.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\CartPage\CartPage.jsx" & echo.... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\CartPage\CartPage.jsx

```

```

import CartNavbar from "../components/CartNavbar/CartNavbar";
import OrderListItem from "../components/OrderListItem/OrderListItem";

```



```

import './CartPage.css';

export default (props) => {
  const addedItems = props.cart.filter((item) => {
    return item.count > 0;
  });
  const total = addedItems.reduce((acc, curr) => {
    return (
      acc + Number(props.items[curr.index].currentPrice.slice(1)) * curr.count
    );
  }, 0);
  return (
    <>
    <div className="cart-wrapper">
      <div className="cart-panel">
        <CartNavbar toggleCartShown={props.toggleCartShown} />
        <div className="cart-item-list">
          <div className="delivery-detail">
            <i className="fa-solid fa-stopwatch-20"></i>
            <div className="text">
              <h2>Delivery in 20 minutes</h2>
              <p>
                Shipment of {addedItems.length} item
                {addedItems.length > 1 ? "s" : ""}
              </p>
            </div>
          </div>
        </div>
        {addedItems.map((item) => {
          return (
            <OrderListItem
              key={item.index}
              index={item.index}

```

```

        items={props.items}
        cart={props.cart}
        addItem={props.addItem}
        removeItem={props.removeItem}
      />
    );
  }}
</div>
<div className="bill-wrapper">
  <h2>Bill details</h2>
  <div className="bill-entry">
    <div className="key">Items total</div>{" "}
    <div className="value">Γέμ {total}</div>
  </div>
  <div className="bill-entry">
    <div className="key">Delivery charge</div>{" "}
    <div className="value">FREE</div>
  </div>
  <div className="bill-entry">
    <div className="key">Handling charge</div>{" "}
    <div className="value">Γέμ 2</div>
  </div>
  <div className="bill-entry">
    <div className="key total">Grand total</div>{" "}
    <div className="value total">Γέμ {total}</div>
  </div>
</div>
</div>
</>
);
};

```

...

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Button\CartButton.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Button\CartButton.css" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Button\CartButton.css
```

```
.cart-btn-container {
  position: relative;
}
```

```
.cart-btn {
  border: 0.2rem solid var(--text-secondary) !important;
  background-color: var(--text-primary-super-light) !important;
}
```

```
.cart-size {
  position: absolute;
  color: var(--text-light);
  background-color: var(--text-secondary);
  font-size: 1.2rem;
  line-height: 1rem;
  padding-inline: 0.6rem;
  padding-block-start: 0.5rem;
  padding-block-end: 0.4rem;
  border-radius: 1rem;
  top: 0px;
  right: -10px;
}
```

...

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Button\CartButton.jsx  & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Button\CartButton.jsx"  & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Button\CartButton.jsx
```

```
import { useOutletContext } from "react-router-dom";
```

```
import "./CartButton.css";
```

```
export default (props) => {
```

```
  const uniqueItems = props.cart.filter((item) =>
```

```
    item.count > 0 ? true : false,
```

```
);
```

```
return (
```

```
  <>
```

```
    <div className="cart-btn-container">
```

```
      <button className="cart-btn">
```

```
        <i className="fa-solid fa-basket-shopping"></i>
```

```
      </button>
```

```
      {uniqueItems.length > 0 ? (
```

```
        <span className="cart-size">{uniqueItems.length}</span>
```

```
      ) : null}
```

```
    </div>
```

```
  </>
```

```
);
```

```
};
```

```
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Navbar\CartNavbar.css  & type
```

"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\CartNavbar\CartNavbar.css" & echo....)

File:

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\CartNavbar\CartNavbar.css

```
.cart-navbar {  
  background-color: var(--bg);  
  width: 100%;  
  padding-block: 1rem;  
  padding-inline: 0.5rem;  
}
```

```
.cart-navbar ul {  
  display: flex;  
  justify-content: start;  
  gap: 0;  
}
```

```
.cart-navbar li {  
  padding: 0px;  
}
```

```
.cart-navbar .close-button {  
  background-color: var(--bg);  
  border: none;  
  font-size: 1rem;  
  margin-inline-start: 0.6rem;  
}
```

```
.cart-navbar .close-button:hover {  
  cursor: pointer;  
}
```

```
.cart-navbar h2 {
```

```
font-weight: 800;
font-size: 1.2rem;
margin-inline-start: 0.6rem;
}
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Navbar\CartNavbar.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Navbar\CartNavbar.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cart
Navbar\CartNavbar.jsx
```

```
import "./CartNavbar.css";
```

```
export default (props) => {
  return (
    <>
      <nav className="cart-navbar">
        <ul>
          <button
            className="close-button"
            onClick={() => {
              props.toggleCartShown();
            }}
          >
            <li>
              <i className="fa-solid fa-arrow-left"></i>
            </li>
          </button>
          <li>
            <h2>My Cart</h2>
          </li>
```

```
        </ul>
    </nav>
</>
);
};
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Chan
geAmmountButton\ChangeAmmountButton.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cha
ngeAmmountButton\ChangeAmmountButton.css" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Chan
geAmmountButton\ChangeAmmountButton.css
```

```
.change-ammount-button button {
    outline: none;
    border: 2px solid var(--text-secondary);
    background-color: var(--text-secondary-light);
    color: var(--text-secondary);
    font-size: 1rem;
    font-weight: 700;
    padding-inline: 0.5rem;
    padding-block: 0.2rem;
    border-radius: 0.5rem;
}
```

```
.change-ammount-button button:hover {
    cursor: pointer;
}
```

```
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Chan
```

```
geAmmountButton\ChangeAmmountButton.jsx & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Cha  
ngeAmmountButton\ChangeAmmountButton.jsx" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Chan  
geAmmountButton\ChangeAmmountButton.jsx
```

```
import "./ChangeAmmountButton.css";
```

```
export default (props) => {
```

```
  return (
```

```
    <div className="change-ammount-container">
```

```
      <button
```

```
        className="change-ammount-button decrement"
```

```
        onClick={() => {
```

```
          props.removeItem(props.index);
```

```
        }}
```

```
      >
```

```
      -
```

```
    </button>
```

```
    <span className="ammount">{props.cart[props.index].count}</span>
```

```
    <button
```

```
      className="change-ammount-button increment"
```

```
      onClick={() => {
```

```
        props.addItem(props.index);
```

```
      }}
```

```
    >
```

```
    +
```

```
  </button>
```

```
</div>
```

```
);
```

```
};
```

```
...
```



```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\ItemL
isting\ItemList.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Item
Listing\ItemList.css" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\ItemL
isting\ItemList.css
```

```
.item-listing.container {
  background-color: var(--input-bg);
  background-color: var(--item-bg);
  max-height: 30rem;
  max-width: 15rem;
  padding-inline: 0.8rem;
  padding-block: 0.8rem;
  border-radius: 0.5rem;
  color: var(--text-primary-dark);
  font-weight: 700;
  border: 0.2px solid var(--border);
  display: flex;
  flex-direction: column;
  justify-content: space-between;
}
```

```
@media screen and (max-width: 820px) {
  .item-listing.container {
    max-height: 35rem;
    max-width: 30rem;
  }
}
```

```
.item-listing.container img {
  max-width: 100%;
  border-radius: 0.5rem;
```

```
    object-fit: cover;
    border: 0.2px solid var(--border);
}
```

```
.item-listing.container .dilevry-time {
    margin-block-start: 0.5rem;
    font-size: 0.5rem;
}
```

```
.item-listing.container h2 {
    font-size: 0.8rem;
}
```

```
.item-listing.container h3 {
    font-size: 0.7rem;
    color: var(--text-primary);
    font-weight: 600;
}
```

```
.item-listing.container .shop-container {
    margin-block-start: 1rem;
    display: flex;
    justify-content: space-between;
    align-items: center;
}
```

```
.item-listing.container .shop-container button {
    outline: none;
    border: 2px solid var(--text-secondary);
    background-color: var(--text-secondary-light);
    color: var(--text-secondary);
    font-size: 1rem;
```

```
font-weight: 700;
padding-inline: 0.5rem;
padding-block: 0.2rem;
border-radius: 0.5rem;
}
```

```
.item-listing.container .shop-container button:hover {
  cursor: pointer;
}
```

```
.item-listing.container .price-container {
  display: flex;
  font-size: 0.8rem;
  flex-direction: column;
  line-height: 0.8rem;
}
```

```
.item-listing.container .price-container .MRP {
  text-decoration: line-through;
  color: var(--text-primary);
  font-weight: 400;
}
```

```
@media screen and (max-width: 820px) and (min-width: 0px) {
  .item-listing.container .dilevry-time {
    font-size: 0.7rem;
  }
}
```

```
.item-listing.container h2 {
  font-size: 1rem;
}
```

```

.item-listing.container h3 {
  font-size: 0.9rem;
}

.item-listing.container .shop-container {
  margin-block-start: 1.2rem;
}

.item-listing.container .shop-container button {
  font-size: 1.2rem;
}

.item-listing.container .price-container {
  font-size: 1rem;
  line-height: 1rem;
}
}

.ammount{
  margin-inline: 0.5rem;
}
...

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\ItemL
isting\ItemListing.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Item
Listing\ItemListing.jsx" & echo.... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\ItemL
isting\ItemListing.jsx

```

```

import ChangeAmmountButton from
"./ChangeAmmountButton/ChangeAmmountButton";

import "./ItemListing.css";

```

```

export default (props) => {
  return (
    <div className="item-listing container">
      <img src={props.link}></img>
      <p className="dilevry-time">
        <i className="fa-regular fa-stopwatch"></i>
        {props.eta}
      </p>
      <h2>{props.name}</h2>
      <h3>{props.weight}</h3>
      <div className="shop-container">
        <div className="price-container">
          <span className="price">{props.price}</span>
          <span className="MRP">{props.mrp}</span>
        </div>
        {props.cart[props.index].count == 0 ? (
          <button
            className="add-button"
            onClick={() => {
              props.addItem(props.index);
            }}
            >
            Add
          </button>
        ) : (
          <ChangeAmmountButton
            index={props.index}
            cart={props.cart}
            addItem={props.addItem}
            removeItem={props.removeItem}
          />
        )}
      </div>
    </div>
  )
}

```

```
</div>
</div>
);
};
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Logo
\Logo.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Log
o\Logo.css" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Logo
\Logo.css
```

```
a {
  display: block;
  text-decoration: none;
  color: var(--text);
  font-size: 2.4rem;
  font-weight: 900;
  padding-inline: 0.6rem;
  padding-block: 0.6rem;
}
```

```
.logo.primary {
  color: var(--text-primary);
}
```

```
.logo.secondary {
  color: var(--text-secondary);
}
```

```
@media screen and (max-width: 1030px) {
  .logo.body {
    display: none;
  }
}
```

```
}  
}
```

```
.logo{  
  transition: background-color 0.2s ease-out;  
}...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Logo  
\Logo.jsx & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Log  
o\Logo.jsx" & echo.... )
```

```
File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Logo  
\Logo.jsx
```

```
import "./Logo.css";
```

```
export default () => {  
  return (  
    <>  
      <span className="logo primary">  
        <span className="logo initial">S</span>  
        <span className="logo body">imple</span>  
      </span>  
      <span className="logo secondary">  
        <span className="logo initial">G</span>  
        <span className="logo body">roceries</span>  
      </span>  
    </>  
  );  
};  
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Menu
\Menu.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Menu
\Menu.css" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Menu
\Menu.css
```

```
.menu-list {
  display: flex;
  align-items: center;
  justify-content: center;
}
```

```
@media screen and (min-width: 1616px) {
  .menu-list {
    margin-inline-start: 6rem;
  }
}
```

```
.menu-list button {
  outline: none;
  border: none;
  padding-inline: 0.8rem;
  padding-block: 0.8rem;
  border-radius: 1rem;
  background-color: var(--input-bg);
  font-size: 1.2rem;
  font-weight: 900;
}
```

```
.menu-list button:hover {
  cursor: pointer;
}
```



```
.menu-list .login-btn {  
  background-color: var(--text-primary-super-light);  
  border: 0.2rem solid var(--text-primary);  
  color: var(--text-primary);  
}
```

```
.menu-list .register-btn {  
  background-color: var(--text-primary-super-light);  
  border: 0.2rem solid var(--text-secondary);  
  color: var(--text-secondary);  
}
```

```
.menu-list{  
  border-radius: 1rem;  
  padding-inline: 1rem;  
  transition: background-color 0.2s ease-out;  
}
```

```
.menu-list:hover {  
  background-color: var(--primary-light);  
  transition: background-color 0.2s ease-out;  
}...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Menu  
\Menu.jsx & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Men  
u\Menu.jsx" & echo.... )
```

```
File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Menu  
\Menu.jsx
```

```
import { Link } from "react-router-dom";  
import "../Menu.css";
```

```

import CartButton from "../CartButton/CartButton";
import Profile from "../Profile/Profile";

export default (props) => {
  return (
    <div className="menu-list">
      {props.currentUser === "" ? (
        <>
          <Link to="/login">
            <button className="login-btn">Login</button>
          </Link>
          <Link to="/register">
            <button className="register-btn">Register</button>
          </Link>
        </>
      ) : (
        <>
          <a
            onClick={() => {
              props.toggleCartShown();
            }}
          >
            <CartButton cart={props.cart} />
          </a>
          <Profile currentUser={props.currentUser} />
        </>
      )}
    </div>
  );
};
...

```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Navbar\Navbar.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Navbar\Navbar.css" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Navbar\Navbar.css
```

```
nav {
  background-color: var(--primary);
}
```

```
ul {
  display: flex;
  justify-content: space-between;
  align-items: center;
  list-style: none;
  gap: 2rem;
}
```

```
.nav-list.search.item {
  flex-grow: 1;
}
```

```
li {
  padding-block: 0.5rem;
  padding-inline: 0.5rem;
}
```

```
.nav-list.logo.item:hover {
  background-color: var(--primary-light);
  transition: background-color 0.2s ease-out;
}
```

```
.nav-list.search.item:hover {  
  border: 1px solid var(--border);  
}...
```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Navbar\Navbar.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Navbar\Navbar.jsx" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Navbar\Navbar.jsx

```
import { Link } from "react-router-dom";
```

```
import Logo from "../Logo/Logo.jsx";
```

```
import SearchBar from "../SearchBar/SearchBar.jsx";
```

```
import "../Navbar.css";
```

```
import Menu from "../Menu/Menu.jsx";
```

```
export default (props) => {  
  return (  
    <nav>  
      <ul>  
        <li className="nav-list logo item">  
          <Link to="/">  
            <Logo />  
          </Link>  
        </li>  
        <li className="nav-list search item">  
          <SearchBar />  
        </li>  
        <li className="nav-list menu item">  
          <Menu  
            cart={props.cart}
```

```

        toggleCartShown={props.toggleCartShown}
        currentUser={props.currentUser}
      />
    </li>
  </ul>
</nav>
);
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\OrderListItem\OrderListItem.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\OrderListItem\OrderListItem.css" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\OrderListItem\OrderListItem.css

```

.order-list-item {
  padding-inline: 1.5rem;
  padding-block: 1rem;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

```

```

.order-list-item img {
  height: 5rem;
  border-radius: 0.5rem;
}

```

```

.order-list-item .item-details {
  max-width: 14rem;
  display: flex;

```

```
    justify-content: start;
    gap: 1rem;
}
.order-list-item h2 {
    font-weight: 600;
    color: var(--text-primary-dark);
    font-size: 1rem;
}
.order-list-item h3 {
    font-weight: 400;
    color: var(--text-primary);
    font-size: 0.8rem;
}
.order-list-item .price {
    font-size: 0.8rem;
    font-weight: 900;
    color: var(--text-primary-dark);
}
.order-list-item .mrp {
    font-size: 0.8rem;
    font-weight: 300;
    letter-spacing: -10%;
    color: var(--text-primary);
    margin-inline-start: 0.3rem;
    text-decoration: line-through;
}
.order-list-item .price-details {
    font-size: 0.8rem;
}
.order-list-item .text {
    display: flex;
    flex-direction: column;
```

```
justify-content: space-between;
margin-block: 0.5rem;
}
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\OrderListItem\OrderListItem.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\OrderListItem\OrderListItem.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\OrderListItem\OrderListItem.jsx
```

```
import ChangeAmmountButton from
"./ChangeAmmountButton/ChangeAmmountButton";
import "./OrderListItem.css";
```

```
export default (props) => {
  return (
    <>
      <div className="order-list-item">
        <div className="item-details">
          <img src={props.items[props.index].imageLink} alt="" />
          <div className="text">
            <div className="headings">
              <h2>{props.items[props.index].itemName}</h2>
              <h3>{props.items[props.index].weight}</h3>
            </div>
            <div className="price-details">
              <span className="price">
                {props.items[props.index].currentPrice}
              </span>
              <span className="mrp">
                {props.items[props.index].originalPrice}
              </span>
            </div>
          </div>
        </div>
      </div>
    </>
  )
}
```

```

        </span>
      </div>
    </div>
  </div>
  <div className="change-ammount-button">
    <ChangeAmmountButton
      index={props.index}
      cart={props.cart}
      addItem={props.addItem}
      removeItem={props.removeItem}
    />
  </div>
</div>
</>
);
};
...

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Profile\Profile.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Profile\Profile.css" & echo.... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Profile\Profile.css

```

```

.profile {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  border: 0.2rem solid var(--text-primary) !important;
  background-color: var(--text-primary-super-light) !important;
  padding-inline: 0.8rem;

```



```
padding-block: 0.8rem;
border-radius: 1rem;
font-size: 1.2rem;
font-weight: 900;
}
```

```
.profile i {
  font-size: 1.5rem;
}
```

```
.profile i:hover{
  cursor: default;
}
```

```
.profile span {
  line-height: 1rem;
  font-size: 1rem;
  font-weight: 700;
}
```

```
.profile span:hover{
  cursor: default;
}...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Profile\Profile.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Profile\Profile.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\Profile\Profile.jsx
```

```
import './Profile.css';
```

```
export default (props) => {
```

```

return (
  <>
    <div className="profile">
      <i className="fa-solid fa-circle-user"></i>
      <span>{props.currentUser}</span>
    </div>
  </>
);
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\SearchBar\SearchBar.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\SearchBar\SearchBar.css" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\SearchBar\SearchBar.css

```

.nav-list.search {
  display: flex;
  align-items: center;
  background-color: var(--input-bg);
  border-radius: 0.8rem;
  padding-inline: 0.4rem;
  padding-block: 0.2rem;
  width: 100%;
}

```

```

.nav-list.search input {
  border: none;
  flex-grow: 1;
  font-size: 1rem;
}

```

```
padding-block: 0.6rem;
padding-inline: 0.5rem;
background-color: var(--input-background);
outline: none;
border: none;
}
```

```
.nav-list.search i {
  border: none;
  color: var(--text-primary);
}
```

...

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\SearchBar\SearchBar.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\SearchBar\SearchBar.jsx" & echo.... )
```

File:

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\components\SearchBar\SearchBar.jsx
```

```
import "../SearchBar.css";
```

```
export default () => {
  return (
    <div className="nav-list search">
      <i className="fas fa-search"></i>
      <input type="text" placeholder="search 'milk'" />
    </div>
  );
};
```

...

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\HomePage\Home
Page.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\HomePage\Hom
ePage.css" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\HomePage\Home
Page.css
```

```
.landing-container{
  background-color: var(--text-primary-super-light);
  margin-block-start: 2.5rem;
  padding-inline: 1rem;
  border-radius: 1rem;
}
```

```
.landing-container img{
  max-width: 100%;
  object-fit: cover;
  margin-block-start: 1rem;
}
```

...

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\HomePage\Home
Page.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\HomePage\Hom
ePage.jsx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\HomePage\Home
Page.jsx
```

```
import { Link, useOutletContext } from "react-router-dom";
import "../HomePage.css";
```

```
export default () => {
  const props = useOutletContext();
  return (
```

```

<>
<div className="landing-container">
  <Link to={props.currentUser === "" ? "/login" : "/browse"}>
    
  </Link>
  <Link to={props.currentUser === "" ? "/login" : "/browse"}>
    
  </Link>
</div>
</>
);
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\LoginPage\LoginP
age.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\LoginPage\Login
Page.css" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\LoginPage\LoginP
age.css

```

.login-page {
  display: flex;
  justify-content: center;
  align-items: center;
  height: 80vh;
}

```

```

.login-page .login-container {
  background-color: var(--item-bg);
  padding-inline: 10rem;
  padding-block: 5rem;
  border-radius: 2rem;
}

```

```
display: flex;
flex-direction: column;
gap: 1rem;
}

.login-page .login-container form {
display: flex;
flex-direction: column;
gap: 1rem;
}
```

```
.login-page .login-container fieldset {
background-color: var(--input-bg);
padding-block-end: 0.8rem;
padding-block-start: 0.3rem;
padding-inline: 0.8rem;
font-size: 1rem;
font-weight: 700;
transition: all 0.2s ease-out;
}
```

```
.login-page .login-container fieldset:focus-within {
color: var(--text-secondary);
border: 2px solid var(--text-secondary);
transition: all 0.2s ease-in;
}
```

```
.login-page .login-container fieldset input {
outline: none;
border: none;
background-color: var(--input-bg);
font-size: 1.5rem;
transition: all 0.2s ease-in;
```

```

}

.login-page .login-container fieldset input::placeholder {
  transition: all 0.2s ease-in;
}

.login-page .login-container fieldset input:focus::placeholder {
  transition: all 0.2s ease-out;
  color: var(--input-bg);
}

```

```

.login-page .login-container button {
  margin-block-start: 1.5rem;
  background-color: var(--text-secondary);
  outline: none;
  border: 1px solid var(--text-secondary-dark);
  border-radius: 1rem;
  padding-block: 1rem;
  color: var(--text-secondary-dark);
  font-size: 1.2rem;
  font-weight: 800;
}

```

```

.login-page .login-container button:hover {
  background-color: var(--text-secondary-active);
  cursor: pointer;
}...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\LoginPage\LoginP
age.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\LoginPage\Login
Page.jsx" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\LoginPage\LoginP
age.jsx

```

import { useOutletContext } from "react-router-dom";
import "./LoginPage.css";
import { useEffect } from "react";
import { useNavigate } from "react-router-dom";

export default () => {
  const props = useOutletContext();
  async function login(credentials) {
    const passHash = await props.hashGen(credentials.get("pass"));
    const user = props.users.filter((user) => {
      return (
        (user.name === credentials.get("name-or-email") ||
          user.email === credentials.get("name-or-email")) &&
        user.passHash === passHash
      );
    });
    if (user.length > 0) {
      props.changeCurrentUser(user[0].name);
    } else {
      alert("Your credentials are invalid!");
    }
  }
  const navigate = useNavigate();
  useEffect(() => {
    if (props.currentUser !== "") {
      alert("You have sucessfully LoggedIn!");
      navigate("/");
    }
  }, [props.currentUser]);
  return (
    <>
    <div className="login-page">

```



```

<div className="login-container">
  <form action={login}>
    <fieldset>
      <legend>Username</legend>
      <input
        type="text"
        placeholder="Username or Email"
        name="name-or-email"
      />
    </fieldset>
    <fieldset>
      <legend>Password</legend>
      <input type="password" placeholder="Password" name="pass" />
    </fieldset>
    <button>Login</button>
  </form>
</div>
</div>
</>
);
};
...

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\MainPage\MainPa
ge.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\MainPage\MainP
age.css" & echo.... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\MainPage\MainPa
ge.css

```

```

.wrapper-wrapper {
  display: flex;
  justify-content: center;

```

```

}
.wrapper {
  max-width: 80rem;
}
@media screen and (max-width: 820px) {
  .wrapper {
    max-width: 100vw;
  }
}
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\MainPage\MainPage.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\MainPage\MainPage.jsx" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\MainPage\MainPage.jsx

```

import { Outlet } from "react-router-dom";
import { useState } from "react";

```

```

import Navbar from "../components/Navbar/Navbar.jsx";
import items from "../data/items.js";
import "./MainPage.css";
import CartPage from "../CartPage/CartPage.jsx";

```

```

export default () => {
  const [cart, setCart] = useState(
    items.map((item, index) => {
      return { index: index, count: 0 };
    }),
  );
  function toggleCartShown() {

```

```
    setCartShown((cartShown) => !cartShown);  
  }  
}
```

```
const [cartShown, setCartShown] = useState(false);  
function addItem(index) {  
  setCart((oldCart) => [  
    ...oldCart.slice(0, index),  
    { index: index, count: Number(oldCart[index].count) + 1 },  
    ...oldCart.slice(Number(index) + 1),  
  ]);  
}
```

```
function removeItem(index) {  
  if (Number(cart[index].count) - 1 >= 0) {  
    setCart((oldCart) => [  
      ...oldCart.slice(0, index),  
      { index: index, count: Number(oldCart[index].count) - 1 },  
      ...oldCart.slice(Number(index) + 1),  
    ]);  
  }  
}
```

```
const [userList, setUserList] = useState([]);  
function addUser(name, email, passHash) {  
  setUserList((userList) => {  
    return [...userList, { name: name, email: email, passHash: passHash }];  
  });  
}  
  
async function hashGen(pass) {  
  return Array.from(  
    new Uint8Array(  
      await crypto.subtle.digest("SHA-256", new TextEncoder().encode(pass)),  
    ),
```

```

)
.map((b) => b.toString(16).padStart(2, "0"))
.join("");
}

```

```

const [currentUser, setCurrentUser] = useState("");
function changeCurrentUser(name) {
  setCurrentUser(name);
}

```

```

return (
  <>
    <header>
      <Navbar
        cart={cart}
        toggleCartShown={toggleCartShown}
        currentUser={currentUser}
      />
    </header>
    <main className="wrapper-wrapper">
      <div className="wrapper">
        <Outlet
          context={{
            items: items,
            cart: cart,
            setCart: setCart,
            addItem: addItem,
            removeItem: removeItem,
            addUser: addUser,
            users: userList,
            changeCurrentUser: changeCurrentUser,
            currentUser: currentUser,
            hashGen: hashGen,

```

```

    }}
  />
</div>
</main>
{cartShown ? (
  <CartPage
    toggleCartShown={toggleCartShown}
    cart={cart}
    addItem={addItem}
    removeItem={removeItem}
    items={items}
  />
) : null}
</>
);
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\NotFoundPage\N
otFoundPage.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\NotFoundPage\N
otFoundPage.jsx" & echo....)

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\NotFoundPage\N
otFoundPage.jsx

```
import { Link } from "react-router-dom";
```

```

export default () => {
  return (
    <>
      <h1>File Not Found</h1>
      <Link to="/">Back to Home</Link>
    </>
  )
}

```

```
);  
};  
...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\RegisterPage\Reg  
isterPage.css & type  
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\RegisterPage\Re  
gisterPage.css" & echo.... )
```

```
File:  
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\RegisterPage\Reg  
isterPage.css
```

```
.register-page {  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  height: 80vh;  
}
```

```
.register-page .register-container {  
  background-color: var(--item-bg);  
  padding-inline: 10rem;  
  padding-block: 5rem;  
  border-radius: 2rem;  
  display: flex;  
  flex-direction: column;  
  gap: 1rem;  
}
```

```
.register-page .register-container form {  
  display: flex;  
  flex-direction: column;  
  gap: 1rem;  
}
```

```
.register-page .register-container fieldset {  
  background-color: var(--input-bg);  
  padding-block-end: 0.8rem;  
  padding-block-start: 0.3rem;  
  padding-inline: 0.8rem;  
  font-size: 1rem;  
  font-weight: 700;  
  transition: all 0.2s ease-out;  
}
```

```
.register-page .register-container fieldset:focus-within {  
  color: var(--text-secondary);  
  border: 2px solid var(--text-secondary);  
  transition: all 0.2s ease-in;  
}
```

```
.register-page .register-container fieldset input {  
  outline: none;  
  border: none;  
  background-color: var(--input-bg);  
  font-size: 1.5rem;  
  transition: all 0.2s ease-in;  
}
```

```
.register-page .register-container fieldset input::placeholder {  
  transition: all 0.2s ease-in;  
}
```

```
.register-page .register-container fieldset input:focus::placeholder {  
  transition: all 0.2s ease-out;  
  color: var(--input-bg);  
}
```

```
.register-page .register-container button {
```

```

margin-block-start: 1.5rem;
background-color: var(--text-secondary);
outline: none;
border: 1px solid var(--text-secondary-dark);
border-radius: 1rem;
padding-block: 1rem;
color: var(--text-secondary-dark);
font-size: 1.2rem;
font-weight: 800;
}

```

```

.register-page .register-container button:hover {
  background-color: var(--text-secondary-active);
  cursor: pointer;
}...

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\RegisterPage\Reg
isterPage.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\RegisterPage\Re
gisterPage.jsx" & echo.... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\SimpleGroceries\src\pages\RegisterPage\Reg
isterPage.jsx

```

```

import { useOutletContext } from "react-router-dom";
import "../RegisterPage.css";
import { useEffect } from "react";
import { useNavigate } from "react-router-dom";

```

```

export default () => {
  const props = useOutletContext();
  async function register(userData) {
    if (
      props.users.filter((user) => {

```



```

        return userData.get("email") === user.email;
    }).length > 0
  ) {
    alert("This Email is already in use!");
  } else if (
    props.users.filter((user) => {
      return userData.get("name") === user.name;
    }).length > 0
  ) {
    alert("This Username is already taken!");
  } else {
    const passHash = await props.hashGen(userData.get("pass"));
    props.addUser(userData.get("name"), userData.get("email"), passHash);
  }
}

```

```

const navigate = useNavigate();
useEffect(() => {
  if (props.users.length > 0) {
    alert("User successfully Registered, please Login!");
    navigate("/login");
  }
}, [props.users]);

```


```

return (
  <>
    <div className="register-page">
      <div className="register-container">
        <form action={register}>
          <fieldset>
            <legend>Username</legend>
            <input type="text" placeholder="Username" name="name" />
          </fieldset>

```

```
<fieldset>
  <legend>Email</legend>
  <input type="email" placeholder="Email" name="email" />
</fieldset>
<fieldset>
  <legend>Password</legend>
  <input type="password" placeholder="Password" name="pass" />
</fieldset>
<button>Register</button>
</form>
</div>
</div>
</>
);
};
```

Output:



CSFS2004P_53373213: FrontendLabFile - GoogleSimpleGroceriesPrint File Contents with P

http://localhost:5173/Frontend/SimpleGroceries/

SG

search 'milk'

LoginRegister

Stock up on daily essentials

Get farm-fresh goodness & a range of exotic fruits, vegetables, eggs & more

Shop Now

Pharmacy at your doorstep!

Cough syrups, pain relief sprays & more

Order Now

Pet care supplies at your door

Food, treats, toys & more

Order Now

Health essentials for your family


Vitamins, supplements & daily wellness

Order Now

No time for a diaper run?

Get baby care essentials

Order Now





search 'milk'



Nothinormuch

Stock up on daily essentials

Get farm-fresh goodness & a range of exotic fruits, vegetables, eggs & more

Shop Now



Pharmacy at your doorstep!

Cough syrups, pain relief sprays & more

Order Now



Pet care supplies at your door

Food, treats, toys & more

Order Now



Health essentials for your family

Vitamins, supplements & daily wellness

Order Now



No time for a diaper run?

Get baby care essentials

Order Now



CSFS2004P_53373213: FroFrontendLabFile - GoogleSimpleGroceriesPrint File Contents with P+

<>Chttp://localhost:5173/Frontend/SimpleGroceries/browse

SG

Q search 'milk'

Nothinormuch

23 MIN

Green Chilli (Hari Mirch)

100 g

₹10
₹12

Add

23 MIN

Onion (Pyaz)

1 kg

₹27
₹33

Add

23 MIN

Lemon

200 g

₹71
₹86

Add

23 MIN

Green Cucumber (Kheera)

500 g

₹21
₹25

Add

23 MIN

Ginger (Adrak)

200 g

₹27
₹34

Add

23 MIN

Hybrid Tomato (Tamatar)

500 g

₹26
₹30

Add

23 MIN

Potatoes

500 g

₹15
₹18

Add

23 MIN

Cauliflower

500 g

₹12
₹15

Add

23 MIN

Green Bell Pepper

500 g

₹18
₹22

Add

CSFS2004P_53373FrontendLabFileSimpleGroceryPrint File Contents

http://localhost:5173/Frontend/SimpleGroceries/browse

SG

search 'milk'

Nothinormuch



🕒 23 MIN

Green Chilli (Hari Mirch)

100 g

₹10
₹12

Add



🕒 23 MIN

Onion (Pyaz)

1 kg

₹27
₹31

Add



🕒 23 MIN

Limes

1 kg

₹10
₹12

Add



🕒 23 MIN

Cucumbers

1 kg

₹27
₹31

Add

CSFS2004P_53373FrontendLabFile - SimpleGroceriesPrint File Contents

<>refresh

http://localhost:5173/Frontend/SimpleGroceries/browse

share

🔒

🔗

📄

🎵

☰

SG

search 'milk'



🔥 23 MIN

Green Chilli (Hari Mirch)

100 g

₹10

₹12

-1+



← My Cart

🕒 20

Delivery in 20 minutes

Shipment of 3 items



Green Chilli (Hari Mirch)

100 g

₹10

₹12

-1+



Onion (Pyaz)

1 kg

₹27

₹31

-1+



Lemon

200 g

₹71

₹86

-1+

Bill details

Items total

₹108

Delivery charge

FREE

Handling charge

₹2

Grand total

₹108

...

Experiment 11

Source Code

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\App.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\App.css" & echo.)
```

File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\App.css

```
:root{
  --bg: rgb(187, 219, 252);
  --bg-light: #c4dffc;
  --bg-dark: hsl(210, 26%, 54%);
  --primary: hsl(210, 80%, 74%);
  --primary-light: hsl(210, 80%, 77%);
  --text-primary: hsl(209, 23%, 28%);
  --text-primary-super-light: #eff2f5;
  --text-primary-dark: hsl(209, 23%, 10%);
  --text-secondary: hsl(180, 92%, 30%);
  --text-secondary-active: hsl(180, 92%, 35%);
  --text-secondary-dark: hsl(180, 92%, 10%);
  --text-secondary-super-light: hsl(180, 92%, 95%);
  --text-secondary-light: hsl(180, 92%, 95%);
  --text: hsl(210, 80%, 74%);
  --text-light: #ffffff;
  --input-bg: hsl(0, 0%, 97%);
  --border: rgba(102, 102, 102,0.3);
  --item-bg: hsl(210, 91%, 95%);
  --muted-bg: rgba(0,0,0,0.6);
}

* {
  padding: 0rem;
  margin: 0rem;
  box-sizing: border-box;
```

```
font-family: Nunito;
}
```

```
body {
  background-color: var(--bg-light);
}
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\firebase.js & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\firebase.js" & echo.)
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\firebase.js
```

```
// Import the functions you need from the SDKs you need
```

```
import { initializeApp } from "firebase/app";
```

```
import { getAuth } from "firebase/auth";
```

```
import { getFirestore } from "firebase/firestore";
```

```
// TODO: Add SDKs for Firebase products that you want to use
```

```
// https://firebase.google.com/docs/web/setup#available-libraries
```

```
// Your web app's Firebase configuration
```

```
const firebaseConfig = {
  apiKey: "AlzaSyDGXhIkI-AhdHqRSinKqXsciqpaiuNtCyg",
  authDomain: "upes-4c1c5.firebaseio.com",
  projectId: "upes-4c1c5",
  storageBucket: "upes-4c1c5.firebaseio.com",
  messagingSenderId: "882894894262",
  appId: "1:882894894262:web:5f454be47f972fbd5de217"
};
```

```
// Initialize Firebase
```

```
const app = initializeApp(firebaseConfig);
```

```
export const auth = getAuth(app);
```

```
export const store = getFirestore(app);
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\App.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\App.jsx" & echo.)
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\App.jsx
```

```
import { createBrowserRouter, RouterProvider } from "react-router-dom";
import NotFoundPage from "../pages/NotFoundPage/NotFoundPage.jsx";
import MainPage from "../pages/MainPage/MainPage.jsx";
import RegisterPage from "../pages/RegisterPage/RegisterPage.jsx";
import LoginPage from "../pages/LoginPage/LoginPage.jsx";
import "../App.css";
import ToDoPage from "../pages/ToDoPage/ToDoPage.jsx";
import LoadingPage from "../pages/LoadingPage/LoadingPage.jsx";
import {
  collection,
  addDoc,
  doc,
  updateDoc,
  deleteDoc,
  onSnapshot,
  query,
  orderBy,
  setDoc,
} from "firebase/firestore";
```

```
export default () => {
  const router = createBrowserRouter(
    [
      {
        path: "/",
        element: <MainPage />,
        errorElement: <NotFoundPage />,
      },
    ],
  );
  return <RouterProvider router={router} />;
}
```

```

children: [
  { index: true, element: <ToDoPage /> },
  {
    path: "register",
    element: <RegisterPage />,
  },
  {
    path: "login",
    element: <LoginPage />,
  },
],
},
],
{
  basename: "/Frontend/ToDo",
},
);
return (
  <>
    <RouterProvider router={router} />
  </>
);
};

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\index.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\index.jsx" & echo.)

File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\index.jsx

```
import { createRoot } from "react-dom/client";
```

```
import App from "../App.jsx";
```

```
createRoot(document.getElementById("root")).render(<App />);
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Logo\Logo.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Logo\Logo.css" &
echo.. )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Logo\Logo.css
```

```
a {
  display: block;
  text-decoration: none;
  color: var(--text);
  font-size: 2.4rem;
  font-weight: 900;
  padding-inline: 0.6rem;
  padding-block: 0.6rem;
}
```

```
.logo.primary {
  color: var(--text-primary);
}
```

```
.logo.secondary {
  color: var(--text-secondary);
}
```

```
@media screen and (max-width: 1030px) {
  .logo.body {
    display: none;
  }
}
```

```
.logo{
  transition: background-color 0.2s ease-out;
```

```
};
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Logo\Logo.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Logo\Logo.jsx" &
echo.. )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Logo\Logo.jsx
import "./Logo.css";
```

```
export default () => {
  return (
    <>
      <span className="logo primary">
        <span className="logo initial">T</span>
        <span className="logo body">o</span>
      </span>
      <span className="logo secondary">
        <span className="logo initial">D</span>
        <span className="logo body">o</span>
      </span>
    </>
  );
};
.
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Menu\Menu.css &
type "D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Menu\Menu.css"
& echo.. )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Menu\Menu.css
```

```
.menu-list {
  display: flex;
  align-items: center;
  justify-content: center;
```

```
}
```

```
@media screen and (min-width: 1616px) {
```

```
  .menu-list {
```

```
    margin-inline-start: 6rem;
```

```
  }
```

```
}
```

```
.menu-list button {
```

```
  outline: none;
```

```
  border: none;
```

```
  padding-inline: 0.8rem;
```

```
  padding-block: 0.8rem;
```

```
  border-radius: 1rem;
```

```
  background-color: var(--input-bg);
```

```
  font-size: 1.2rem;
```

```
  font-weight: 900;
```

```
}
```

```
.menu-list button:hover {
```

```
  cursor: pointer;
```

```
}
```

```
.menu-list .login-btn {
```

```
  background-color: var(--text-primary-super-light);
```

```
  border: 0.2rem solid var(--text-primary);
```

```
  color: var(--text-primary);
```

```
}
```

```
.menu-list .register-btn {
```

```
  background-color: var(--text-primary-super-light);
```

```
  border: 0.2rem solid var(--text-secondary);
```



```
color: var(--text-secondary);
}
```

```
.menu-list{
  border-radius: 1rem;
  padding-inline: 1rem;
  transition: background-color 0.2s ease-out;
}
```

```
.menu-list:hover {
  background-color: var(--primary-light);
  transition: background-color 0.2s ease-out;
}.
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Menu\Menu.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Menu\Menu.jsx" &
echo.. )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Menu\Menu.jsx
```

```
import { Link } from "react-router-dom";
```

```
import "../Menu.css";
```

```
import Profile from "../Profile/Profile";
```

```
export default (props) => {
```

```
  return (
```

```
    <div className="menu-list">
```

```
      {!props.auth.currentUser ? (
```

```
        <>
```

```
          <Link to="/login">
```

```
            <button className="login-btn">LogIn</button>
```

```
          </Link>
```

```
          <Link to="/register">
```

```
            <button className="register-btn">Register</button>
```

```

        </Link>
      </>
    ) : (
      <>
        <Profile auth={props.auth}/>
      </>
    )}
  </div>
);
};
.

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Navbar\Navbar.css &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Navbar\Navbar.css"
& echo... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Navbar\Navbar.css

```

```

nav {
  background-color: var(--primary);
}

```

```

ul {
  display: flex;
  justify-content: space-between;
  align-items: center;
  list-style: none;
  gap: 2rem;
}

```

```

li {
  padding-block: 0.5rem;
}

```

```
padding-inline: 0.5rem;
}
```

```
.nav-list.logo.item:hover {
  background-color: var(--primary-light);
  transition: background-color 0.2s ease-out;
}
..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Navbar\Navbar.jsx &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Navbar\Navbar.jsx" &
echo... )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Navbar\Navbar.jsx
import { Link } from "react-router-dom";
```

```
import Logo from "../Logo/Logo.jsx";
import "../Navbar.css";
import Menu from "../Menu/Menu.jsx";
```

```
export default (props) => {
  return (
    <nav>
      <ul>
        <li className="nav-list logo item">
          <Link to="/">
            <Logo />
          </Link>
        </li>
        <li className="nav-list menu item">
          <Menu
            cart={props.cart}
          />
        </li>
      </ul>
    </nav>
  );
}
```

```

        toggleCartShown={props.toggleCartShown}
        currentUser={props.currentUser}
        changeCurrentUser={props.changeCurrentUser}
        auth = {props.auth}
      />
    </li>
  </ul>
</nav>
);
};
..

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Profile\Profile.css &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Profile\Profile.css" &
echo... )

```

```

File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Profile\Profile.css

```

```

.profile button{
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  border: 0.2rem solid var(--text-primary) !important;
  background-color: var(--text-primary-super-light) !important;
  padding-inline: 0.8rem;
  padding-block: 0.8rem;
  border-radius: 1rem;
  font-size: 1.2rem;
  font-weight: 900;
}

```

```

.profile i {

```

```
font-size: 1.5rem;
}
```

```
.profile span {
  line-height: 1rem;
  font-size: 1rem;
  font-weight: 700;
}..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Profile\Profile.jsx &
type "D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Profile\Profile.jsx"
& echo... )
```

```
File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\components\Profile\Profile.jsx
```

```
import { useNavigate } from "react-router-dom";
```

```
import { signOut } from "firebase/auth";
```

```
import "./Profile.css";
```

```
export default (props) => {
  const navigate = useNavigate();
  async function logout() {
    try {
      await signOut(props.auth);
      alert("User signed out successfully");
      navigate("/");
    } catch (error) {
      console.error("Error signing out:", error.message);
    }
  }
  return (
    <>
      <div className="profile">
        <button onClick={logout}>
```

```

        <i className="fa-solid fa-circle-user"></i>
        <span>{props.auth.currentUser?props.auth.currentUser.displayName:""}</span>
    </button>
</div>
</>
);
};
..

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoadingPage>LoadingPage.c
ss & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoadingPage>LoadingPage.c
ss" & echo... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoadingPage>LoadingPage.c
ss

```

```

.loading-wrapper{
  display: flex;
  height: 100vh;
  justify-content: center;
  align-items: center;
}

```

```

.loading{
  background-color: var(--item-bg);
  padding-inline: 5rem;
  padding-block: 5rem;
  border-radius: 2rem;
}

```

```

.loading h1{
  color: var(--text-primary);
  font-weight: 900;
}

```

```
font-size: 2rem;
}..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoadingPage\LoagingPage.js
x & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoadingPage\LoagingPage.j
sx" & echo... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoadingPage\LoagingPage.js
x
```

```
import "./LoadingPage.css"
```

```
export default () => {
  return (
    <>
    <div className="loading-wrapper">
      <div className="loading">
        <h1>Loading...</h1>
      </div>
    </div>
    </>
  );
};
..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoginPage>LoginPage.css &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoginPage>LoginPage.css"
& echo... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages>LoginPage>LoginPage.css
```

```
.login-page {
  display: flex;
  justify-content: center;
```

```
align-items: center;
height: 80vh;
}
```

```
.login-page .login-container {
background-color: var(--item-bg);
padding-inline: 10rem;
padding-block: 5rem;
border-radius: 2rem;
display: flex;
flex-direction: column;
gap: 1rem;
}
```

```
.login-page .login-container form {
display: flex;
flex-direction: column;
gap: 1rem;
}
```

```
.login-page .login-container fieldset {
background-color: var(--input-bg);
padding-block-end: 0.8rem;
padding-block-start: 0.3rem;
padding-inline: 0.8rem;
font-size: 1rem;
font-weight: 700;
transition: all 0.2s ease-out;
}
```

```
.login-page .login-container fieldset:focus-within {
color: var(--text-secondary);
border: 2px solid var(--text-secondary);
}
```



```
    transition: all 0.2s ease-in;
}
```

```
.login-page .login-container fieldset input {
    outline: none;
    border: none;
    background-color: var(--input-bg);
    font-size: 1.5rem;
    transition: all 0.2s ease-in;
}
```

```
.login-page .login-container fieldset input::placeholder {
    transition: all 0.2s ease-in;
}
```

```
.login-page .login-container fieldset input:focus::placeholder {
    transition: all 0.2s ease-out;
    color: var(--input-bg);
}
```

```
.login-page .login-container button {
    margin-block-start: 1.5rem;
    background-color: var(--text-secondary);
    outline: none;
    border: 1px solid var(--text-secondary-dark);
    border-radius: 1rem;
    padding-block: 1rem;
    color: var(--text-secondary-dark);
    font-size: 1.2rem;
    font-weight: 800;
}
```

```
.login-page .login-container button:hover {
    background-color: var(--text-secondary-active);
}
```

```
    cursor: pointer;
  }..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\LoginPage\LoginPage.jsx &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\LoginPage\LoginPage.jsx"
& echo... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\LoginPage\LoginPage.jsx
```

```
import { useOutletContext } from "react-router-dom";
import "./LoginPage.css";
import { useNavigate } from "react-router-dom";
import { signInWithEmailAndPassword } from "firebase/auth";

export default () => {
  const props = useOutletContext();
  const navigate = useNavigate();
  async function login(credentials) {
    const passHash = await props.hashGen(credentials.get("pass"));
    try {
      const userCredential = await signInWithEmailAndPassword(
        props.auth,
        credentials.get("email"),
        passHash,
      );
      console.log("Logged in:", userCredential.user);
      alert("You have sucessfully LogedIn!");
      navigate("/");
    } catch (error) {
      alert(error.message);
    }
  }
}
```

```

return (
    <>
    <div className="login-page">
        <div className="login-container">
            <form action={login}>
                <fieldset>
                    <legend>Email</legend>
                    <input type="text" placeholder="Email" name="email" />
                </fieldset>
                <fieldset>
                    <legend>Password</legend>
                    <input type="password" placeholder="Password" name="pass" />
                </fieldset>
                <button>Login</button>
            </form>
        </div>
    </div>
    </>
);
};
..

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\MainPage\MainPage.css &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\MainPage\MainPage.css" &
echo... )

```

```

File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\MainPage\MainPage.css
.wrapper-wrapper {
    display: flex;
    justify-content: center;
}
.wrapper {

```

```

    max-width: 80rem;
  }
  @media screen and (max-width: 820px) {
    .wrapper {
      max-width: 100vw;
    }
  }
  ..

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\MainPage\MainPage.jsx &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\MainPage\MainPage.jsx" &
echo... )

```

```

File: D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\MainPage\MainPage.jsx

```

```

import { Outlet } from "react-router-dom";
import { useState, useEffect } from "react";
import { onAuthStateChanged } from "firebase/auth";
import { collection } from "firebase/firestore";

import { auth, store } from "../firebase.js";
import Navbar from "../components/Navbar/Navbar.jsx";
import "../MainPage.css";
import LoadingPage from "../LoadingPage/LoadingPage.jsx";

```

```

export default (props) => {
  async function hashGen(pass) {
    return Array.from(
      new Uint8Array(
        await crypto.subtle.digest("SHA-256", new TextEncoder().encode(pass)),
      ),
    )
    .map((b) => b.toString(16).padStart(2, "0"))
  }

```

```

    .join("");
}
function getTaskCollectionRef() {
  const user = auth.currentUser;
  if (!user) throw new Error("User not authenticated");
  return collection(store, "users", user.uid, "tasks");
};

```

```

const [user, setUser] = useState(null);
const [loading, setLoading] = useState(true);
useEffect(() => {
  const unsubscribe = onAuthStateChanged(auth, (currentUser) => {
    setUser(currentUser);
    setLoading(false);
  });
});

```

```

return () => unsubscribe();
}, []);
if (loading) return <LoadingPage />;
return (
  <>
    <header>
      <Navbar auth={auth} user={user} />
    </header>
    <main className="wrapper-wrapper">
      <div className="wrapper">
        <Outlet
          context={{
            hashGen: hashGen,
            auth: auth,
            user: user,
            getTaskCollectionRef: getTaskCollectionRef,

```

```

        store: store,
      }}
    />
  </div>
</main>
</>
);
};
..

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\NotFoundPage\NotFoundPage.css & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\NotFoundPage\NotFoundPage.css" & echo... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\NotFoundPage\NotFoundPage.css

```

```

.not-found-wrapper{
  display: flex;
  height: 100vh;
  justify-content: center;
  align-items: center;
}

```

```

.not-found{
  background-color: var(--item-bg);
  padding-inline: 10rem;
  padding-block: 10rem;
  border-radius: 2rem;
  display: flex;
  justify-content: center;
  flex-direction: column;
  align-items: center;
}

```

```
gap: 1rem;
border: 6px solid var(--text-primary);
}
```

```
.not-found h1{
  color: var(--text-primary);
  font-weight: 900;
  font-size: 4rem;
}
```

```
.not-found a {
  border: 4px solid var(--text-secondary);
  color: var(--text-secondary);
  border-radius: 1rem;
  background-color: var(--text-primary-super-light);
}..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\NotFoundPage\NotFoundPage.jsx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\NotFoundPage\NotFoundPage.jsx" & echo... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\NotFoundPage\NotFoundPage.jsx
```

```
import { Link } from "react-router-dom";
```

```
import "./NotFoundPage.css"
```

```
export default () => {
  return (
    <>
      <div className="not-found-wrapper">
        <div className="not-found">
```

```

        <h1>Error 404</h1>
        <Link to="/">Home</Link>
    </div>
</div>
</>
);
};
..

```

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\RegisterPage\RegisterPage.c
ss & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\RegisterPage\RegisterPage.
css" & echo... )

```

```

File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\RegisterPage\RegisterPage.c
ss

```

```

.register-page {
    display: flex;
    justify-content: center;
    align-items: center;
    height: 80vh;
}

.register-page .register-container {
    background-color: var(--item-bg);
    padding-inline: 10rem;
    padding-block: 5rem;
    border-radius: 2rem;
    display: flex;
    flex-direction: column;
    gap: 1rem;
}

.register-page .register-container form {

```



```
display: flex;
flex-direction: column;
gap: 1rem;
}
```

```
.register-page .register-container fieldset {
  background-color: var(--input-bg);
  padding-block-end: 0.8rem;
  padding-block-start: 0.3rem;
  padding-inline: 0.8rem;
  font-size: 1rem;
  font-weight: 700;
  transition: all 0.2s ease-out;
}
```

```
.register-page .register-container fieldset:focus-within {
  color: var(--text-secondary);
  border: 2px solid var(--text-secondary);
  transition: all 0.2s ease-in;
}
```

```
.register-page .register-container fieldset input {
  outline: none;
  border: none;
  background-color: var(--input-bg);
  font-size: 1.5rem;
  transition: all 0.2s ease-in;
}
```

```
.register-page .register-container fieldset input::placeholder {
  transition: all 0.2s ease-in;
}
```

```
.register-page .register-container fieldset input:focus::placeholder {
```

```
transition: all 0.2s ease-out;
color: var(--input-bg);
}
```

```
.register-page .register-container button {
margin-block-start: 1.5rem;
background-color: var(--text-secondary);
outline: none;
border: 1px solid var(--text-secondary-dark);
border-radius: 1rem;
padding-block: 1rem;
color: var(--text-secondary-dark);
font-size: 1.2rem;
font-weight: 800;
}
```

```
.register-page .register-container button:hover {
background-color: var(--text-secondary-active);
cursor: pointer;
}..
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\RegisterPage\RegisterPage.j
sx & type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\RegisterPage\RegisterPage.j
sx" & echo.... )
```

```
File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\RegisterPage\RegisterPage.j
sx
```

```
import { useOutletContext } from "react-router-dom";
import "../RegisterPage.css";
import { useNavigate } from "react-router-dom";
import {
  createUserWithEmailAndPassword,
```

```
    signOut,
    updateProfile,
  } from "firebase/auth";
import { setDoc, doc } from "firebase/firestore";
import { useEffect } from "react";

export default () => {
  const props = useOutletContext();
  const navigate = useNavigate();
  async function register(userData) {
    const passHash = await props.hashGen(userData.get("pass"));
    try {
      const firebaseUser = await createUserWithEmailAndPassword(
        props.auth,
        userData.get("email"),
        passHash,
      );
      await updateProfile(firebaseUser.user, {
        displayName: userData.get("name"),
      });
      const userRef = doc(props.store, "users", firebaseUser.user.uid);
      await setDoc(
        userRef,
        { name: firebaseUser.user.displayName },
        { merge: true },
      );
      // alert("User successfully Registered, please Login!");
      console.log("Saved User to database: ", firebaseUser.user);
      await signOut(props.auth);
      alert("User successfully Registered, please Login!");
      navigate("/login");
    } catch (error) {
```

```

        console.error("Error during registration:", error);
        alert(error.message);
    }
}
return (
    <>
    <div className="register-page">
        <div className="register-container">
            <form action={register}>
                <fieldset>
                    <legend>Username</legend>
                    <input type="text" placeholder="Username" name="name" />
                </fieldset>
                <fieldset>
                    <legend>Email</legend>
                    <input type="email" placeholder="Email" name="email" />
                </fieldset>
                <fieldset>
                    <legend>Password</legend>
                    <input type="password" placeholder="Password" name="pass" />
                </fieldset>
                <button>Register</button>
            </form>
        </div>
    </div>
    </>
);
};
...

```

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
 D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\ToDoPage\ToDoPage.css &

```
type  
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\ToDoPage\ToDoPage.css"  
& echo.... )
```

File:

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\ToDoPage\ToDoPage.css

```
.to-do-wrapper {  
  display: flex;  
  justify-content: center;  
  max-width: 100rem;  
}  
.to-do-container {  
}  
.to-do-container form {  
}  
.to-do-container input {  
  outline: none;  
  border: none;  
  margin-block-start: 5rem;  
  padding-inline: 1rem;  
  padding-block: 1rem;  
  border-radius: 1rem;  
  font-size: 2rem;  
  background-color: var(--input-bg);  
  border: 2px solid var(--border);  
}  
.to-do-container button {  
  margin-inline-start: 1rem;  
  padding-inline: 1rem;  
  padding-block: 1rem;  
  border-radius: 1rem;  
  font-size: 2rem;  
  outline: none;  
  border: none;
```

```
font-weight: 700;
border: 2px solid var(--border);
}
.to-do-list {
display: flex;
flex-direction: column;
margin-block-start: 1rem;
padding-inline: 5rem;
padding-block: 3rem;
background-color: var(--item-bg);
border-radius: 2rem;
width: 100%;
border: 2px solid var(--border);
}
.to-do-list button{
background-color: var(--primary);
display: flex;
align-items: center;
justify-content: space-between;
width: 20rem;
font-size: 1.5rem;
}

.completed {
}

...
```

```
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src>(echo File:
D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\ToDoPage\ToDoPage.jsx &
type
"D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\ToDoPage\ToDoPage.jsx"
& echo.... )
```

File:

D:\Life\UPES\Sem4\Frontend\WebPages\ToDo\src\pages\ToDoPage\ToDoPage.jsx

```
import { useNavigate } from "react-router-dom";
import { useEffect } from "react";
import { useOutletContext } from "react-router-dom";
import "./ToDoPage.css";
import { useState } from "react";
import {
  onSnapshot,
  orderBy,
  query,
  addDoc,
  doc,
  updateDoc,
  deleteDoc,
} from "firebase/firestore";

export default () => {
  const navigate = useNavigate();
  const props = useOutletContext();
  const [tasks, setTasks] = useState([]);

  useEffect(() => {
    if (!props.user) {
      navigate("/login");
    }
  }, [props.user]);

  useEffect(() => {
    let unsubscribe = () => {}; // Initialize as a dummy function

    if (props.user) {
      const q = query(
```

```

    props.getTaskCollectionRef(),
    orderBy("createdAt", "desc"),
  );
  unsubscribe = onSnapshot(
    q,
    (snapshot) => {
      const items = snapshot.docs.map((doc) => ({
        id: doc.id,
        ...doc.data(),
      }));
      setTasks(items);
    },
    (error) => {
      console.error("Snapshot error:", error);
    },
  );
}

return () => unsubscribe(); // This will always be a function, preventing errors
}, [props.user]);
async function addTask(formData) {
  try {
    const colRef = props.getTaskCollectionRef();
    await addDoc(colRef, {
      text: formData.get("task"),
      completed: false,
      createdAt: new Date(),
    });
  } catch (error) {
    console.error("Error adding task:", error);
  }
}
}

```



```

async function completeTask(completeTask) {
  const completedTasks = tasks.filter((task) => {
    return task.text === completeTask;
  });
  completedTasks.map(async (task) => {
    try {
      // Specific path: users/[UID]/tasks/[TASK_ID]
      const taskRef = doc(
        props.store,
        "users",
        props.user.uid,
        "tasks",
        task.id,
      );

      await updateDoc(taskRef, {
        completed: !task.completed,
      });
    } catch (error) {
      console.error("Error updating task:", error);
    }
  });
}

async function deleteTask(deleteTask) {
  const deletedTasks = tasks.filter((task) => {
    return task.text === deleteTask;
  });
  deletedTasks.map(async (task) => {
    try {
      // Specific path: users/[UID]/tasks/[TASK_ID]
      const taskRef = doc(

```

```

    props.store,
    "users",
    props.user.uid,
    "tasks",
    task.id,
  );

  await deleteDoc(taskRef);
} catch (error) {
  console.error("Error deleting task:", error);
}
});
}

return (
  <>
    <div className="to-do-wrapper">
      <div className="to-do-container">
        <form action={addTask}>
          <input type="text" name="task" />
          <button>Add</button>
        </form>
        <ul className="to-do-list">
          {tasks.map((task, index) => {
            return (
              <button
                key={index}
                className="task-btn"
                onClick={() => {
                  deleteTask(task.text);
                }}
              >

```

```
<li
  key={index}
  className={"task " + (task.completed ? "completed" : "")}
>
  {task.text}
</li>
<i class="fa-solid fa-trash"></i>
</button>

);
}}
</ul>
</div>
</div>
</>

);
};
...
```

Output:

TD


Nothinormuch

Add

Cook Breakfast

Workout

Assignment

