

Event		
event_id 🔗	INT	
series_id 🔗	INT	NN
event_name	VARCHAR(100)	NN
event_date	DATE	NN
location	VARCHAR(100)	
city	VARCHAR(100)	
state	VARCHAR(50)	

Series		
series_id 🔗	INT	
series_name	VARCHAR(100)	NN
series_desc	VARCHAR(255)	

Results		
result_id 🔗	INT	
racer_id 🔗	INT	NN
event_id 🔗	INT	NN
class_id 🔗	INT	NN
place	VARCHAR(10)	
place_numeric	INT	
laps	INT	
finish_time	VARCHAR(20)	
points_earned	INT	
brand	VARCHAR(50)	
number	VARCHAR(20)	

Class		
class_id 🔗	INT	
class_name	VARCHAR(100)	NN
class_class	VARCHAR(100)	

Racer		
racer_id 🔗	INT	
racer_name	VARCHAR(100)	NN
racer_number	VARCHAR(20)	
racer_city	VARCHAR(100)	
racer_state	VARCHAR(50)	
racer_bike	VARCHAR(50)	

Event	
event_id 🔗	INT
series_id 🔗	INT NN
event_name	VARCHAR(100) NN
event_date	DATE NN
location	VARCHAR(100)
city	VARCHAR(100)
state	VARCHAR(50)

Series	
series_id 🔗	INT
series_name	VARCHAR(100) NN
series_desc	VARCHAR(255)

Results	
result_id 🔗	INT
racer_id 🔗	INT NN
event_id 🔗	INT NN
class_id 🔗	INT NN
place	VARCHAR(10)
place_numeric	INT
laps	INT
finish_time	VARCHAR(20)
points_earned	INT
brand	VARCHAR(50)
number	VARCHAR(20)

Class	
class_id 🔗	INT
class_name	VARCHAR(100) NN
class_class	VARCHAR(100)

Racer	
racer_id 🔗	INT
racer_name	VARCHAR(100) NN
racer_number	VARCHAR(20)
racer_city	VARCHAR(100)
racer_state	VARCHAR(50)
racer_bike	VARCHAR(50)

1

*

*

1

*

*

1