

# 4.1: Bridges

- We know what it means for a graph to be connected.
- But some graphs are "more connected" than others



Taking out any single edge keeps the graph connected.




#### **Definition**

An edge e = uv of a graph G is a <u>bridge</u> of G (also called a <u>cutedge</u> of G) if G - e contains one more component than G.

If G is connected, then G-e is not.

**Question.** If G is connected, is there a limit to the number of components G - e can contain?



2/5

### Theorem

An edge e of a connected graph G is a bridge if and only if e does not lie on a cycle in G.

What two statements need to be proved? Write both the statements and their contrapositive.

Rewrite:  $\forall$  connected graphs G, (efE(G) is a bridge)  $\iff$  (e does not lie on a cycle in G)

Let G be a connected graph. define


- (⇒) If e ∈ E(G) is a bridge, then e does not lie on a cycle in G. or : If e lies in a cycle in G, then e is not a bridge.
- (€) If e does not lie on a cycle in G, then e is a bridge. or: If e is not a bridge, then e lies on a cycle in G.

MATH 3322 3/5


# The plan

### Let G be a connected graph.

• If e = uv lies on a cycle, then uv is not a bridge.



• If e = uv is not a bridge, then uv lies on a cycle.



#### **Theorem**

An edge e of a connected graph G is a bridge if and only if e does not lie on a cycle in G.

### Proof.

Let G be a connected graph, and e = uv an edge in G. ( $\Leftarrow$ ) Suppose first that uv is not a bridge in G. Then G - uv is

- ( $\Leftarrow$ ) Suppose first that uv is not a bridge in G. Then G uv is connected. Let P be a path between u and v in G uv. Now P together with uv forms a cycle in G, so uv lies on a cycle.
- ( $\Rightarrow$ ) Now suppose uv lies on a cycle C. Thus in C, there is a path P joining u to v that avoids uv. It suffices to show that G uv is connected. Let x and y be arbitrary vertices in G. Since G is connected, there is a path Q from x to y. If Q does not contain uv, then Q is also a path in G uv, and x and y are connected. If Q does contain uv, then replace uv in Q with the path P from u to v. Now this is a walk in G uv from x to y, and again x and y are connected. Since x and y were arbitrary, G uv is connected and uv is not a bridge in G.

MATH 3322 Section 4.1 5/5