# 1 End-to-End Development Workflow — Combined User Stories

Below are all user stories from the chapters, reorganized into a single, execution-ready workflow.

## 1.1 Additional Stories

## CI-1 — Getting Started

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Establish shared understanding of CI, fast feedback, and “keep main green” to reduce integration risk |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | developer on a new repo |
| **Dependencies** | Build tooling, unit test framework |
| **Assumptions / Risks** | If build toolchain differs locally vs CI, setup time may expand; risk of flaky initial test |

**Story** *As a developer on a new repo, I want to Getting Started so that Establish shared understanding of CI, fast feedback, and “keep main green” to reduce integration risk.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Initialize repo with build tool (`npm/mvn/gradle`) and a `hello_world` unit test.
- ☐ ☐Create `ci.yml` with triggers on `push/pull_request` to `main`.
- ☐ ☐Add steps: checkout, setup toolchain, install deps, build, run tests, upload test report.
- ☐ ☐Enable required status checks on `main`; protect branch with fast-forward or merge queue.
- ☐ ☐Add CI badge to `README.md`; document “keep main green” policy.

## CI-2 — Introducing CI

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Codify team habits (frequent commits, fix red builds) to increase flow efficiency |
| **Priority / Estimate** | Priority: Must · SP: 2 |
| **Persona** | team contributor |
| **Dependencies** | Branch protection supported in VCS |
| **Assumptions / Risks** | Cultural adoption risk; enforce via required checks and stop-the-line policy |

**Story** *As a team contributor, I want to Introducing CI so that Codify team habits (frequent commits, fix red builds) to increase flow efficiency.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Define commit/PR guidelines (small PRs, issue links, naming).
- ☐ ☐Configure required reviews and required CI checks for `main`.
- ☐ ☐Add CODEOWNERS for critical paths; auto-request reviewers.
- ☐ ☐Create an on-call rotation to “stop the line” on red builds; document SLA.
- ☐ ☐Add PR template with checklist (tests, docs, security notes).

## CI-3 — Reducing Risks Using CI

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Artifacting and visible quality metrics reduce late defects and deployment surprises |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | release engineer |
| **Dependencies** | Artifact storage and coverage tooling |
| **Assumptions / Risks** | Coverage thresholds may fail initially; iterate thresholds upward |

**Story** *As a release engineer, I want to Reducing Risks Using CI so that Artifacting and visible quality metrics reduce late defects and deployment surprises.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Publish build artifacts (packages/bundles) to artifact store; retain for 30 days.
- ☐ ☐Generate coverage report; upload as artifact and comment summary on PR.
- ☐ ☐Add static analysis (lint/type-check) and fail on error.
- ☐ ☐Gate merges with a minimum coverage threshold; start low, ratchet weekly.
- ☐ ☐Produce a build manifest (commit, version, artifact SHA) and attach to job summary.

## CI-4 — Build at Every Change

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Fast, repeatable builds shorten feedback loops and improve developer throughput |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | build engineer |
| **Dependencies** | Cache support, job matrix |
| **Assumptions / Risks** | SLA breach risk if dependencies uncached; add caching and stage split |

**Story** *As a build engineer, I want to Build at Every Change so that Fast, repeatable builds shorten feedback loops and improve developer throughput.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add dependency cache with robust keys and restore-keys.
- ☐ ☐Split jobs (lint, unit, build) to run in parallel.
- ☐ ☐Add language/runtime matrix (e.g., Node LTS-1, LTS, latest).
- ☐ ☐Set max commit-stage duration target (e.g., $\leq$ 10 minutes); alert on regressions.
- ☐ ☐Capture build scan/timing metrics; post to job summary.

## CI-5 — Continuous Database Integration

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Versioned migrations prevent schema drift and enable safe evolution |
| **Priority / Estimate** | Priority: Must SP: 5 |
| **Persona** | backend developer |
| **Dependencies** | DB service in CI, migration tool |
| **Assumptions / Risks** | Migration ordering conflicts; use sandbox DB and rollback scripts |

**Story** *As a backend developer, I want to Continuous Database Integration so that Versioned migrations prevent schema drift and enable safe evolution.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add migration tool (`Flyway/Liquibase/Prisma`) to repo.
- ☐ ☐Provision ephemeral CI database service; apply clean schema on each run.
- ☐ ☐Implement forward migration and matching rollback script.
- ☐ ☐Seed minimal test data; run DB tests after migrations.
- ☐ ☐Upload migration logs and DB schema diff as artifacts.

## CI-6 — Continuous Testing

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Layered tests (unit→component→system) increase confidence with speed |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | QA engineer |
| **Dependencies** | Test categorization, runners |
| **Assumptions / Risks** | Flaky tests create noise; quarantine and deflake policy |

**Story** *As a QA engineer, I want to Continuous Testing so that Layered tests (unit→component→system) increase confidence with speed.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Tag tests by layer (`@unit`, `@component`, `@system`); wire selective runners.
- ☐ ☐Run unit tests on every push; run slower suites on PR or schedule.
- ☐ ☐Fail fast on test flakiness; auto-quarantine and create issue.
- ☐ ☐Collect JUnit/HTML reports and screenshots/videos for failures.
- ☐ ☐Track pass rate and flake rate trends in job summaries.

## CI-7 — Continuous Inspection

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Automated inspection (lint, SAST, coverage) raises baseline quality |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | security champion |
| **Dependencies** | Linters, SAST scanner |
| **Assumptions / Risks** | Initial findings may be high; add waivers and remediation backlog |

**Story** *As a security champion, I want to Continuous Inspection so that Automated inspection (lint, SAST, coverage) raises baseline quality.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add linters/formatters to CI (`eslint`, `black`, `golangci-lint`, etc.).
- ☐ ☐Enable SAST/SCA scans; upload SARIF to code scanning.
- ☐ ☐Establish allowlist/waiver mechanism with expiry dates.
- ☐ ☐Fail on new high/critical issues; summarize in PR.
- ☐ ☐Schedule weekly full scan job; export trend report.

## CI-8 — Continuous Deployment (Intro)

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Versioned packages and rollback scripts de-risk promotions |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | release manager |
| **Dependencies** | Registry access; signing keys |
| **Assumptions / Risks** | Rollback untested; include simulated rollback in staging |

**Story** *As a release manager, I want to Continuous Deployment (Intro) so that Versioned packages and rollback scripts de-risk promotions.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Implement semantic versioning and changelog generation.
- ☐ ☐Sign artifacts/images; push to registry with provenance.
- ☐ ☐Create staging deploy script; add `-rollback` path.
- ☐ ☐Run canary or blue/green simulation in staging; record outcome.
- ☐ ☐Document release/rollback steps in `RELEASE.md`.

### CI-9 — Continuous Feedback

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Visible signals (badges, PR summaries, alerts) accelerate fixing time |
| **Priority / Estimate** | Priority: Should · SP: 2 |
| **Persona** | team lead |
| **Dependencies** | Chat/webhook integration |
| **Assumptions / Risks** | Alert fatigue risk; tune thresholds and channels |

**Story** *As a team lead, I want to Continuous Feedback so that Visible signals (badges, PR summaries, alerts) accelerate fixing time.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

**Tasks**

- ☐ ☐Add CI status/coverage badges to `README.md`.
- ☐ ☐Emit concise job summaries (key metrics, links to artifacts).
- ☐ ☐Integrate notifications to chat with failure-only or noisy-channel rules.
- ☐ ☐Create “First failure owner” routing; page on red builds during business hours.
- ☐ ☐Add post-merge dashboard (lead time, pass rate).

# 2 Continuous Delivery (Humble & Farley) — Part I: Foundations

## CD-1 — The Problem of Delivering Software

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Baseline DORA metrics (lead time, CFR, MTTR) to focus improvement |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | product owner |
| **Dependencies** | Metrics capture in pipeline |
| **Assumptions / Risks** | Metric definitions inconsistent; document glossary and method |

**Story** *As a product owner, I want to The Problem of Delivering Software so that Baseline DORA metrics (lead time, CFR, MTTR) to focus improvement.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Define metric glossary (lead time, CFR, MTTR, deploy frequency).
- ☐ ☐Capture deployment events and commit timestamps in CI/CD.
- ☐ ☐Compute metrics in a scheduled job; publish to dashboard.
- ☐ ☐Add goals and alerts for regressions; include in retro.
- ☐ ☐Document data sources and caveats in `docs/metrics.md`.

## CD-2 — Configuration Management

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Immutable builds & SBOM improve traceability and compliance |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | release engineer |
| **Dependencies** | SBOM tool, artifact store |
| **Assumptions / Risks** | Dependency metadata gaps; pin versions and generate SBOM |

**Story** *As a release engineer, I want to Configuration Management so that Immutable builds & SBOM improve traceability and compliance.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Pin base images and dependencies; lockfiles committed.
- ☐ ☐Generate SBOM (e.g., CycloneDX/SPDX) during build; attach to artifact.
- ☐ ☐Store artifacts immutably with content address (SHA).
- ☐ ☐Verify signatures and SBOM presence in release gate.
- ☐ ☐Record build provenance (builder, inputs) in job summary.

## CD-3 — Continuous Integration (Bridge)

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Align CI policies with CD (small PRs, reviews) to sustain flow |
| **Priority / Estimate** | Priority: Must · SP: 2 |
| **Persona** | tech lead |
| **Dependencies** | Merge rules in VCS |
| **Assumptions / Risks** | Merge queue learning curve; document examples |

**Story** *As a tech lead, I want to Continuous Integration (Bridge) so that Align CI policies with CD (small PRs, reviews) to sustain flow.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Enforce PR size checks (warn on > 400 LOC changed).
- ☐ ☐Require review from codeowners on critical areas.
- ☐ ☐Enable merge queue/linear history; document usage.
- ☐ ☐Add examples of good PRs and review checklist.

### CD-4 — Testing Strategy

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Acceptance tests as specification reduce rework |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | QA lead |
| **Dependencies** | AAT framework, test data |
| **Assumptions / Risks** | Environment instability; use ephemeral envs |

**Story** *As a QA lead, I want to Testing Strategy so that Acceptance tests as specification reduce rework.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Stand up acceptance test framework (e.g., Playwright/Cypress/Behave).
- ☐ ☐Define acceptance criteria as executable specs; tag `@acceptance`.
- ☐ ☐Provision ephemeral test env per PR with seeded data.
- ☐ ☐Capture screenshots/video and HAR on failure.
- ☐ ☐Publish acceptance report and link from job summary.

# 3 Continuous Delivery — Part II: The Deployment Pipeline

## CD-5 — Anatomy of the Deployment Pipeline

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Explicit stages and gates clarify artifact flow and ownership |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | platform engineer |
| **Dependencies** | Pipeline-as-code |
| **Assumptions / Risks** | Diagram-policy drift; keep diagram in-repo |

**Story** *As a platform engineer, I want to Anatomy of the Deployment Pipeline so that Explicit stages and gates clarify artifact flow and ownership.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Model stages (commit → acceptance → NFR → staging).
- ☐ ☐Define promotion gates and required evidence per stage.
- ☐ ☐Generate pipeline diagram and commit to `docs/pipeline.png`.
- ☐ ☐Add ownership and on-call mapping to each stage.
- ☐ ☐Validate artifact handoffs with a dry-run.

## CD-6 — Build & Deployment Scripting

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Idempotent, one-command deploys remove manual error |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | devops engineer |
| **Dependencies** | IaC module, deploy script |
| **Assumptions / Risks** | Hidden manual steps; remove or automate |

**Story** *As a devops engineer, I want to Build & Deployment Scripting so that Idempotent, one-command deploys remove manual error.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create idempotent deploy script (`deploy.sh`/Make target) with `-dry-run`.
- ☐ ☐Externalize config/env via parameters or env files; no secrets in code.
- ☐ ☐Integrate infra provisioning via IaC module; validate plan before apply.
- ☐ ☐Add health checks and post-deploy verification step.
- ☐ ☐Document rollback procedure and test it in staging.

## CD-7 — The Commit Stage

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Sub-10-minute commit stage preserves rapid feedback |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | build engineer |
| **Dependencies** | Caching, parallelization |
| **Assumptions / Risks** | SLA risk; monitor and enforce guardrails |

**Story** *As a build engineer, I want to The Commit Stage so that Sub-10-minute commit stage preserves rapid feedback.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Profile commit stage; identify slowest steps.
- ☐ ☐Parallelize independent tasks; add caching for deps/builds.
- ☐ ☐Defer integration/system tests to later stages.
- ☐ ☐Enforce time budget; fail builds exceeding threshold with guidance.
- ☐ ☐Track median/p95 duration; surface trend.

## CD-8 — Automated Acceptance Testing

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Reliable AAT improves release confidence |
| **Priority / Estimate** | Priority: Should · SP: 5 |
| **Persona** | QA engineer |
| **Dependencies** | Ephemeral env, seed data |
| **Assumptions / Risks** | Flaky env; capture videos/screenshots for triage |

**Story** *As a QA engineer, I want to Automated Acceptance Testing so that Reliable AAT improves release confidence.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Provision ephemeral env per PR with deterministic seed data.
- ☐ ☐Run AAT in parallel shards; retry once on failure with quarantine tag.
- ☐ ☐Collect artifacts (videos, traces); upload for triage.
- ☐ ☐Block promotion on failing critical AAT scenarios.
- ☐ ☐Track AAT pass rate by suite/component.

## CD-9 — Testing Nonfunctional Requirements

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Perf/security smoke gates catch regressions early |
| **Priority / Estimate** | Priority: Should · SP: 5 |
| **Persona** | SRE / Sec Eng |
| **Dependencies** | k6, SCA/SAST |
| **Assumptions / Risks** | False positives; thresholds and baselines required |

**Story** *As a SRE / Sec Eng, I want to Testing Nonfunctional Requirements so that Perf/security smoke gates catch regressions early.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add quick perf smoke (e.g., k6 1–3 min) against staging; alert on % change vs baseline.
- ☐ ☐Run SCA/SAST; fail on new high/critical.
- ☐ ☐Capture latency/throughput/error-rate; publish trend.
- ☐ ☐Define thresholds and suppression policy with expiry.
- ☐ ☐Include dependency vulnerability diff in job summary.

### CD-10 — Deploying and Releasing Applications

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Feature flags and canaries decouple deploy from release |
| **Priority / Estimate** | Priority: Should · SP: 5 |
| **Persona** | release manager |
| **Dependencies** | Flag service |
| **Assumptions / Risks** | Flag debt; add cleanup policy |

**Story** *As a release manager, I want to Deploying and Releasing Applications so that Feature flags and canaries decouple deploy from release.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

**Tasks**

- ☐ ☐Integrate feature flag SDK; default flags off on deploy.
- ☐ ☐Create canary strategy (small % traffic); monitor key metrics.
- ☐ ☐Add progressive rollout workflow with manual approval step.
- ☐ ☐Record flag change events alongside deploy events.
- ☐ ☐Establish flag cleanup SLA; add linter to detect stale flags.

# 4 Continuous Delivery — Part III: The Delivery Ecosystem

## CD-11 — Managing Infrastructure and Environments

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | IaC with parity reduces “works-on-my-machine” failures |
| **Priority / Estimate** | Priority: Must SP: 5 |
| **Persona** | platform engineer |
| **Dependencies** | IaC repo, drift detection |
| **Assumptions / Risks** | Version drift; pin images and modules |

**Story** *As a platform engineer, I want to Managing Infrastructure and Environments so that IaC with parity reduces “works-on-my-machine” failures.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create environment definitions (dev/stage/prod) via IaC modules.
- ☐ ☐Pin base images and module versions; document upgrade path.
- ☐ ☐Enable drift detection; alert on config divergence.
- ☐ ☐Bake golden images; rotate regularly.
- ☐ ☐Add smoke checks per environment; publish status page.

## CD-12 — Managing Data

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Expand/contract enables zero-downtime DB changes |
| **Priority / Estimate** | Priority: Must SP: 5 |
| **Persona** | database engineer |
| **Dependencies** | Migration plan |
| **Assumptions / Risks** | Backward-compat assumptions; test dual-write/dual-read |

**Story** *As a database engineer, I want to Managing Data so that Expand/contract enables zero-downtime DB changes.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Design expand/contract plan; add nullable columns/dual paths.
- ☐ ☐Implement dual-write; monitor divergence.
- ☐ ☐Backfill data safely (batch/ throttled).
- ☐ ☐Switch reads; verify; then contract and remove legacy.
- ☐ ☐Add rollback guardrails and validation queries.

## CD-13 — Managing Components & Dependencies

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Contracts + pinning stabilize integrations |
| **Priority / Estimate** | Priority: Should SP: 5 |
| **Persona** | service owner |
| **Dependencies** | CDC tests, dep scan |
| **Assumptions / Risks** | API breakage; run CDC in PRs |

**Story** *As a service owner, I want to Managing Components & Dependencies so that Contracts + pinning stabilize integrations.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Define API contracts (OpenAPI/AsyncAPI) and publish.
- ☐ ☐Implement consumer-driven contract tests in CI.
- ☐ ☐Pin external service versions/clients; use compat ranges.
- ☐ ☐Enable dep update bot; require CI green + contract pass.
- ☐ ☐Add chaos test for dependency outage fallback.

## CD-14 — Advanced Version Control

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Trunk or short-lived branches scale delivery cadence |
| **Priority / Estimate** | Priority: Should SP: 3 |
| **Persona** | tech lead |
| **Dependencies** | Policy doc |
| **Assumptions / Risks** | Policy drift; include examples & bots |

**Story** *As a tech lead, I want to Advanced Version Control so that Trunk or short-lived branches scale delivery cadence.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Adopt trunk-based policy; enforce short-lived branches (< 2 days).
- ☐ ☐Enable pre-commit hooks (format/lint/test).
- ☐ ☐Configure merge queue and auto-rebase.
- ☐ ☐Provide exemplars of small PRs and review heuristics.

### CD-15 — Managing Continuous Delivery

| | |
|---|---|
| **Epic / Feature** | Continuous Delivery |
| **Business Value** | Automated audit trails satisfy governance/compliance |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | compliance owner |
| **Dependencies** | Change log export |
| **Assumptions / Risks** | Gaps in metadata; enrich job summaries |

**Story** *As a compliance owner, I want to Managing Continuous Delivery so that Automated audit trails satisfy governance/compliance.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

#### Tasks

- ☐ ☐Capture change metadata (who/what/when/why) in job outputs.
- ☐ ☐Export audit log to central store; retain per policy.
- ☐ ☐Generate release notes automatically from commits/PRs.
- ☐ ☐Add compliance checklist to PR template.
- ☐ ☐Schedule periodic audit report generation.

# 5 Learning GitHub Actions (Brent Laster) — Part I: Foundations

## GA-1 — The Basics

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Working CI workflow standardizes contribution checks |
| **Priority / Estimate** | Priority: Must SP: 2 |
| **Persona** | repo maintainer |
| **Dependencies** | ci.yml |
| **Assumptions / Risks** | Badge visibility; README update needed |

**Story** *As a repo maintainer, I want to The Basics so that Working CI workflow standardizes contribution checks.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create `.github/workflows/ci.yml` with checkout, setup, build, test.
- ☐ ☐Add matrix for OS/runtime if relevant.
- ☐ ☐Upload test reports and coverage artifacts.
- ☐ ☐Add build badge to `README.md`; link to Actions tab.

## GA-2 — How Actions Work

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Multi-job workflows with conditionals enable clear stage flow |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | automation engineer |
| **Dependencies** | needs/if usage |
| **Assumptions / Risks** | Over-complex logic; keep expressions simple |

**Story** *As a automation engineer, I want to How Actions Work so that Multi-job workflows with conditionals enable clear stage flow.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create multi-job workflow (lint → test → build).
- ☐ ☐Use `needs:` to express dependencies; add `if:` conditionals for paths/labels.
- ☐ ☐Share artifacts between jobs; consume in downstream steps.
- ☐ ☐Demonstrate manual re-run and `workflow_dispatch`.

## GA-3 — What's in an Action?

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Local composite action reduces duplication across repos |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | tooling engineer |
| **Dependencies** | .github/actions/lint |
| **Assumptions / Risks** | Versioning; tag action revisions |

**Story** *As a tooling engineer, I want to What's in an Action? so that Local composite action reduces duplication across repos.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create `.github/actions/lint/action.yml` composite action.
- ☐ ☐Parameterize inputs (paths, config file).
- ☐ ☐Replace duplicated steps in workflows with the composite action.
- ☐ ☐Tag versions and document usage in `README`.

## GA-4 — Working with Workflows

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Manual dispatch with parameters supports ops tasks |
| **Priority / Estimate** | Priority: Should · SP: 2 |
| **Persona** | ops engineer |
| **Dependencies** | workflow_dispatch |
| **Assumptions / Risks** | Undocumented inputs; README examples required |

**Story** *As a ops engineer, I want to Working with Workflows so that Manual dispatch with parameters supports ops tasks.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add `workflow_dispatch` with typed inputs (env, version).
- ☐ ☐Validate inputs; fail with helpful messages.
- ☐ ☐Document runbook and examples in `README`.
- ☐ ☐Restrict to maintainers with environment protections.

### GA-5 — Runners

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Self-hosted runners unlock custom environments and scale |
| **Priority / Estimate** | Priority: Could · SP: 5 |
| **Persona** | platform engineer |
| **Dependencies** | Runner labels |
| **Assumptions / Risks** | Security posture; isolate and rotate tokens |

**Story** *As a platform engineer, I want to Runners so that Self-hosted runners unlock custom environments and scale.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Provision self-hosted runner VM/container; apply labels.
- ☐ ☐Configure ephemeral runners; auto-scale pool.
- ☐ ☐Lock down network and credentials; rotate tokens.
- ☐ ☐Route heavy jobs to self-hosted via `runs-on: [self-hosted, label]`.
- ☐ ☐Monitor utilization and queue times; auto-scale thresholds.

# 6 GitHub Actions — Part II: Building Blocks

## GA-6 — Managing Workflow Environments

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Protected environments and OIDC harden deployments |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | security champion |
| **Dependencies** | Env rules, OIDC |
| **Assumptions / Risks** | Reviewer fatigue; configure sensible wait timers |

**Story** *As a security champion, I want to Managing Workflow Environments so that Protected environments and OIDC harden deployments.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create environments (staging, prod) with required reviewers and wait timers.
- ☐ ☐Set `permissions: read-all` at top; elevate per job minimally.
- ☐ ☐Configure OIDC trust with cloud provider; remove long-lived secrets.
- ☐ ☐Use `environment:` and `protection_rules` in deploy jobs.

## GA-7 — Managing Data Within Workflows

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Caching & artifacts speed builds and preserve outputs |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | build engineer |
| **Dependencies** | cache/action, artifacts |
| **Assumptions / Risks** | Stale cache; use keys and restore-keys wisely |

**Story** *As a build engineer, I want to Managing Data Within Workflows so that Caching & artifacts speed builds and preserve outputs.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add `actions/cache` with precise keys and restore-keys.
- ☐ ☐Upload key build outputs as artifacts; set retention days.
- ☐ ☐Use `actions/upload-artifact` for logs/reports.
- ☐ ☐Periodically bust caches on lockfile change.

### GA-8 — Managing Workflow Execution

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Matrices & concurrency optimize throughput |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | automation engineer |
| **Dependencies** | matrix, concurrency.group |
| **Assumptions / Risks** | Overlapping runs; group naming convention |

**Story** *As a automation engineer, I want to Managing Workflow Execution so that Matrices & concurrency optimize throughput.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add job matrix (os/runtime/db) with fail-fast disabled when appropriate.
- ☐ ☐Configure `concurrency: group` with `cancel-in-progress: true`.
- ☐ ☐Use `paths`/`paths-ignore` to scope triggers.
- ☐ ☐Surface matrix results in summary table.

# 7 GitHub Actions — Part III: Security and Monitoring

## GA-9 — Actions and Security

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Least-privilege and fork hardening reduce supply-chain risk |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | security champion |
| **Dependencies** | permissions: read-all, policy |
| **Assumptions / Risks** | Breakages due to perms; document elevation steps |

**Story** *As a security champion, I want to Actions and Security so that Least-privilege and fork hardening reduce supply-chain risk.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Set default `permissions: contents: read`; elevate per job.
- ☐ ☐Restrict `pull_request` from forks from accessing secrets; use `pull_request_target` safely if needed.
- ☐ ☐Pin third-party actions by commit SHA; audit monthly.
- ☐ ☐Enable Dependabot security updates for actions and packages.
- ☐ ☐Add policy checks for disallowed actions and secret scanning.

### GA-10 — Monitoring, Logging, and Debugging

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Job summaries improve triage speed and observability |
| **Priority / Estimate** | Priority: Should · SP: 2 |
| **Persona** | dev lead |
| **Dependencies** | summary markdown |
| **Assumptions / Risks** | Noisy logs; link to artifacts and coverage |

**Story** *As a dev lead, I want to Monitoring, Logging, and Debugging so that Job summaries improve triage speed and observability.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

**Tasks**

- ☐ ☐Write concise `{{ github.step_summary }}` markdown (key metrics, links).
- ☐ ☐Enable step-level `if: always()` logs on failure; upload debug bundle.
- ☐ ☐Add `ACTIONS_STEP_DEBUG` toggle via secrets for deep dives.
- ☐ ☐Include permalinks to artifacts, coverage, and failing tests.

# 8 GitHub Actions — Part IV: Advanced Topics

## GA-11 — Creating Custom Actions

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Versioned public action promotes reuse org-wide |
| **Priority / Estimate** | Priority: Could · SP: 5 |
| **Persona** | tooling maintainer |
| **Dependencies** | JS action repo |
| **Assumptions / Risks** | API changes; semantic versioning policy |

**Story** *As a tooling maintainer, I want to Creating Custom Actions so that Versioned public action promotes reuse org-wide.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Scaffold JS action (`action.yml`, `src/`, `dist/`); commit built assets.
- ☐ ☐Add inputs/outputs with validation and error handling.
- ☐ ☐Write unit tests and an example workflow.
- ☐ ☐Publish `v1` tag and release notes; maintain `v1` major tag.
- ☐ ☐Set up automated release via `release-please`/semantic-release.

## GA-12 — Advanced Workflows

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Reusable workflows enforce governance and DRY |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | org admin |
| **Dependencies** | caller workflows |
| **Assumptions / Risks** | Adoption lag; publish examples and starter kits |

**Story** *As a org admin, I want to Advanced Workflows so that Reusable workflows enforce governance and DRY.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Create reusable workflow triggered by `workflow_call` with inputs/secrets.
- ☐ ☐Migrate two repos to use the reusable workflow.
- ☐ ☐Add org-level examples and starter templates.
- ☐ ☐Version reusable workflows; document breaking changes.

## GA-13 — Advanced Workflow Techniques

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Containerized jobs and services enable realistic CI envs |
| **Priority / Estimate** | Priority: Should · SP: 5 |
| **Persona** | integration engineer |
| **Dependencies** | services:, gh CLI |
| **Assumptions / Risks** | Resource limits; right-size service containers |

**Story** *As a integration engineer, I want to Advanced Workflow Techniques so that Containerized jobs and services enable realistic CI envs.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Run job in a container (`container:`) with required tools.
- ☐ ☐Add `services:` (db/cache); wait-for-health before tests.
- ☐ ☐Use `gh` CLI for release/promo tasks; store token via OIDC.
- ☐ ☐Tune resource limits and cleanup steps to avoid leaks.

### GA-14 — Migrating to GitHub Actions

| | |
|---|---|
| **Epic / Feature** | GitHub Actions Platform |
| **Business Value** | Parity migration de-risks CI platform change |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | platform owner |
| **Dependencies** | Parity checklist |
| **Assumptions / Risks** | Hidden gaps; track transformers and exceptions |

**Story** *As a platform owner, I want to Migrating to GitHub Actions so that Parity migration de-risks CI platform change.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

**Tasks**

- ☐ ☐Build a parity checklist (triggers, envs, secrets, artifacts, approvals).
- ☐ ☐Port one pipeline end-to-end; compare outputs/timings.
- ☐ ☐Implement transformers for env variables and workspace semantics.
- ☐ ☐Run dual CI for a sprint; fix gaps; cut over with rollback plan.
- ☐ ☐Document exceptions and future optimizations.

## Capstone & Milestones (Reference)

CI Milestone: fast/complete tiers, layered tests, inspections, DB migrations, artifacts, manual promote + rollback.
CD Milestone: commit → acceptance → NFR → staging, scripted deploys, flags, audit trail.
GHA Milestone: reusable workflows, protected envs, least-privilege defaults, custom action, migration playbook.

## Appendix — Original Chapters

# User Stories by Chapter:
# CI → CD → GitHub Actions

Compiled for Jordan Suber

## Contents

## How This Set Was Built

Each story maps one chapter's *Learning Goals* to a concise user story, uses the chapter's *Hands-on Objective* as the operative behavior, and verifies the published *Outcome*. Stories are intentionally compact (per INVEST) and ready for backlog import. (Source study plan and template referenced externally.)

# 9 Continuous Integration (Duvall, Matyas, Glover)

## CI-1 — Getting Started

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Establish shared understanding of CI, fast feedback, and “keep main green” to reduce integration risk |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | developer on a new repo |
| **Dependencies** | Build tooling, unit test framework |
| **Assumptions / Risks** | If build toolchain differs locally vs CI, setup time may expand; risk of flaky initial test |

**Story** *As a developer on a new repo, I want to Getting Started so that Establish shared understanding of CI, fast feedback, and “keep main green” to reduce integration risk.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Initialize repo with build tool (`npm/mvn/gradle`) and a `hello_world` unit test.
- ☐ ☐Create `ci.yml` with triggers on `push`/`pull_request` to `main`.
- ☐ ☐Add steps: checkout, setup toolchain, install deps, build, run tests, upload test report.
- ☐ ☐Enable required status checks on `main`; protect branch with fast-forward or merge queue.
- ☐ ☐Add CI badge to `README.md`; document “keep main green” policy.

## CI-2 — Introducing CI

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Codify team habits (frequent commits, fix red builds) to increase flow efficiency |
| **Priority / Estimate** | Priority: Must · SP: 2 |
| **Persona** | team contributor |
| **Dependencies** | Branch protection supported in VCS |
| **Assumptions / Risks** | Cultural adoption risk; enforce via required checks and stop-the-line policy |

**Story** *As a team contributor, I want to Introducing CI so that Codify team habits (frequent commits, fix red builds) to increase flow efficiency.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Define commit/PR guidelines (small PRs, issue links, naming).
- ☐ ☐Configure required reviews and required CI checks for `main`.
- ☐ ☐Add CODEOWNERS for critical paths; auto-request reviewers.
- ☐ ☐Create an on-call rotation to “stop the line” on red builds; document SLA.
- ☐ ☐Add PR template with checklist (tests, docs, security notes).

## CI-3 — Reducing Risks Using CI

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Artifacting and visible quality metrics reduce late defects and deployment surprises |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | release engineer |
| **Dependencies** | Artifact storage and coverage tooling |
| **Assumptions / Risks** | Coverage thresholds may fail initially; iterate thresholds upward |

**Story** *As a release engineer, I want to Reducing Risks Using CI so that Artifacting and visible quality metrics reduce late defects and deployment surprises.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Publish build artifacts (packages/bundles) to artifact store; retain for 30 days.
- ☐ ☐Generate coverage report; upload as artifact and comment summary on PR.
- ☐ ☐Add static analysis (lint/type-check) and fail on error.
- ☐ ☐Gate merges with a minimum coverage threshold; start low, ratchet weekly.
- ☐ ☐Produce a build manifest (commit, version, artifact SHA) and attach to job summary.

## CI-4 — Build at Every Change

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Fast, repeatable builds shorten feedback loops and improve developer throughput |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | build engineer |
| **Dependencies** | Cache support, job matrix |
| **Assumptions / Risks** | SLA breach risk if dependencies uncached; add caching and stage split |

**Story** *As a build engineer, I want to Build at Every Change so that Fast, repeatable builds shorten feedback loops and improve developer throughput.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add dependency cache with robust keys and restore-keys.
- ☐ ☐Split jobs (lint, unit, build) to run in parallel.
- ☐ ☐Add language/runtime matrix (e.g., Node LTS-1, LTS, latest).
- ☐ ☐Set max commit-stage duration target (e.g., $\leq$ 10 minutes); alert on regressions.
- ☐ ☐Capture build scan/timing metrics; post to job summary.

## CI-5 — Continuous Database Integration

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Versioned migrations prevent schema drift and enable safe evolution |
| **Priority / Estimate** | Priority: Must SP: 5 |
| **Persona** | backend developer |
| **Dependencies** | DB service in CI, migration tool |
| **Assumptions / Risks** | Migration ordering conflicts; use sandbox DB and rollback scripts |

**Story** *As a backend developer, I want to Continuous Database Integration so that Versioned migrations prevent schema drift and enable safe evolution.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add migration tool (`Flyway/Liquibase/Prisma`) to repo.
- ☐ ☐Provision ephemeral CI database service; apply clean schema on each run.
- ☐ ☐Implement forward migration and matching rollback script.
- ☐ ☐Seed minimal test data; run DB tests after migrations.
- ☐ ☐Upload migration logs and DB schema diff as artifacts.

## CI-6 — Continuous Testing

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Layered tests (unit→component→system) increase confidence with speed |
| **Priority / Estimate** | Priority: Must · SP: 5 |
| **Persona** | QA engineer |
| **Dependencies** | Test categorization, runners |
| **Assumptions / Risks** | Flaky tests create noise; quarantine and deflake policy |

**Story** *As a QA engineer, I want to Continuous Testing so that Layered tests (unit→component→system) increase confidence with speed.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Tag tests by layer (`@unit`, `@component`, `@system`); wire selective runners.
- ☐ ☐Run unit tests on every push; run slower suites on PR or schedule.
- ☐ ☐Fail fast on test flakiness; auto-quarantine and create issue.
- ☐ ☐Collect JUnit/HTML reports and screenshots/videos for failures.
- ☐ ☐Track pass rate and flake rate trends in job summaries.

## CI-7 — Continuous Inspection

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Automated inspection (lint, SAST, coverage) raises baseline quality |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | security champion |
| **Dependencies** | Linters, SAST scanner |
| **Assumptions / Risks** | Initial findings may be high; add waivers and remediation backlog |

**Story** *As a security champion, I want to Continuous Inspection so that Automated inspection (lint, SAST, coverage) raises baseline quality.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add linters/formatters to CI (`eslint`, `black`, `golangci-lint`, etc.).
- ☐ ☐Enable SAST/SCA scans; upload SARIF to code scanning.
- ☐ ☐Establish allowlist/waiver mechanism with expiry dates.
- ☐ ☐Fail on new high/critical issues; summarize in PR.
- ☐ ☐Schedule weekly full scan job; export trend report.

## CI-8 — Continuous Deployment (Intro)

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Versioned packages and rollback scripts de-risk promotions |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | release manager |
| **Dependencies** | Registry access; signing keys |
| **Assumptions / Risks** | Rollback untested; include simulated rollback in staging |

**Story** *As a release manager, I want to Continuous Deployment (Intro) so that Versioned packages and rollback scripts de-risk promotions.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Implement semantic versioning and changelog generation.
- ☐ ☐Sign artifacts/images; push to registry with provenance.
- ☐ ☐Create staging deploy script; add `-rollback` path.
- ☐ ☐Run canary or blue/green simulation in staging; record outcome.
- ☐ ☐Document release/rollback steps in `RELEASE.md`.

### CI-9 — Continuous Feedback

| | |
|---|---|
| **Epic / Feature** | Continuous Integration |
| **Business Value** | Visible signals (badges, PR summaries, alerts) accelerate fixing time |
| **Priority / Estimate** | Priority: Should · SP: 2 |
| **Persona** | team lead |
| **Dependencies** | Chat/webhook integration |
| **Assumptions / Risks** | Alert fatigue risk; tune thresholds and channels |

**Story** *As a team lead, I want to Continuous Feedback so that Visible signals (badges, PR summaries, alerts) accelerate fixing time.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

**Tasks**

- ☐ ☐Add CI status/coverage badges to `README.md`.
- ☐ ☐Emit concise job summaries (key metrics, links to artifacts).
- ☐ ☐Integrate notifications to chat with failure-only or noisy-channel rules.
- ☐ ☐Create “First failure owner” routing; page on red builds during business hours.
- ☐ ☐Add post-merge dashboard (lead time, pass rate).

## Capstone & Milestones (Reference)

CI Milestone: fast/complete tiers, layered tests, inspections, DB migrations, artifacts, manual promote + rollback.
CD Milestone: commit → acceptance → NFR → staging, scripted deploys, flags, audit trail.
GHA Milestone: reusable workflows, protected envs, least-privilege defaults, custom action, migration playbook.

## Tailored User Stories: Emscripten + WebGL2 + WASM

## A1 — Set up Emscripten SDK & CMake

| | |
|---|---|
| **Epic / Feature** | Build Toolchain & Project Scaffolding |
| **Business Value** | Compile C/C++ to WebAssembly reproducibly with one command |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | developer |
| **Dependencies** | emsdk; CMake; shell |
| **Assumptions / Risks** | Version drift across dev/CI; pin SDK |

**Story** *As a developer, I want to Set up Emscripten SDK & CMake so that Compile C/C++ to WebAssembly reproducibly with one command.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Install and activate `emsdk`; pin a known-good version in `README` and CI.
- ☐ ☐Provide `toolchain.cmake`; document `emcmake`/`emmake` usage.
- ☐ ☐Verify `emcc` and `emar` on `PATH`; emit to `build-wasm/`.
- ☐ ☐**AC:** Running `emcmake cmake` then `emmake make -j` emits `.html/.js/.wasm` without errors.

## A2 — Build Profiles (Debug/Release)

| | |
|---|---|
| **Epic / Feature** | Build Toolchain & Project Scaffolding |
| **Business Value** | Switch quickly between fast iteration and optimized output |
| **Priority / Estimate** | Priority: Must · SP: 2 |
| **Persona** | developer |
| **Dependencies** | CMakePresets.json |
| **Assumptions / Risks** | Wrong flags in Release can hurt perf |

**Story** *As a developer, I want to Build Profiles (Debug/Release) so that Switch quickly between fast iteration and optimized output.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Add `CMakePresets.json`: Debug (`-O0 -g -sASSERTIONS=1 -sSAFE_HEAP=1`), Release (`-O3 -flto -sASSERTIONS=0`).
- ☐ ☐Document preset usage in `README`.
- ☐ ☐**AC:** `-DCMAKE_BUILD_TYPE=Debug|Release` toggles symbols/optimizations; Release bundle is smaller.

## B1 — WebGL2 Context Defaults

| | |
|---|---|
| **Epic / Feature** | WebGL2 Context & Canvas |
| **Business Value** | Consistent rendering across browsers |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | player |
| **Dependencies** | WebGL2-enabled browser |
| **Assumptions / Risks** | Context loss without recovery |

**Story** *As a player, I want to WebGL2 Context Defaults so that Consistent rendering across browsers.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Request WebGL2 with sensible attributes (alpha/depth/stencil).
- ☐ ☐Log capabilities; show friendly error UI on failure.
- ☐ ☐Handle context lost/restored events.
- ☐ ☐**AC:** Context is WebGL2; capabilities logged; fallback path documented.

## B2 — Hi-DPI Canvas Resizing

| | |
|---|---|
| **Epic / Feature** | WebGL2 Context & Canvas |
| **Business Value** | Crisp visuals on retina/high-DPR displays |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | player |
| **Dependencies** | Resize listeners |
| **Assumptions / Risks** | Performance drop on resize |

**Story** *As a player, I want to Hi-DPI Canvas Resizing so that Crisp visuals on retina/high-DPR displays.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Listen for resize; set canvas `width/height` using device pixel ratio.
- ☐ ☐Update viewport and projection; preserve aspect ratio.
- ☐ ☐**AC:** Resizing updates viewport/projection; no stretching; FPS stable.

## C1 — Fixed-Step Update, Variable Render

| | |
|---|---|
| **Epic / Feature** | Game Loop & Timing |
| **Business Value** | Deterministic simulation with smooth rendering |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | developer |
| **Dependencies** | rAF/emscripten_set_main_loop |
| **Assumptions / Risks** | Unbounded delta causes instability |

**Story** *As a developer, I want to Fixed-Step Update, Variable Render so that Deterministic simulation with smooth rendering.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Implement 60 Hz accumulator loop with clamped delta and interpolation.
- ☐ ☐Pause on blur; resume on focus; bound time drift.
- ☐ ☐**AC:** Fixed tick drives simulation; rendering interpolates; pause/resume behaves.

## D1 — Unified Input Layer

| | |
|---|---|
| **Epic / Feature** | Input & Focus |
| **Business Value** | Consistent controls across desktop and mobile |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | player |
| **Dependencies** | DOM events; Emscripten input helpers |
| **Assumptions / Risks** | Key repeat noise; gesture ambiguity |

**Story** *As a player, I want to Unified Input Layer so that Consistent controls across desktop and mobile.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Map keyboard, mouse, and touch to the same action set.
- ☐ ☐Debounce key repeats; map common gestures; pause input on blur.
- ☐ ☐**AC:** Repeats debounced; gestures mapped; escape/menu works across devices.

## E1 — Preload Assets

| | |
|---|---|
| **Epic / Feature** | Assets & FS |
| **Business Value** | No “first-frame” misses; deterministic startup |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | developer |
| **Dependencies** | Emscripten `-preload-file` |
| **Assumptions / Risks** | Silent asset failures |

**Story** *As a developer, I want to Preload Assets so that No “first-frame” misses; deterministic startup.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Package textures/shaders/levels with `-preload-file` (or packager).
- ☐ ☐Show loading screen until files are ready; log missing assets clearly.
- ☐ ☐**AC:** Build emits a `.data` (or preloaded files); loading screen hides only when ready.

## E2 — Persist Settings with IDBFS

| | |
|---|---|
| **Epic / Feature** | Assets & FS |
| **Business Value** | Player settings and progress survive reloads |
| **Priority / Estimate** | Priority: Should · SP: 2 |
| **Persona** | player |
| **Dependencies** | IndexedDB available |
| **Assumptions / Risks** | Quota errors; partial writes |

**Story** *As a player, I want to Persist Settings with IDBFS so that Player settings and progress survive reloads.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Persist settings/state; `FS.syncfs` to IndexedDB.
- ☐ ☐Provide reset-to-defaults; show quota errors.
- ☐ ☐**AC:** Data appears in IndexedDB; reload restores state; reset clears storage.

## F1 — Gesture-Gated Audio

| | |
|---|---|
| **Epic / Feature** | Audio |
| **Business Value** | Low-latency audio that complies with browser policies |
| **Priority / Estimate** | Priority: Must SP: 2 |
| **Persona** | player |
| **Dependencies** | WebAudio/SDL |
| **Assumptions / Risks** | Autoplay blocked |

**Story** *As a player, I want to Gesture-Gated Audio so that Low-latency audio that complies with browser policies.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Resume WebAudio context on first click/tap.
- ☐ ☐Add mute/unmute; persist volume via IDBFS.
- ☐ ☐**AC:** First gesture enables audio; mute/volume persist.

## G1 — Optimized Release Profile

| | |
|---|---|
| **Epic / Feature** | Performance |
| **Business Value** | Higher FPS and smaller downloads |
| **Priority / Estimate** | Priority: Should · SP: 3 |
| **Persona** | developer |
| **Dependencies** | wasm-opt; LTO; SIMD where safe |
| **Assumptions / Risks** | Aggressive opts reduce compat |

**Story** *As a developer, I want to Optimized Release Profile so that Higher FPS and smaller downloads.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Use `-O3 -flto -sASSERTIONS=0` and apply `wasm-opt`.
- ☐ ☐Record FPS and bundle size in CI artifacts.
- ☐ ☐**AC:** CI shows size & FPS metrics; profile build has source maps.

## G2 — In-Game FPS Overlay

| | |
|---|---|
| **Epic / Feature** | Performance |
| **Business Value** | Quick perf checks during gameplay |
| **Priority / Estimate** | Priority: Could SP: 2 |
| **Persona** | developer |
| **Dependencies** | HUD toggle |
| **Assumptions / Risks** | Overlay overhead |

**Story** *As a developer, I want to In-Game FPS Overlay so that Quick perf checks during gameplay.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐F3 toggles overlay; show FPS, frame time, draw calls, memory.
- ☐ ☐Keep overhead minimal; update each frame.
- ☐ ☐**AC:** Overlay is accurate and light-weight.

## H1 — PThreads + OffscreenCanvas (Optional)

| | |
|---|---|
| **Epic / Feature** | Multithreading |
| **Business Value** | Move heavy work off the main thread |
| **Priority / Estimate** | Priority: Could SP: 5 |
| **Persona** | developer |
| **Dependencies** | Cross-origin isolation; SAB |
| **Assumptions / Risks** | Fallback path often forgotten |

**Story** *As a developer, I want to PThreads + OffscreenCanvas (Optional) so that Move heavy work off the main thread.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Provide `-sUSE_PTHREADS=1` build with OffscreenCanvas path.
- ☐ ☐Detect `crossOriginIsolated`; fallback to main thread if false.
- ☐ ☐**AC:** Worker mode runs under isolation; documented fallback otherwise.

## H2 — COOP/COEP Headers

| | |
|---|---|
| **Epic / Feature** | Multithreading |
| **Business Value** | Enable SharedArrayBuffer safely |
| **Priority / Estimate** | Priority: Must · SP: 2 |
| **Persona** | DevOps engineer |
| **Dependencies** | Server config |
| **Assumptions / Risks** | Prod headers differ from local |

**Story** *As a DevOps engineer, I want to COOP/COEP Headers so that Enable SharedArrayBuffer safely.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Configure COOP/COEP for local dev and production hosting.
- ☐ ☐Add runtime isolation check and warning UI.
- ☐ ☐**AC:** SAB works under isolation; warning shown if missing.

## I1 — Scores API (Fetch/WebSockets)

| | |
|---|---|
| **Epic / Feature** | Networking |
| **Business Value** | Leaderboards & telemetry without UI lockups |
| **Priority / Estimate** | Priority: Should SP: 3 |
| **Persona** | player |
| **Dependencies** | HTTP endpoint |
| **Assumptions / Risks** | Offline gaps; retry storms |

**Story** *As a player, I want to Scores API (Fetch/WebSockets) so that Leaderboards & telemetry without UI lockups.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Implement fetch wrapper with timeout/retry/backoff; offline queue.
- ☐ ☐**AC:** POST/GET succeed; errors handled; retries/backoff non-blocking.

## J1 — Headless Smoke Tests

| | |
|---|---|
| **Epic / Feature** | Testing & CI/CD |
| **Business Value** | Catch regressions automatically |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | maintainer |
| **Dependencies** | Playwright/Puppeteer |
| **Assumptions / Risks** | Flaky CI env |

**Story** *As a maintainer, I want to Headless Smoke Tests so that Catch regressions automatically.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Launch page headlessly; assert WebGL2 context; step frames; assert FPS threshold in Release.
- ☐ ☐Attach screenshots/videos on failure.
- ☐ ☐**AC:** CI run fails on missing WebGL2/low FPS; artifacts uploaded.

## J2 — Build & Deploy to GitHub Pages

| | |
|---|---|
| **Epic / Feature** | Testing & CI/CD |
| **Business Value** | Frictionless publishing from CI |
| **Priority / Estimate** | Priority: Must · SP: 3 |
| **Persona** | maintainer |
| **Dependencies** | GitHub Actions; Pages |
| **Assumptions / Risks** | Cache misses slow builds |

**Story** *As a maintainer, I want to Build & Deploy to GitHub Pages so that Frictionless publishing from CI.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Cache emsdk/CMake; build Release; upload artifact; deploy on tag; correct public path.
- ☐ ☐**AC:** Tag push publishes Pages; caches used on subsequent builds.

## K1 — CSP & Strict MIME

| | |
|---|---|
| **Epic / Feature** | Security |
| **Business Value** | Mitigate injection and loading risks |
| **Priority / Estimate** | Priority: Must SP: 3 |
| **Persona** | security engineer |
| **Dependencies** | HTTP headers |
| **Assumptions / Risks** | Over-strict CSP blocks assets |

**Story** *As a security engineer, I want to CSP & Strict MIME so that Mitigate injection and loading risks.*

**Non-Functional** Performance Security Reliability Accessibility Privacy i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Define CSP (report-only first); then enforce; ensure `application/wasm` and script MIME; add SRI if applicable.
- ☐ ☐Enable `crossOriginEmbedderPolicy` when threads are used.
- ☐ ☐**AC:** CSP enforced without breaking; correct MIME types served.

## L1 — Onboarding & Troubleshooting Guide

| | |
|---|---|
| **Epic / Feature** | Docs & DX |
| **Business Value** | New contributor builds in $\leq$ 10 minutes |
| **Priority / Estimate** | Priority: Must · SP: 2 |
| **Persona** | new contributor |
| **Dependencies** | Screenshots; links |
| **Assumptions / Risks** | Setup friction stalls adoption |

**Story** *As a new contributor, I want to Onboarding & Troubleshooting Guide so that New contributor builds in $\leq$ 10 minutes.*

**Non-Functional** Performance · Security · Reliability · Accessibility · Privacy · i18n

**Acceptance Criteria (BDD)**

| | |
|---|---|
| **Scenario** | Happy path |
| **Given** | the target repository and pipeline configuration are available |
| **When** | the user completes the *Hands-on Objective* for this chapter |
| **Then** | the stated *Outcome* for this chapter is observable and recorded in the pipeline/job summary |

**Definition of Ready:** Persona clear; AC drafted; Dependencies known; Estimate set. • **Definition of Done:** All ACs pass; Tests green; Security/a11y checks; Docs updated; Deployed/flagged.

### Tasks

- ☐ ☐Write step-by-step: emsdk install, `emcmake` flow, common flags.
- ☐ ☐Include common errors/fixes; link to Emscripten/WebGL2 references.
- ☐ ☐**AC:** Following the guide yields a successful build and run locally.