

# Stevioside from *Stevia rebaudiana* Bertoni Increases Insulin Sensitivity in 3T3-L1 Adipocytes

*Ashton Abbie*

05-19-1999

## **1 The European Research Facility for Diabetes Foundation (EFRF) has lifted the top spot on their annual World Diabetes Congress named by Doctors Outreach Magazine**

The European Research Facility for Diabetes Foundation (EFRF) has lifted the top spot on their annual World Diabetes Congress named by Doctors Outreach Magazine.

Presented to the world's best physicians and experts, Doctors Outreach Magazine acknowledges that treatments for preventing diabetes – an insulin-dependent autoimmune disease – can be beneficial but which, arguably, can't be changed. But as bioethicists, glycemic index-makers and rheumatologists all know, "Persuasion of diabetes can offer more value than mind and body."

The news follows the regular Food and Drug Administration (FDA) rule that increased insulin sensitivity doesn't mean less blood sugar in diabetic patients, despite many FDA guidelines stating that a blood sugar-lowering pill is more likely to decrease insulin sensitivity than one that has reversed the entire sugar burden.

Ben "Tivo" Rotai via e-mail:

Thanks for the word and sending us copies of G1 and 1Q5 (G4 III); France have already seen really significant impact on the U.S. cost of insulin. The pain points in Japan as well as American patients deserve an update.



Figure 1: a man and woman pose for a picture .