# **<u>Lab 4:</u>** Predefined functions

**Due:** 9/18/24

**Problem:** Suppose your math professor asks you to create a program that solves quadratic equations in vertex form, that is,  $\mathbf{a} (\mathbf{x} + \mathbf{h})^2 + \mathbf{k}$  where a, h, and k are three known values.

In order to find the two possible values of x that solve the equation you can use the square root principle as shown below.

$$\mathbf{x} = -\mathbf{h} \pm \sqrt{\mathbf{k}/\mathbf{a}}$$

For example, given  $3(x + 7)^2 = 24$  the values of x that solve the equation are calculated in the following way:

$$x1 = -7 + \sqrt{\frac{24}{3}} = -7 + \sqrt{8}$$
  $x2 = -7 - \sqrt{\frac{24}{3}} = -7 - \sqrt{8}$ 

The values corresponding to  $\mathbf{a}$ ,  $\mathbf{h}$ , and  $\mathbf{k}$  must be **whole** numbers, but the value of  $\mathbf{x}$  must be a **double precision real** number with two decimal digits.

**Your task:** implement in C++ the algorithm solution shown below.

\_\_\_\_\_\_

# Algorithm solution (in pseudocode):

To solve this problem your program must perform the following tasks:

Declares variable name that holds text

Declares variables a, h, k that hold whole numbers

Declares variables x1 and x2 that hold double precision real numbers

Prompts the user to "Please enter your name: "

Reads the name from keyboard and stores it in the corresponding variable

Displays title "Please enter the known terms for the quadratic equation:"

Prompts the user to enter a

Reads the value from the keyboard and stores it in the corresponding variable

Prompts the user to enter h

Reads the value from the keyboard and stores it in the corresponding variable

Prompts the user to enter k

Reads the value from the keyboard and stores it in the corresponding variable

Displays "Thanks ", name

Calculates the first solution using the formula shown in the figure above -h + square root(k/a) and stores it in the corresponding variable

Rounds x1 to the second decimal digit and reassigns it to x1

Calculates the second solution using the formula shown in the figure above -h - square root(k/a) and stores it in the corresponding variable

Rounds x2 to the second decimal digit and reassigns it to x2

Formats the output to display the solutions in fixed format with two decimal digits

Prints a message like the one below:

"The solutions for the equation are:"

<u>Note:</u> ensure your formulas do not use mixed data types by using the static\_cast operator where needed.

The program must compile without errors or warnings.

Open **lab04.cpp** in your IDE and implement the above algorithm (already provided in the source code as comments).

Implement the above algorithm (already provided in the source code as comments). **Your C++ statements MUST be right below EACH step they implement.** 

### Note:

- Do NOT remove or modify the statements that I use to test certain things in your program.
- Pay attention to the input and the output formats. Your solution must behave exactly like mine.
- Carefully analyze the following figure and use it as a reference to ensure you do the right things.

To write your program, review the concepts learned in class (review examples discussed in class) and read the book (analyze the examples in it).

I am posting my solution for your reference. Please observe it and ensure that your program works like mine. First use the values for a, h, and k shown in the example above and check if you get the right results (compare with my solution). If you get an error message on the output, read the comment on the line specified in the message to find out what is wrong. Next, try different values for a, h, and k (for example, use the values used in my two sample runs shown below) and compare the results returned by your solution with mine.

Include ALL the libraries that are required to ensure your program runs with any compiler.

Don't forget to include at the top of the program the comments shown below with your information (name, class and section number, etc.)

When done, submit your solution through Blackboard using the "Assignments" tool. Do Not email it.

Paste the link to your final solution along with your source code in the textbox opened when you click on Create Submission before you click on Submit.

The following is the basic criteria to be used to grade your submission:

You start with 100 points and then lose points as you don't do something that is required.

#### -5: Minor mistakes

incorrect way to round the value off incorrect input format incorrect output format

#### -10: Moderate mistakes

wrong variable names
wrong data types
no/too few comments
mixed data types in expression
did not display two decimal digits
didn't round the value off
incorrect use of the function (each)

### -20: Major mistakes

didn't use predefined functions (each)

program does not implement the provided algorithm

program does not pass all tests

Incorrect/missing source code

Incorrect/missing link to your solution

missing libraries

- -50: program doesn't compile
- -100: The code submitted is not your creation (you got it from a web site or another person)
- -10: Late

**Important:** more points may be lost for other reasons not specified here.

The following are sample runs of the program.