

Jeffrey Adom-Boateng

Cohort C

47122028

1. create table PRICE (PRICE_CODE int primary key, PRICE_DESCRIPTION varchar(20), PRICE_RENTFEE decimal(5,2), PRICE_DAILYLATEFEE decimal (5,2));

create table MEMBERSHIP (MEM_NUM int primary key, MEM_FNAME varchar(20), MEM_LNAME varchar(20), MEM_STREET varchar(20), MEM_CITY varchar(20), MEM_STATE char(2), MEM_ZIP varchar(10), MEM_BALANCE decimal(8,2));

create table MOVIE (MOVIE_NUM int primary key, MOVIE_TITLE varchar(100), MOVIE_YEAR int, MOVIE_COST decimal(8,2), MOVIE_GENRE varchar(20), PRICE_CODE int, Foreign key (PRICE_CODE) references PRICE(PRICE_CODE));

create table RENTAL (RENT_NUM int primary key, RENT_DATE date, MEM_NUM int, foreign key (MEM_NUM) references MEMBERSHIP(MEM_NUM));

create table VIDEO (VID_NUM int primary key, VIS_INDATE date, MOVIE_NUM int, foreign key (MOVIE_NUM) references MOVIE(MOVIE_NUM));

create table DETAILRENTAL (RENT_NUM int, VID_NUM int, DETAIL_FEE decimal(5,2), DETAIL_DUEDATE date, DETAIL_RETURNDATE date, DETAIL_DAILYLATEFEE decimal(5,2), primary key (RENT_NUM, VID_NUM), foreign key (RENT_NUM) references RENTAL(RENT_NUM), foreign key (VID_NUM) references VIDEO(VID_NUM));

MariaDB [assignment1]> show tables;

+-----+

| Tables_in_assignment1 |

+-----+

| detailrental |

| membership |

| movie |

| price |

| rental |

| video |

+-----+

6 rows in set (0.001 sec)

2.insert into PRICE values (1, 'Standard', 2.00, 1.00);

insert into PRICE values (2, 'New Release', 3.50, 3.00);

insert into PRICE values (3, 'Discount', 1.50, 1.00);

insert into PRICE values (4, 'Weekly Special', 1.00, 0.50);

insert into MEMBERSHIP values (102, 'Tami', 'Dawson', '2632 Takli Circle', 'Norene', 'TN',
'37136', 11);

insert into MEMBERSHIP values (103, 'Curt', 'Knight', '4025 Cornell Court', 'Flatgap', 'KY',
'41219', 6);

insert into MEMBERSHIP values (106, 'Miranda', 'Parks', '4469 Maxwell Place',
'Germantown', 'TN', '38183', 0);

insert into MEMBERSHIP values (107, 'Rosario', 'Elliott', '7578 Danner Avenue', 'Columbia',
'TN', '38402', 5);

insert into MEMBERSHIP values (109, 'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville', 'TN',
'37745', 10);

insert into MEMBERSHIP values (112, 'Luis', 'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN',
'37754', 3);

insert into MEMBERSHIP values (113, 'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', '38076', 0);

Alter table MEMBERSHIP modify MEM_STREET VARCHAR(100);

insert into MEMBERSHIP values (104, 'Jamal', 'Melendez', '788 East 145th Avenue', 'Quebeck', 'TN', '38579', 0);

insert into MEMBERSHIP values (105, 'Iva', 'Mcclain', '6045 Musket Ball Circle', 'Summit', 'KY', '42783', 15);

insert into MEMBERSHIP values (108, 'Mattie', 'Guy', '4390 Evergreen Street', 'Lily', 'KY', '40740', 0);

insert into MEMBERSHIP values (110, 'Lewis', 'Rosales', '4524 Southwind Circle', 'Counce', 'TN', '38326', 0);

insert into MEMBERSHIP values (111, 'Stacy', 'Mann', '2789 East Cook Avenue', 'Murfreesboro', 'TN', '37132', 8);

insert into MOVIE values (1234, 'The Cesar Family Christmas', 2014, 39.95, 'FAMILY', 2);

insert into MOVIE values (1235, 'Smokey Mountain Wildlife', 2011, 59.95, 'ACTION', 1);

insert into MOVIE values (1236, 'Richard Goodhope', 2015, 59.95, 'DRAMA', 2);

insert into MOVIE values (1237, 'Beatnik Fever', 2014, 29.95, 'COMEDY', 2);

insert into MOVIE values (1238, 'Constant Companion', 2015, 89.95, 'DRAMA', NULL);

insert into MOVIE values (1239, 'Where Hope Dies', 2005, 25.49, 'DRAMA', 3);

insert into MOVIE values (1245, 'Time to Burn', 2012, 45.49, 'ACTION', 1);

insert into MOVIE values (1246, 'What He Doesnt Know', 2013, 58.29, 'COMEDY', 1);

insert into RENTAL values (1001, '2016-03-01', 103);

insert into RENTAL values (1002, '2016-03-01', 105);

insert into RENTAL values (1003, '2016-03-02', 102);

insert into RENTAL values (1004, '2016-03-02', 110);

insert into RENTAL values (1005, '2016-03-02', 111);

insert into RENTAL values (1006, '2016-03-02', 107);
insert into RENTAL values (1007, '2016-03-02', 104);
insert into RENTAL values (1008, '2016-03-03', 105);
insert into RENTAL values (1009, '2016-03-03', 111);

insert into VIDEO values (54321, '2015-06-18', 1234);
insert into VIDEO values (54324, '2015-06-18', 1234);
insert into VIDEO values (54325, '2015-06-18', 1234);
insert into VIDEO values (34341, '2014-01-22', 1235);
insert into VIDEO values (34342, '2014-01-22', 1235);
insert into VIDEO values (34366, '2016-03-02', 1236);
insert into VIDEO values (34367, '2016-03-02', 1236);
insert into VIDEO values (34368, '2016-03-02', 1236);
insert into VIDEO values (34369, '2016-03-02', 1236);
insert into VIDEO values (44392, '2015-10-21', 1237);
insert into VIDEO values (44397, '2015-10-21', 1237);
insert into VIDEO values (59237, '2016-02-14', 1237);
insert into VIDEO values (61388, '2014-01-25', 1239);
insert into VIDEO values (61353, '2013-01-28', 1245);
insert into VIDEO values (61354, '2013-01-28', 1245);
insert into VIDEO values (61367, '2015-07-30', 1246);
insert into VIDEO values (61369, '2015-07-30', 1246);

insert into DETAILRENTAL values (1001, 34342, 2, '2016-03-04', '2016-03-02', NULL);
insert into DETAILRENTAL values (1001, 61353, 2, '2016-03-04', '2016-03-03', 1);
insert into DETAILRENTAL values (1002, 59237, 3.5, '2016-03-04', '2016-03-04', 3);

```

insert into DETAILRENTAL values (1003, 54325, 3.5, '2016-03-04', '2016-03-09', 3);
insert into DETAILRENTAL values (1003, 61369, 2, '2016-03-06', '2016-03-09', 1);
insert into DETAILRENTAL values (1003, 61388, 0, '2016-03-06', '2016-03-09', 1);
insert into DETAILRENTAL values (1004, 44392, 3.5, '2016-03-05', '2016-03-07', 3);
insert into DETAILRENTAL values (1004, 34367, 3.5, '2016-03-05', '2016-03-07', 3);
insert into DETAILRENTAL values (1004, 34341, 2, '2016-03-07', '2016-03-07', 1);
insert into DETAILRENTAL values (1005, 34342, 2, '2016-03-07', '2016-03-05', 1);
insert into DETAILRENTAL values (1005, 44397, 3.5, '2016-03-05', '2016-03-05', 3);
insert into DETAILRENTAL values (1006, 34366, 3.5, '2016-03-05', '2016-03-04', 3);
insert into DETAILRENTAL values (1006, 61367, 2, '2016-03-07', NULL, 1);
insert into DETAILRENTAL values (1007, 34368, 3.5, '2016-03-05', NULL, 3);
insert into DETAILRENTAL values (1008, 34369, 3.5, '2016-03-05', '2016-03-05', 3);
insert into DETAILRENTAL values (1009, 54324, 3.5, '2016-03-05', NULL, 3);
insert into DETAILRENTAL values (1001, 34366, 3.5, '2016-03-04', '2016-03-02', 3);

```

3. update MOVIE set MOVIE_YEAR = 2010 where MOVIE_NUM = 1245;

```

+-----+-----+-----+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE | MOVIE_YEAR | MOVIE_COST | MOVIE_GENRE |
PRICE_CODE |
+-----+-----+-----+-----+-----+-----+
| 1245 | Time to Burn | 2010 | 45.49 | ACTION | 3 |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.004 sec)

```

4. update MOVIE set PRICE_CODE = 3 where MOVIE_GENRE = 'ACTION';

MOVIE_NUM	MOVIE_TITLE	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
-----------	-------------	------------	------------	-------------	------------

1235	Smokey Mountain Wildlife	2011	59.95	ACTION	3
1245	Time to Burn	2010	45.49	ACTION	3

2 rows in set (0.001 sec)

5. update PRICE set PRICE_RENTFEE = PRICE_RENTFEE + 0.50;

PRICE_CODE	PRICE_DESCRIPTION	PRICE_RENTFEE	PRICE_DAILYLATEFEE
1	Standard	2.50	1.00
2	New Release	4.00	3.00
3	Discount	2.00	1.00
4	Weekly Special	1.50	0.50

4 rows in set (0.001 sec)

6.select MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE from MOVIE;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION

Richard Goodhope		2015	DRAMA	
Beatnik Fever		2014	COMEDY	
Constant Companion		2015	DRAMA	
Where Hope Dies		2005	DRAMA	
Time to Burn		2010	ACTION	
What He Doesnt Know		2013	COMEDY	

+-----+-----+-----+

8 rows in set (0.002 sec)

7. select MOVIE_YEAR, MOVIE_TITLE, MOVIE_COST

-> from MOVIE

-> order by MOVIE_YEAR DESC;

MOVIE_YEAR	MOVIE_TITLE	MOVIE_COST
2015	Richard Goodhope	59.95
2015	Constant Companion	89.95
2014	The Cesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesnt Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

+-----+-----+-----+

8 rows in set (0.002 sec)

8. select MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE

-> from MOVIE

-> order by MOVIE_GENRE ASC, MOVIE_YEAR DESC;

```
+-----+-----+-----+
| MOVIE_TITLE      | MOVIE_YEAR | MOVIE_GENRE |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION |
| Time to Burn      | 2010 | ACTION |
| Beatnik Fever     | 2014 | COMEDY |
| What He Doesnt Know | 2013 | COMEDY |
| Richard Goodhope  | 2015 | DRAMA |
| Constant Companion | 2015 | DRAMA |
| Where Hope Dies   | 2005 | DRAMA |
| The Cesar Family Christmas | 2014 | FAMILY |
+-----+-----+-----+
```

8 rows in set (0.009 sec)

9. select MOVIE_NUM, MOVIE_TITLE, PRICE_CODE

-> from MOVIE

-> where MOVIE_TITLE LIKE 'R%';

```
+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE | PRICE_CODE |
+-----+-----+-----+
| 1236 | Richard Goodhope | 2 |
+-----+-----+-----+
```

1 row in set (0.005 sec)

10. select MOVIE_TITLE, MOVIE_YEAR, MOVIE_COST

-> from MOVIE

-> where MOVIE_TITLE LIKE '%hope%'

-> order by MOVIE_TITLE ASC;

```
+-----+-----+-----+
| MOVIE_TITLE | MOVIE_YEAR | MOVIE_COST |
+-----+-----+-----+
| Richard Goodhope | 2015 | 59.95 |
| Where Hope Dies | 2005 | 25.49 |
+-----+-----+-----+
```

2 rows in set (0.001 sec)

11. select MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE

-> from MOVIE

-> where MOVIE_GENRE = 'ACTION';

```
+-----+-----+-----+
| MOVIE_TITLE | MOVIE_YEAR | MOVIE_GENRE |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION |
| Time to Burn | 2010 | ACTION |
+-----+-----+-----+
```

2 rows in set (0.001 sec)

12. select MOVIE_NUM, MOVIE_TITLE, MOVIE_COST

-> from MOVIE

-> where MOVIE_COST > 40;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Companion	89.95
1245	Time to Burn	45.49
1246	What He Doesnt Know	58.29

5 rows in set (0.004 sec)

13. select MOVIE_NUM, MOVIE_TITLE, MOVIE_COST, MOVIE_GENRE

-> from MOVIE

-> where MOVIE_GENRE in ('ACTION', 'COMEDY')

-> order by MOVIE_GENRE ASC;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST	MOVIE_GENRE
1235	Smokey Mountain Wildlife	59.95	ACTION
1245	Time to Burn	45.49	ACTION
1237	Beatnik Fever	29.95	COMEDY
1246	What He Doesnt Know	58.29	COMEDY

4 rows in set (0.004 sec)

14. select MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_STATE,
MEM_BALANCE

-> from MEMBERSHIP

-> where MEM_STATE = 'TN'

-> and MEM_BALANCE < 5

-> and MEM_STREET like '%Avenue';

```
+-----+-----+-----+-----+-----+-----+
| MEM_NUM | MEM_FNAME | MEM_LNAME | MEM_STREET      | MEM_STATE |
MEM_BALANCE |
+-----+-----+-----+-----+-----+-----+
| 104 | Jamal   | Melendez | 788 East 145th Avenue | TN      | 0.00 |
| 112 | Luis    | Trujillo | 7267 Melvin Avenue   | TN      | 3.00 |
+-----+-----+-----+-----+-----+-----+
```

2 rows in set (0.005 sec)

15. select MOVIE_GENRE, COUNT(*) as 'Number of Movies'

-> from MOVIE

-> group by MOVIE_GENRE;

```
+-----+-----+
| MOVIE_GENRE | Number of Movies |
+-----+-----+
| ACTION      | 2 |
| COMEDY      | 2 |
| DRAMA       | 3 |
| FAMILY      | 1 |
+-----+-----+
```

4 rows in set (0.008 sec)

16. select avg(MOVIE_COST) as 'Average Movie Cost'

-> from MOVIE;

+-----+

| Average Movie Cost |

+-----+

| 51.127500 |

+-----+

1 row in set (0.003 sec)

17. select MOVIE_GENRE, AVG(MOVIE_COST) as 'Average Cost'

-> from MOVIE

-> group by MOVIE_GENRE;

+-----+-----+

| MOVIE_GENRE | Average Cost |

+-----+-----+

| ACTION | 52.720000 |

| COMEDY | 44.120000 |

| DRAMA | 58.463333 |

| FAMILY | 39.950000 |

+-----+-----+

4 rows in set (0.001 sec)

18. select M.MOVIE_TITLE, M.MOVIE_GENRE, P.PRICE_DESCRIPTION, P.PRICE_RENTFEE

-> from MOVIE M

-> join PRICE P on M.PRICE_CODE = P.PRICE_CODE;

```

+-----+-----+-----+-----+
| MOVIE_TITLE      | MOVIE_GENRE | PRICE_DESCRIPTION | PRICE_RENTFEE |
+-----+-----+-----+-----+
| The Cesar Family Christmas | FAMILY    | New Release      | 4.00 |
| Smokey Mountain Wildlife  | ACTION    | Discount         | 2.00 |
| Richard Goodhope          | DRAMA     | New Release      | 4.00 |
| Beatnik Fever             | COMEDY    | New Release      | 4.00 |
| Where Hope Dies           | DRAMA     | Discount         | 2.00 |
| Time to Burn              | ACTION    | Discount         | 2.00 |
| What He Doesnt Know       | COMEDY    | Standard         | 2.50 |
+-----+-----+-----+-----+

7 rows in set (0.008 sec)

```

19. select M.MOVIE_GENRE, avg(P.PRICE_RENTFEE) as 'Average Rental Fee'

-> from MOVIE M

-> join PRICE P ON M.PRICE_CODE = P.PRICE_CODE

-> group by M.MOVIE_GENRE;

```

+-----+-----+
| MOVIE_GENRE | Average Rental Fee |
+-----+-----+
| ACTION      | 2.000000 |
| COMEDY      | 3.250000 |
| DRAMA       | 3.000000 |
| FAMILY      | 4.000000 |
+-----+-----+

4 rows in set (0.001 sec)

```

20. select M.MOVIE_TITLE, M.MOVIE_COST / P.PRICE_RENTFEE as 'Breakeven Rentals'

-> from MOVIE M

-> join PRICE P on M.PRICE_CODE = P.PRICE_CODE;

```
+-----+-----+
| MOVIE_TITLE          | Breakeven Rentals |
+-----+-----+
| The Cesar Family Christmas |    9.987500 |
| Smokey Mountain Wildlife  |   29.975000 |
| Richard Goodhope        |   14.987500 |
| Beatnik Fever           |    7.487500 |
| Where Hope Dies         |   12.745000 |
| Time to Burn            |   22.745000 |
| What He Doesnt Know     |   23.316000 |
+-----+-----+
7 rows in set (0.002 sec)
```

21. select MOVIE_TITLE, MOVIE_YEAR

-> from MOVIE

-> where PRICE_CODE is not null;

```
+-----+-----+
| MOVIE_TITLE          | MOVIE_YEAR |
+-----+-----+
| What He Doesnt Know   |    2013 |
| The Cesar Family Christmas |    2014 |
| Richard Goodhope      |    2015 |
```

Beatnik Fever		2014	
Smokey Mountain Wildlife		2011	
Where Hope Dies		2005	
Time to Burn		2010	

+-----+-----+

7 rows in set (0.005 sec)

22. select MOVIE_TITLE, MOVIE_GENRE, MOVIE_COST

-> from MOVIE

-> where MOVIE_COST between 44.99 and 49.99;

+-----+-----+-----+

MOVIE_TITLE		MOVIE_GENRE		MOVIE_COST	
-------------	--	-------------	--	------------	--

+-----+-----+-----+

Time to Burn		ACTION		45.49	
--------------	--	--------	--	-------	--

+-----+-----+-----+

1 row in set (0.004 sec)

23. select M.MOVIE_TITLE, P.PRICE_DESCRIPTION, P.PRICE_RENTFEE, M.MOVIE_GENRE

-> from MOVIE M

-> join PRICE P on M.PRICE_CODE = P.PRICE_CODE

-> where M.MOVIE_GENRE in ('FAMILY', 'COMEDY', 'DRAMA');

+-----+-----+-----+-----+

MOVIE_TITLE		PRICE_DESCRIPTION		PRICE_RENTFEE		MOVIE_GENRE	
-------------	--	-------------------	--	---------------	--	-------------	--

+-----+-----+-----+-----+

The Cesar Family Christmas		New Release		4.00		FAMILY	
----------------------------	--	-------------	--	------	--	--------	--

Richard Goodhope		New Release		4.00		DRAMA	
------------------	--	-------------	--	------	--	-------	--

Beatnik Fever	New Release	4.00	COMEDY	
Where Hope Dies	Discount	2.00	DRAMA	
What He Doesnt Know	Standard	2.50	COMEDY	

+-----+-----+-----+-----+

5 rows in set (0.001 sec)

24. select DISTINCT M.MEM_NUM, M.MEM_FNAME, M.MEM_LNAME, M.MEM_BALANCE

-> from MEMBERSHIP M

-> join RENTAL R on M.MEM_NUM = R.MEM_NUM;

+-----+-----+-----+-----+

MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_BALANCE	
---------	-----------	-----------	-------------	--

+-----+-----+-----+-----+

102	Tami	Dawson	11.00	
-----	------	--------	-------	--

103	Curt	Knight	6.00	
-----	------	--------	------	--

104	Jamal	Melendez	0.00	
-----	-------	----------	------	--

105	Iva	McClain	15.00	
-----	-----	---------	-------	--

107	Rosario	Elliott	5.00	
-----	---------	---------	------	--

110	Lewis	Rosales	0.00	
-----	-------	---------	------	--

111	Stacy	Mann	8.00	
-----	-------	------	------	--

+-----+-----+-----+-----+

7 rows in set (0.005 sec)

25. select MIN(M.MEM_BALANCE) as 'Minimum Balance',

-> MAX(M.MEM_BALANCE) as 'Maximum Balance',

-> AVG(M.MEM_BALANCE) as 'Average Balance'

-> from MEMBERSHIP M

-> join RENTAL R on M.MEM_NUM = R.MEM_NUM;

```
+-----+-----+-----+
| Minimum Balance | Maximum Balance | Average Balance |
+-----+-----+-----+
|      0.00 |      15.00 |      7.555556 |
+-----+-----+-----+
```

1 row in set (0.002 sec)

26. select R.RENT_NUM, R.RENT_DATE, DR.VID_NUM, M.MOVIE_TITLE,

-> DR.DETAIL_DUEDATE, DR.DETAIL_RETURNDATE

-> from RENTAL R

-> join DETAILRENTAL DR on R.RENT_NUM = DR.RENT_NUM

-> join VIDEO V on DR.VID_NUM = V.VID_NUM

-> join MOVIE M on V.MOVIE_NUM = M.MOVIE_NUM

-> where DR.DETAIL_RETURNDATE > DR.DETAIL_DUEDATE

-> order by R.RENT_NUM, M.MOVIE_TITLE;

Empty set (0.006 sec)

27. select R.RENT_NUM, R.RENT_DATE, M.MOVIE_TITLE, DR.DETAIL_FEE

-> from RENTAL R

-> join DETAILRENTAL DR on R.RENT_NUM = DR.RENT_NUM

-> join VIDEO V on DR.VID_NUM = V.VID_NUM

-> join MOVIE M on V.MOVIE_NUM = M.MOVIE_NUM

-> where DR.DETAIL_RETURNDATE <= DR.DETAIL_DUEDATE;

Empty set (0.001 sec)

28. select MOVIE_NUM, MOVIE_GENRE,

-> round(AVG(MOVIE_COST) over (PARTITION BY MOVIE_GENRE), 2) as 'Average Cost',

-> MOVIE_COST as 'Movie Cost',

-> round((MOVIE_COST - AVG(MOVIE_COST) over (PARTITION by MOVIE_GENRE)) /
AVG(MOVIE_COST) over (PARTITION by MOVIE_GENRE) * 100, 2) s 'Percent Difference'

-> from MOVIE;

+-----+-----+-----+-----+-----+

| MOVIE_NUM | MOVIE_GENRE | Average Cost | Movie Cost | Percent Difference |

+-----+-----+-----+-----+-----+

| 1245 | ACTION | 52.72 | 45.49 | -13.71 |

| 1235 | ACTION | 52.72 | 59.95 | 13.71 |

| 1237 | COMEDY | 44.12 | 29.95 | -32.12 |

| 1246 | COMEDY | 44.12 | 58.29 | 32.12 |

| 1239 | DRAMA | 58.46 | 25.49 | -56.40 |

| 1236 | DRAMA | 58.46 | 59.95 | 2.54 |

| 1238 | DRAMA | 58.46 | 89.95 | 53.86 |

| 1234 | FAMILY | 39.95 | 39.95 | 0.00 |

+-----+-----+-----+-----+-----+

8 rows in set (0.007 sec