

RCP Movements Detector (HTML-PHP-DB Connection)

Screenshots

1. First interface with no button action:



2. Second interface with Right button click action:



3. Third interface with Forward button click action:



4. Fourth interface with Left button click action:



5. Fifth interface with Backward button click action:



6. Sixth interface with Stop button click action:



7. The database result After clicking the above buttons:

NOTE: The results is from id No. 9

The screenshot displays the phpMyAdmin web interface. The left sidebar shows the database structure with 'rcp-db' selected and 'movement' highlighted. The main panel shows the 'movement' table with 13 rows. The table has columns: id, forward, backward, right, left, and stop. The data is as follows:

	id	forward	backward	right	left	stop
<input type="checkbox"/>	1	Forward	NULL	NULL	NULL	NULL
<input type="checkbox"/>	2	NULL	Backward	NULL	NULL	NULL
<input type="checkbox"/>	3	NULL	NULL	NULL	NULL	Stop
<input type="checkbox"/>	4	NULL	NULL	Right	NULL	NULL
<input type="checkbox"/>	5	NULL	NULL	NULL	Left	NULL
<input type="checkbox"/>	6	NULL	Backward	NULL	NULL	NULL
<input type="checkbox"/>	7	Forward	NULL	NULL	NULL	NULL
<input type="checkbox"/>	8	NULL	NULL	NULL	NULL	Stop
<input type="checkbox"/>	9	NULL	NULL	Right	NULL	NULL
<input type="checkbox"/>	10	Forward	NULL	NULL	NULL	NULL
<input type="checkbox"/>	11	NULL	NULL	NULL	Left	NULL
<input type="checkbox"/>	12	NULL	Backward	NULL	NULL	NULL
<input type="checkbox"/>	13	NULL	NULL	NULL	NULL	Stop

At the bottom of the table, there are checkboxes for 'Check all' and 'With selected', followed by buttons for 'Edit', 'Copy', 'Delete', and 'Export'. The bottom status bar shows 'results operations' and a 'Console' tab.