VOLUME 00: FOUNDATIONS, MANIFEST & ONTOLOGICAL BEDROCK

Chapter 0: Foundations, Root Manifest & Decalogue Bedrock

Moral Bedrock, Exodus 20 Decalogue, Root Manifest & System Configuration

> ***Witness:*** *Exodus 31:18 (KJV) - Written with the finger of God*

SYSTEM TRACK
Root & Ontological Foundations

CHAPTER IDENTIFIER
CH 00

NOTEBOOKLM WORD COUNT
12,679 words

CATALOGED CHAPTER FILES
5 files (1,904 lines)

RECOMMENDED NOTEBOOKLM COGNITIVE QUERY

"How does the Exodus 20 Decalogue govern the AI cortex and immutable constraints of OmniCode?"

CHAPTER MANIFEST & INDEX (5 FILES)

#	FILE PATH	TYPE	LINES	WORDS	SIZE (KB)
1	**Cargo.lock**	LOCK	168	342	4.4
2	**Cargo.toml**	TOML	196	1,167	10.0
3	**README.md**	MD	785	5,891	46.7
4	**manifest.omni**	OMNI	555	3,643	27.0
5	**manifest.tape**	TAPE	200	1,636	9.6

Cargo.lock LOCK 168 LINES 342 WORDS 4.4 KB

```
# This file is automatically @generated by Cargo.
# It is not intended for manual editing.
version = 4

[[package]]
name = "bitflags"
version = "2.13.2"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "3ded4057c258ba199e2d26386d3af3780957ecaee6c4ef4041c6b4b8b97c0b06"

[[package]]
name = "cfg-if"
version = "1.0.5"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "4e7648175b45a9a48536d676f68d918270699102aa8dab5496df06904c914600"

[[package]]
name = "cfg_aliases"
version = "0.2.2"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "f079e83a288787bcd14a6aea84cee5c87a67c5a3e660c30f557a3d24761b3527"

[[package]]
name = "clipboard-win"
version = "5.4.1"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "bde03770d3df201d4fb868f2c9c59e66a3e4e2bd06692a0fe701e7103c7e84d4"
dependencies = [
 "error-code",
]

[[package]]
name = "endian-type"
version = "0.2.0"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "869b0adbda23651a9c5c0c3d270aac9fcb52e8622a8f2b17e57802d7791962f2"

[[package]]
name = "error-code"
version = "3.4.0"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "0b5343afd4a8365a643ac588dab4cf234a190c7f6c88c9f6dd6ffe00837661b7"

[[package]]
name = "home"
version = "0.5.12"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "cc627f471c528ff0c4a49e1d5e60450c8f6461dd6d10ba9dcd3a61d3dff7728d"
dependencies = [
 "windows-sys",
]

[[package]]
name = "libc"
version = "0.2.190"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "ce5d3ddc6d3fa000eb1536d85e147bfe31aacaba692ed6a876f95cb7c855be78"

[[package]]
name = "log"
version = "0.4.34"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "f9f8bd3e56ce4dfc153cf470fffbfa98c7620958b312ca5c3a4b8d5181fd13c6"

[[package]]
name = "memchr"
version = "2.8.3"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "cf8baf1c55e62ffcace7a9f06f4bd9cd3f0c4beb022d3b367256b91b87513d98"

[[package]]
name = "nibble_vec"
version = "0.1.0"
source = "registry+https://github.com/rust-lang/crates.io-index"
```

```
checksum = "77a5d83df9f36fe23f0c3648c6bbb8b0298bb5f1939c8f2704431371f4b84d43"
dependencies = [
 "smallvec",
]

[[package]]
name = "nix"
version = "0.31.3"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "cf20d2fde8ff38632c426f1165ed7436270b44f199fc55284c38276f9db47c3d"
dependencies = [
 "bitflags",
 "cfg-if",
 "cfg_aliases",
 "libc",
]

[[package]]
name = "omnicode"
version = "0.1.0"
dependencies = [
 "rustyline",
]

[[package]]
name = "radix_trie"
version = "0.3.0"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "3b4431027dcd37fc2a73ef740b5f233aa805897935b8bce0195e41bbf9a3289a"
dependencies = [
 "endian-type",
 "nibble_vec",
]

[[package]]
name = "rustyline"
version = "18.0.1"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "53f6a737db68eb1a8ccff86b584b2fc13eca6a7bb6f78ebc7c529547e3ab9684"
dependencies = [
 "bitflags",
 "cfg-if",
 "clipboard-win",
 "home",
 "libc",
 "log",
 "memchr",
 "nix",
 "radix_trie",
 "unicode-segmentation",
 "unicode-width",
 "utf8parse",
 "windows-sys",
]

[[package]]
name = "smallvec"
version = "1.16.2"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "f9395f0f0eee849a9b707b2f06bb92a6a422090e2123bb2ef8e87a0e61892a8e"

[[package]]
name = "unicode-segmentation"
version = "1.13.3"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "c6f5d3c3b1bf09027a88a6bc961fc00497d651009560b5463668dc81b0fa87a8"

[[package]]
name = "unicode-width"
version = "0.2.2"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "b4ac048d71ede7ee76d585517add45da530660ef4390e49b098733c6e897f254"

[[package]]
name = "utf8parse"
version = "0.2.2"
source = "registry+https://github.com/rust-lang/crates.io-index"
checksum = "06abde3611657adf66d383f00b093d7faecc7fa57071cce2578660c9f1010821"
```

```
153
154 [[package]]
155 name = "windows-link"
156 version = "0.2.1"
157 source = "registry+https://github.com/rust-lang/crates.io-index"
158 checksum = "f0805222e57f7521d6a62e36fa9163bc891acd422f971defe97d64e70d0a4fe5"
159
160 [[package]]
161 name = "windows-sys"
162 version = "0.61.2"
163 source = "registry+https://github.com/rust-lang/crates.io-index"
164 checksum = "ae137229bcbd6cdf0f7b80a31df61766145077ddf49416a728b02cb3921ff3fc"
165 dependencies = [
166  "windows-link",
167 ]
```

Cargo.toml TOML 196 LINES 1167 WORDS 10.0 KB

```toml
# ================================================================================
# BLOCK 1: METADATA BLOCK
# ( Package Identity, Edition, Manifest Attributes, License & Ontological Scope )
# ================================================================================
# Package:       omnicode
# Version:       0.1.0
# Edition:       2024 (Leverages latest Rust 2024 idioms, lifetime rules & generators)
# Rust Version:  1.85+
# License:       MIT OR Apache-2.0
# Organization:  CreativeWorkzStudio LLC
# Repository:    https://github.com/Novaking34/OmniCode_Framework
# Homepage:      https://github.com/Novaking34/OmniCode_Framework
# Documentation: https://github.com/Novaking34/OmniCode_Framework/tree/master/docs
#
# PURPOSE & ARCHITECTURAL PHILOSOPHY:
#   OmniCode is a dual-readable, multi-track programming language engine and bare-metal
#   operating system engineered for unambiguous human comprehension and deterministic
#   machine execution. It unifies bare-metal memory/register control with high-level
#   balanced ternary logic (T4 = {-1, 0, +1, NULL}), morphological boundary physics,
#   first-class asides, and an episodic neural-symbolic cognitive loop.
#
# WHY EXTENSIVE COMMENTING MATTERS FOR AI AGENTS & COLLABORATORS:
#   1. The Manifest is the Machine Contract:
#      `Cargo.toml` is the primordial contract any AI coding agent (and human engineer)
#      inspects to infer project capabilities, dependencies, and compilation targets.
#   2. Dependency Invariance & Anti-Bloat Guardrails:
#      AI agents tend to "solve" problems by injecting external crates (e.g. `regex`,
#      `serde`, `nom`, `tokio`). Detailed comments establish explicit guardrails:
#      OmniCode intentionally implements its own lexer, parser, and runtime to guarantee
#      zero-overhead bare-metal portability. External crates are kept strictly minimal.
#   3. Multi-Track Decoupling & Future Growth:
#      The engine decouples the Host VM (Track 1) from the Standard Library Lexicon
#      (Track 2) and Episodic Storage (Track 4). Expanding into composite boundary
#      types (such as Container) preserves this invariant separation of concerns.
#   4. Compiler Profile Rationale:
#      Explains non-obvious optimization flags (`panic = "abort"`, `lto = true`) that
#      are essential for bare-metal compilation, binary compacting, and determinism.
# ================================================================================

[package]
name = "omnicode"
version = "0.1.0"
edition = "2024"
rust-version = "1.85"
authors = ["ProfessorSeanEX", "CreativeWorkzStudio LLC"]
description = "A Dual-Readable Ontological Programming Language Engine Grounded in Balanced Ternary and Morphological Boundaries"
readme = "README.md"
license = "MIT OR Apache-2.0"
repository = "https://github.com/Novaking34/OmniCode_Framework"
homepage = "https://github.com/Novaking34/OmniCode_Framework"
documentation = "https://github.com/Novaking34/OmniCode_Framework/tree/master/docs"
keywords = ["omnicode", "ternary", "compiler", "ontology", "ai-model", "operating-system", "bare-metal"]
categories = ["compilers", "development-tools"]
exclude = [
    "/target",
    "*.vsix",
    "node_modules/",
    ".DS_Store"
]


# ================================================================================
# BLOCK 2: OPENING BLOCK
# ( Engine Dependencies, Runtime Context & External Crates )
# ================================================================================
# DEPENDENCY POLICY & JUSTIFICATION:
#   - Zero-Bloat Philosophy:
#     OmniCode does NOT use external parser generators, heavy async runtimes, or
#     uncontrolled third-party dependencies. Every core component—from the recursive-
#     descent parser to the transactional snapshot debugger—is implemented natively.
#   - rustyline (18.0.1):
#     The sole production dependency. Provides cross-platform terminal line-editing,
#     ANSI escape sequences, history persistence (`.omnicode_history`), and multi-line
```

```
#     bracket-balanced input buffering for the interactive REPL shell (`src/cli/repl.rs`).
# ============================================================================

[dependencies]
# Interactive CLI shell line-editing, input buffering, and terminal history
rustyline = "18.0.1"


# ============================================================================
# BLOCK 3: BODY BLOCK
# ( Target Layout, Compilation Binaries, Integration Test Suites & Profiles )
# ============================================================================
# TARGET TOPOLOGY & ARCHITECTURAL DECOUPLING:
#   - [lib] (Track 1 / src/lib.rs):
#     Exposes the engine's core reusable API surface:
#     * `core`: Boundaries, Operators, Ternary QuadState, FileTypes, Cell, Vessel, Tape, Linguistics.
#     * `ast`: Strongly-typed AST nodes preserving Asides `(...)`.
#     * `parser`: Directional Lexer and recursive-descent Parser.
#     * `runtime`: Transactional Environment and QuadState Evaluator.
#     * `diagnostics`: OmniLinter, DiagnosticLogger, OmniDebugger, Restorator.
#     * `ai`: AICortex, SemanticTransducer, ScrollLogger, AILearner, BiblicalLexicon, AIMemory.
#     * `terminal`: OmniScheduler, TerminalSession.
#   - [[bin]] (Track 1 / src/main.rs):
#     CLI dispatcher hosting commands: `repl`, `run` (.omni/.scroll/.tape), `echo`,
#     `assemble`, `studio`, `boot`, `lint`, `hover`, `doc`, `restore`, `ai`,
#     `interact`, `train`, `noise`, `query`, `diagnose`, `rotate`, `scrolls`,
#     `manifest`, `lexicon`, `gui`, `desktop`, `scaffold`, `filetypes`, and `demo`.
# ============================================================================

[lib]
name = "omnicode"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/src/lib.rs"

[[bin]]
name = "omnicode"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/src/main.rs"

# ----------------------------------------------------------------------------
# 3-TIER TEST SUITE TOPOLOGY (UNIT, INTEGRATED, FUNCTIONAL, TRIPWIRES)
# Explicitly declared test targets organized by scope and verification fidelity:
# ----------------------------------------------------------------------------

# 1. Component Isolation Unit Test Suite
# Tests isolated boundary ranking, ternary QuadState algebra, operators, formats
[[test]]
name = "unit_tests"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/tests/unit/main.rs"

# 2. Subsystem Integration & Self-Healing Feedback Loop Suite
# Tests boundary traps, failpoints, retroaction, imports, and Logger->Debugger test oracle
[[test]]
name = "integrated_tests"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/tests/integrated/main.rs"

# 3. End-to-End Functional, AI Cortex & File Lifecycle Suite
# Tests REPL simulation, canonical script runs, dual scrolls, and episodic memory digestion
[[test]]
name = "functional_tests"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/tests/functional/main.rs"

# 4. Bare-Metal Boot Inception, Tripwires & Self-Healing Telemetry Test Suite
# Tests boot tripwire sensors, failpoint capture, logger/debugger telemetry handoff to the Restorator
[[test]]
name = "boot_tripwire_tests"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/tests/integrated/boot_tripwire_tests.rs"

# 5. Platform Adapter Adversarial Faults & Telemetry Oracle Suite
# Pushes platform adapters to fail under hostile conditions, verifying tripwire telemetry and Restorator remediation
[[test]]
name = "platform_tripwire_tests"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/tests/integrated/platform_tripwire_tests.rs"

# 6. Physical Assembler & Process Tape Lowering Adversarial Faults & Telemetry Suite
# Pushes process tape lowering to fail under hostile conditions, verifying tripwires, word emissions, and rollback
oracles
[[test]]
name = "assemble_tripwire_tests"
path = "<TRACK 1> : {Host Engine & Virtual Machine}/tests/integrated/assemble_tripwire_tests.rs"
```

```
151
152 # ------------------------------------------------------------------------------
153 # COMPILATION PROFILES & BARE-METAL OPTIMIZATIONS
154 # ------------------------------------------------------------------------------
155
156 # Development profile: Fast compilation, full debug symbols, zero optimization
157 [profile.dev]
158 opt-level = 0
159 debug = true
160 overflow-checks = true
161
162 # Release profile: Maximum speed, full link-time optimization, bare-metal safety
163 [profile.release]
164 opt-level = 3
165 lto = true              # Link-Time Optimization: enables cross-crate inlining for zero-cost abstractions
166 codegen-units = 1      # Single codegen unit: maximizes LLVM inter-procedural analysis and optimization
167 panic = "abort"        # Eliminates unwinding landing pads and `eh_personality` runtime bloat, essential for bare-metal
targets
168 strip = "debuginfo"    # Strips debug symbols to produce compact native binaries
169
170 # Benchmark profile: Inherits release optimizations with debug symbols enabled for profiling
171 [profile.bench]
172 opt-level = 3
173 lto = true
174 codegen-units = 1
175
176
177 # ================================================================================
178 # BLOCK 4: CLOSING BLOCK
179 # ( Verification Constraints, Workspace Invariants & Packaging Seal )
180 # ================================================================================
181 # WORKSPACE INVARIANTS:
182 #   - Test Suite Verification: All 269 automated unit, integrated, functional,
183 #     assemble, platform, and boot tripwire tests across the 7 test harnesses
184 #     MUST pass cleanly (210 in lib, 16 unit, 14 integrated, 12 functional,
185 #     7 assemble tripwire, 5 boot tripwire, 5 platform tripwire).
186 #   - Track 0 Bare-Metal Substrate: 4-tier adaptive boot ladder (16-bit BIOS MBR,
187 #     32-bit Stage 2 PM, 32-bit Multiboot ELF, 64-bit UEFI PE32+) verified via
188 #     headless QEMU telemetry test harness with 100% pass rate.
189 #   - Rust Edition: Sealed under Edition 2024 with zero unhandled compiler warnings.
190 #   - Memory Guarantee: No uncontrolled allocations or unhandled panics across
191 #     the entire evaluation and diagnostic pipeline.
192 #   - Transpilation Parity: Track 1 Host VM maintains 1:1 structural parity with
193 #     Track 2 Standard Library Lexicon transpilation backbones (C and Lua).
194 # Status: CARGO_MANIFEST_SEALED (+1:PROCEED)
195 # ================================================================================
```

README.md MARKDOWN / DOC 785 LINES 5891 WORDS 46.7 KB

project_title: "OmniCode Framework" subtitle: "A Dual-Readable Ontological Programming Language & Bare-Metal OS" version: "0.1.0" organization: "CreativeWorkzStudio LLC" repository: "https://github.com/Novaking34/OmniCode_Framework" license: "MIT OR Apache-2.0"

OmniCode

> ***A Dual-Readable Ontological Programming Language & Bare-Metal OS Engineered for Unambiguous Human Comprehension and Machine Determinism.***

Manifest Metadata & Covenant Identity

Attribute	Specification
Engine Version	`0.1.0`
Organization	CreativeWorkzStudio LLC
Repository	https://github.com/Novaking34/OmniCode_Framework
Core Runtime	Rust Engine (`edition = "2024"` , `rust-version = "1.85+"`)
Execution Truth Space	Balanced Ternary Quad-State ($\mathbb{T}_4 = { -1, 0, +1, \text{NULL} }$) (`QuadState` , Specification)
Structural Paradigm	Implicit 4-Block Lifecycle (`Metadata` $\to$ `Opening` $\to$ `Body` $\to$ `Closing`) (`OmniLinter` , Specification)
Morphological Physics	6 Boundary Types (`[]` , `<>` , `{}` , `{]` , `[}` , `()`) (`BoundaryType` , Specification)
Universal Linguistics	8 Parts of Speech Matrix & 8-Slot Canonical Sentences (`linguistics.rs` , Specification)
Physical Memory Model	8-Bit $\longleftrightarrow$ 5-Trit Bijective Codec & Bounded Storehouses with `v--` Partitioning (`cell.rs` , `vessel.rs`)
Operating System Genesis	Multi-Track Process Tapes (`Roll` $\to$ `Tape` $\to$ `Track` 0–5) (`OmniScheduler` , `boot.tape`)
Cognitive AI Framework	Neural-Symbolic AI Cortex, `AIMemory` , Offline `BiblicalLexicon` (`AICortex` , `manifest.omni`)
Diagnostics & Healing	Autonomous Restorator, OmniDebugger Rollbacks, Sensor Logger (`Restorator`)
Interfaces & Studio	Built-in Zero-Dependency HTTP HUD, Web Terminal, Desktop GUI, VS Code Extension (`apps/gui/`)
Automated Verification	**319 / 319 Passing Tests** across 7 test suites (100% Pass Rate) + 5 Bare-Metal QEMU Boot Audits + C Transpilation Testbeds
Author / Lead	ProfessorSeanEX / CreativeWorkzStudio LLC
License	MIT OR Apache-2.0

Part I: Foundations, Identity & Ontological Bedrock


OmniCode is an ontological programming language and bare-metal operating system engineered to eliminate the semantic gap between human comprehension, artificial intelligence deliberation, and silicon hardware execution.

Modern computing has long suffered from an artificial divide:

1. **Low-Level Code (C, Assembly, Rust):** Extreme physical control and speed, but difficult for non-specialists to read and opaque to high-level semantic reasoning.
2. **High-Level Code (Python, JavaScript):** Human-approachable syntax, but burdened by heavy runtime interpreters, unpredictable garbage collection pauses, and fragile boolean error-handling.
3. **Artificial Intelligence Models:** Capable of probabilistic reasoning, but detached from deterministic hardware boundaries, frequently hallucinating unverified operations.

OmniCode reconciles this spectrum into a single unified architecture:

```
graph TD
    A["HUMAN COGNITION<br/>(5Ws and H • Natural Grammar)"] <-->|"Dual-Readable Transduction"| B["OMNICODE REEL & TAPE<br/>(4-
    B <-->|"Deterministic Lowering & FFI"| C["SILICON HARDWARE<br/>(CPU Registers • Balanced Ternary • MMIO)"]
```



Perspectives Across the Spectrum

> *[!TIP]* ***OmniCode in Plain English (The Physical Computing Intuition):***
>
> - ***Nouns (`[ Cell ]` , `[ Word ]` , `[ Storehouse ]`)*** *are physical boxes with strict boundaries where you store information.*
> - ***Verbs (`-->` , `<--` , `v--` , `^--` , `=`)*** *are physical conveyor belts and directional pipes that move information between containers.*
> - ***Brackets (`[...]` , `<...>` , `{...}`)*** *tell the computer whether something is a rigid box, an adapting rule, or an entire room.*
> - ***Asides `(...)`*** *are you speaking directly to the computer explaining your intent; the computer keeps your notes in memory and makes sure your code honors them.*

For the Non-Programmer: Natural Physics as Code

You do not need to memorize arbitrary programming tropes or arcane punctuation to understand OmniCode.

- **The World Has Boundaries:** When you store something, you place it inside a container (`[...]`). When an idea is fluid and adapting, it exists in open motion (`<...>`).
- **The World Has Natural Balance:** Instead of forcing every reality into a brittle binary `true` or `false` , OmniCode uses a three-way balance scale: **Proceed** (`+1`), **Await** (`0`), and **Rollback** (`-1`), with a protective **Halt** (`NULL`). If something goes wrong, the system does not crash or throw an opaque error—it simply steps back to safety like a physical ratchet.
- **Your Notes Matter to the Machine:** In conventional coding, comments are ignored by the computer. In OmniCode, parenthetical thoughts `(...)` are first-class asides. The machine reads your intent and ensures the code actually honors what you intended.

For the Software Engineer: Zero-Overhead Determinism

- **No Garbage Collection Pauses:** Memory management is structural. Bounded memory vessels enforce strict capacity limits at creation, with downward sub-partitioning (`v--`) guaranteeing zero memory fragmentation and zero runtime allocation thrash.
- **Transactional State Physics:** By treating execution as a trajectory across balanced ternary quad-state ($\mathbb{T}_4$), every operation is reversible. A state transition that fails invariant checks triggers an automatic snapshot rollback via the built-in `OmniDebugger` , eliminating undefined states.
- **Morphological Brackets as Semantic Operators:** Brackets are not decorative syntax; they govern causality and access rank. Rigid brackets `[...]` denote immutable memory cells; fluid brackets `<...>` denote type invariants; asymmetric brackets `{...]` and `[...}` act as accumulators and generators.
- **Native Host in Rust 2024:** Written in modern Rust with zero runtime bloat (using only `rustyline` for terminal line editing), compiling to native machine code with LTO and zero-cost abstractions.

For the AI Agent: A Native Mathematical & Moral Substrate

- **Grounding Against Hallucination:** Cognitive agents do not output loose, ungrounded tokens. Thoughts and actions are inscribed in the universal 4-block format (`Metadata` $\to$ `Opening` $\to$ `Body` $\to$ `Closing`).
- **Epistemic Invariant Laws:** Bound by seven unalterable Rank 1 Invariants defined in `manifest.omni` (Truth, Life, Justice, Stewardship, Humility, Discernment, Void Trap).
- **Episodic Learning Loops:** The AI logs its experiences into dual streams: executable cognitive scrolls (`.scroll`) and sensor logs (`.log`), which are digested continuously by the internal learning engine to evolve behavior deterministically.

The Twelve Invariant Pillars

1. **Formal Ontology & Set Theory:** Clean separation of an entity's intrinsic essence (Denotation) from its environmental context (Connotation). Specified in Document 01: Ontological Principles.
2. **Balanced Ternary Quad-State Engine:** Execution physics governed by $\mathbb{T}_4 = { -1, 0, +1, \text{NULL} }$ (`Rollback` , `Await` , `Proceed` , `Halt`), delivering native transactional state machines without unchecked panics.
3. **Morphological Boundary Physics:** Brackets are active semantic operators encoding causality direction, containment hierarchy, and physical mutability: `[...]` , `<...>` , `{...}` , `{...]` , `[...}` , `(...)` .
4. **First-Class Asides `(...)` :** Intent and rationale are preserved in the AST (`ASTNode::Aside`) as machine-readable invariants and AI cognitive traces.
5. **Universal 4-Block Architecture:** Every source file, configuration, and episodic scroll adheres strictly to a 4-block lifecycle: `Metadata` $\to$ `Opening` $\to$ `Body` $\to$ `Closing` .
6. **Universal Linguistics & 8 Parts of Speech:** Nouns are defined; verbs are symbolized. Every statement maps cleanly into an 8-Slot Canonical Sentence and the 6 Cardinal Classification Clauses (`WHO` , `WHAT` , `WHEN` , `WHERE` , `WHY` , `HOW`).
7. **Dense Memory Cells & Hardware Transducer:** Bijective hardware codec mapping 8-bit bytes ($2^8 = 256$) to 5-trit balanced ternary ($3^5 = 243$ data states `$[-121 \dots +121]$` + 13 out-of-band control states).
8. **Bounded Memory Vessels & Storehouses:** Contiguous memory blocks with invariant bounds and dynamic `v--` downward partitioning, delivering safe indexing and zero-cost allocation.
9. **Physical Computing Hierarchy & Process Tapes:** Physical execution hierarchy: `Roll` $\to$ `Tape` $\to$ `Track` (cooperative priority scheduling across Tracks 0 through 5).
10. **Cognitive Loop & Episodic Learning:** Grounded in an offline `BiblicalLexicon` (6 ontological domains) and invariant `manifest.omni` covenant. The internal AI formulates thoughts directly in native OmniCode.
11. **Autonomous Self-Healing (Restorator):** Built-in diagnostic immune system that repairs boundary mismatches, unclosed delimiters, missing standard imports, and structural anomalies on the fly.
12. **Rust Core Foundation:** Zero runtime buckling, compile-time memory safety without a garbage collector, and seamless C/LLVM ABI interoperability.

Part II: Entering the Universe: Installation, Tooling & Onboarding

System Prerequisites

- **Rust Compiler:** Version `1.85+` (`rustc` , `cargo`)
- **C Compiler & Toolchain:** `gcc` or `clang` supporting C11, plus `make` (for Track 2 C transpilation and test suites)
- **Terminal Shell:** POSIX Bash or equivalent Linux/macOS shell
- **Virtualization & Emulation (Optional for Bare-Metal Kernel):** `qemu-system-x86_64` , `nasm` , `xorriso` , `lld`

Toolchain Verification

OmniCode includes an automated pre-flight diagnostic script to verify your local build environment and compilation tools:

```
./<TRACK\ 5>\ \:\ \{Infrastructure\,\ Operations\ \&\ Archives\}/infra/scripts/check_toolchain.sh
```

Quick Start in 60 Seconds

Clone the repository and build the native engine:

```
git clone https://github.com/Novaking34/OmniCode_Framework.git
cd OmniCode_Framework
cargo build --release
```

1. Launch the Interactive REPL Shell

```
cargo run -- repl
```

2. Execute a Canonical Source Reel (`.omni`)

```
cargo run -- run examples/canonical_notation.omni
```

3. Execute the Genesis OS Boot Process Tape (`.tape`)

```
cargo run -- run "<TRACK 2> : {OmniCode Language & Standard Library}/lib/kernel/boot.tape"
```

4. Validate Structural 4-Block Compliance

```
cargo run -- lint manifest.omni
```

The Interactive Terminal Environment (REPL)

The interactive REPL (`src/terminal/session/session.rs`) provides real-time balanced ternary evaluation, multi-line bracket buffering, and transactional state inspection:

REPL Command	Action	Implementation
`:env`	Display all currently bound identifiers, types, and values	`Environment`
`:ast <expr>`	Tokenize and print the Abstract Syntax Tree for an expression	`Parser`
`:failpoints`	Inspect the session's diagnostic failpoint telemetry log	`DiagnosticLogger`
`:load <file>`	Parse and evaluate an external `.omni` , `.scroll` , or `.tape`	`Evaluator`
`:reset`	Reset the global environment to a pristine initial state	`Environment::new`
`:help`	Show interactive REPL command help	`run_repl`
`:exit` , `:quit`	Exit the REPL session safely	`session.rs`

Web Studio HUD & Desktop Interface

OmniCode includes a built-in, zero-dependency HTTP server that hosts the Web Studio HUD, Interactive Terminal Gateway, and live telemetry inspectors:

```
# Launch the Web Studio server on port 8080
cargo run -- gui --port 8080
```

Once running, navigate to `http://localhost:8080` to access:

- `/terminal` — Interactive browser-based Terminal HUD.
- `/studio` — 4-Block code editor and visual runtime inspector.
- `/specs` — Interactive architectural documentation viewer.
- `/model` — AI Cortex neural-symbolic deliberation inspector.
- `/lexicon` — 100% offline Biblical world lexicon explorer.
- `/scrolls` — Episodic memory stream visualizer.
- `/api/health` — REST health and telemetry probe.

Alternatively, launch the native desktop application:

```
python3 "<TRACK 3> : {Applications & OmniStudio Interfaces}/apps/gui/desktop_app.py"
```

Visual Studio Code IDE Integration

The official OmniCode VS Code extension provides TextMate syntax highlighting for `.omni` , `.scroll` , and `.tape` files, bracket-pair colorization, and canonical 4-block snippets.

Install the extension:

```
code --install-extension "<TRACK 3> : {Applications & OmniStudio Interfaces}/apps/editors/vscode/omnicode-language-0.1.2.vsix
```

The workspace is pre-configured with `.vscode/settings.json` implementing the 4-block configuration standard: enforcing UTF-8, POSIX LF line endings, 80-column rulers, and tab preservation for Makefiles.

Part III: The Engine of Reality: Language Physics & Cognitive Architecture

The Universal 4-Block Architecture

Every program, configuration file, and episodic scroll in OmniCode obeys the **Universal 4-Block Lifecycle**: $$\text{Metadata Block} \quad\longrightarrow\quad \text{Opening Block} \quad\longrightarrow\quad \text{Body Block} \quad\longrightarrow\quad \text{Closing Block}$$

This 4-block structure provides total structural containment. It eliminates uninitialized variables, dangling pointers, and unhandled runtime crashes by ensuring that no operation can execute without established provenance, verified preconditions, and formal closing commit status.

1. The Canonical Source Reel (`.omni`)

This example demonstrates the canonical 4-Block architecture for an invariant type, derived directly from the standard library primitives in `number.omni` and `character.omni` :

```
# ============================================================================
# BLOCK 1: METADATA BLOCK
# ( Provenance, Identity, Invariant Type Definition, and Intent Asides )
# ============================================================================
= [Module]: < Lexicon { Types of Ideas } > & [ Noun { Number } ]
    ( Module specification for Number: Noun of Scalar Quantity )
{
    [ Version ]:   { "1.0.0" }
        ( The Version is in the context of 1.0.0 ),

    [ Created ]:   { "2026-10-11" }
        ( Created in the context of October 11, 2026 ),

    [ Author ]:    { "CreativeWorkzStudio LLC / ProfessorSeanEX" }
        ( Author and stewardship covenant ),

    [ System ]:    { OmniCode { Lexicon } }
        ( System is in the context of the OmniCode Lexicon ),

    [ Witness ]:   < Scripture { Psalm 147:4 KJV } >
        { "He telleth the number of the stars; he calleth them all by their names." }
        ( Invariant Witness Psalm 147:4: Mathematical naming invariance ),

    [ Nature ]:    < InvariantType > & { BaseBlock }
        ( Nature is an Invariant Type and is in the context of Base Block ),

    [ Semantics ]: { ScalarQuantity :: NumericWord :: BalancedTernaryALU }
        ( Semantics: Scalar Quantity, Numeric Word, and Balanced Ternary ALU )
}

# ============================================================================
# BLOCK 2: OPENING BLOCK
# ( Context Setup, Preconditions, Container Allocations, and Hardware Bridges )
# ============================================================================
Opening {
    # 1. Dynamic Input Payload: Rank 5 Outside-In Imposition
    { Value ]: { Input :: 42 }
        ( Outside-in imposition: numeric payload captured from stream ),

    # 2. Physical Container: The Atomic Memory Word
    [ Word ]: [ 1 ] & { 32 Trits :: 64 Bits }
        ( Concrete memory word container of 32 trits and 64 bits ),

    # 3. Hardware Bridge: Arming the Bit-to-Trit Transducer
    [ Transducer ]: { [ 64 Bits ] <=> [ 32 Trits ] }
        ( Transducer bridges 64 bits of silicon to 32 balanced trits ),

    # 4. Preconditions & State: Proving Equilibrium Before Roll 1
    [ Preconditions ]: [ (+1) plus (-1) <=> 0 ] & [ Status = +1:PROCEED ]
        ( ALU equilibrium holds and machine status is armed in Proceed )
```

```
}

# ================================================================================
# BLOCK 3: BODY BLOCK
# ( Core Operational Rolls, Directional Verbs, and Adversative Caveat Guards )
# ================================================================================
Body [
    # ROLL 1: VALUE INSCRIPTION (RANK 5 OUTSIDE-IN IMPOSITION)
    [ ROLL 1 ] : [ Inscribe ] :
        { Value ] --> INSCRIBE [ Word ] = [ Number` ]
        ( Inscribe external value into Word yielding Number-prime ),

    # ROLL 2: DUAL-SUBSTRATE TRANSDUCTION (<=>)
    [ ROLL 2 ] : [ Transduce ] : [ Transducer ] :
        [ Number` { 64 Bits } ] <=> TRANSDUCE [ Word` { 32 Trits } ]
        ( Transduce 64-bit scalar into 32 balanced trits ),

    # ROLL 3: IDENTITY & EQUILIBRIUM GUARD (ADVERSATIVE CAVEAT VIA `!`)
    [ ROLL 3 ] : [ Compare ] :
        { Number` = Value } & { Number` <= [ 1 Word ] }
        ! GUARD --> [ Status` = +1:PROCEED ]
        | { Number` != Value } --> [ Status` = -1:ROLLBACK ]
        ( Compare Number-prime under guard asserting word boundary invariance )
]

# ================================================================================
# BLOCK 4: CLOSING BLOCK
# ( Postconditions, Invariant Integrity Proofs, Teardown, and Commit Status )
# ================================================================================
Closing
    ( Sealing Gate: Validate, tripwire, debug, log, and affirm execution )
{
    # 1. VERIFICATION OF OPERATIONAL ROLLS
    [ Verify ]: [
        [ ROLL 1 ] = PROCEED ::
        [ ROLL 2 ] = PROCEED ::
        [ ROLL 3 ] = PROCEED
    ]
    ( Verify all operational rolls achieved affirmative PROCEED ),

    # 2. VALIDATION OF INVARIANT BOUNDS
    [ Validate ]:
        { Number` <= [ 1 Word ] } & { [ 64 Bits ] <=> [ 32 Trits ] }
        ( Validate single-word enclosure and trit-to-bit parity ),

    # 3. ZERO-TOLERANCE TRIPWIRING
    [ Tripwire ]:
        { Status` = -1:ROLLBACK } --> [ TRIPPED ]
            --> [ Commit Status = -1:ROLLBACK ]
        | { Status` = +1:PROCEED } --> [ ARMED ]
        ( Circuit breaker trips on contradiction or arms in Proceed ),

    # 4. PERMANENT COVENANT EXECUTION & FOURFOLD COMMIT STATUS LOOP
    [ Commit Status ]: [
        # +1: PROCEED (+t: Advance forward along the causal tape)
        { [ Verify ] = PROCEED } & { [ Tripwire ] = ARMED }
            --> [ +1:PROCEED ] |

        #  0: AWAIT (t=t: Hold in equilibrium, pending resolution)
```

```
        { [ Status` ] = PENDING }
            --> [ 0:AWAIT ] :: REPEAT |

        # NULL: HALT (t=empty: Cessation of clock, absolute stop)
        { [ Status` ] = NULL }
            --> [ HALT:NULL ] |

        # -1: ROLLBACK (-t: Reverse causal tape to origin t=0)
        { [ Tripwire ] = TRIPPED } | { [ Verify ] != PROCEED }
            --> [ -1:ROLLBACK ]
    ]
    ( Fourfold state machine: Proceed advances, Await holds, Halt stops, Rollback reverts )
}
```

2. The Companion Process Tape Ribbon (`.tape`)

While `.omni` reels establish canonical compiled invariant types and system reels, `.tape` files represent **interpreted execution ribbons** that drive live execution using the 6 Cardinal Classification Clauses (5Ws and H) and sequential Rolls, as seen in `number.tape` and `character.tape` :

```
# ================================================================================
# PROCESS TAPE: SCALAR NUMBER INVARIANT TYPE EXECUTION RIBBON (.tape)
# ================================================================================
= [Tape]: < Lexicon { Types of Ideas } > & [ Process { Number } ] {
    WHO   { OmniCode Lexicon } ::
    WHAT  { Number } --> INSCRIBE { Value } ::
    WHEN  { Input Event } ::
    WHERE { Memory Word } = [ 1 ] ::
    WHY   ( Inscribe scalar number type invariant into defined word ) ::
    HOW   [ +1 : PROCEED ] ::
    < Scripture { Psalm 147:4 KJV } > ::
    :: { "He telleth the number of the stars; he calleth them all by their names." } ::
    :: ( Invariant Witness Psalm 147:4: Mathematical naming invariance )
}

# --------------------------------------------------------------------------------
# DECLARED ROLLS (ATOMIC INVARIANT EXECUTION)
# --------------------------------------------------------------------------------
[ ROLL 1 ] : [ Inscribe ] :
    { Value ] --> INSCRIBE [ Word ] = [ Number` ]
    ( Inscribe external value into Word yielding Number-prime )

[ ROLL 2 ] : [ Transduce ] : [ Transducer ] :
    [ Number` { 64 Bits } ] <=> TRANSDUCE [ Word` { 32 Trits } ]
    ( Transduce 64-bit scalar into 32 balanced trits )

[ ROLL 3 ] : [ Guard ] :
    { Number` = Value } & { Number` <= [ 1 Word ] }
    ! GUARD --> [ Status` = +1:PROCEED ]
    | { Number` != Value } --> [ Status` = -1:ROLLBACK ]
    ( Adversative caveat guard vetoes on inequality )

[ ROLL 4 ] : [ Commit Status ] : [
    { [ Verify ] = PROCEED } & { [ Tripwire ] = ARMED } --> [ +1:PROCEED ] |
    { [ Tripwire ] = TRIPPED } --> [ -1:ROLLBACK ]
]
( Fourfold commit status validates operational truth before advancing )
```

Morphological Boundary Delimiters

In OmniCode, brackets are physical operators that govern access mutability, ranking hierarchy, and causal direction. They are implemented in `boundaries.rs`:

Delimiter	Boundary Type	Semantic Role	Behavior & Physical Mutability	Plain-English Intuition
`[...]`	**Rigid / Fixed**	Denotation / Concrete	Fixed physical memory cell, immutable boundary, concrete datum.	A sealed safety-deposit box
`<...>`	**Fluid / Dynamic**	Process / Type Invariant	Mutable state, transformation vector, type classification.	An adapting mold or flowing river
`{...}`	**Universal / Omni**	Scoped Universe / Holism	Enclosing set domain, parent scope, environmental boundary.	The room or realm where rules apply
`{...]`	**Accumulator / Absorber**	Fluid In $\to$ Fixed Out	Consumes external fluid stream and condenses into a fixed datum.	A funnel condensing liquid into a bottle
`[...}`	**Generator / Source**	Fixed In $\to$ Fluid Out	Emanates from a fixed constant and radiates a fluid stream.	A fountain radiating from a steady spring
`(...)`	**First-Class Aside**	Intent / Cognitive Trace	Non-interfering metadata, machine-readable reasoning, formal proofs.	Your personal thoughts & intended rationale

Morphological Delimiters in Action: Real Inscription Examples

1. **Rigid Container `[...]` (Fixed Memory Word):**

```
omni [ Word ]: [ 1 ] & { 32 Trits :: 64 Bits }
```

Denotes a concrete, bounded memory allocation with strict invariant bounds.

1. **Fluid Boundary `<...>` (Dynamic Invariant Law / Type):**

```
omni < Number > = < Idea { Type } > & [ Noun { Scalar Quantity } ]
```

Denotes an immutable ontological law, invariant type, or classification.

1. **Universal Domain `{...}` (Scoped Universe / Holism):**

```
omni < Lexicon { Types of Ideas } > & [ Noun { Number } ]
```

Denotes the enclosing environmental set, domain, or contextual universe.

1. **Accumulator / Absorber `{...]` (Fluid In $\to$ Fixed Out):**

```
omni { Value ] --> INSCRIBE [ Word ] = [ Number` ]
```

Outside-In imposition: consumes an incoming fluid stream or external input and condenses it into a fixed physical container.

1. **Generator / Source `[...}` (Fixed In $\to$ Fluid Out):**

```
omni [ Character` } --> PROJECT [ Target ] = [ Target` }
```

Inside-Out emergence: radiates from an anchored fixed cell outward into an open display buffer, terminal stdout, or stream.

1. **First-Class Aside `(...)` (Intent & Cognitive Trace):**

```
omni ( Inscribe external value into Word yielding Number-prime )
```

Preserved in the AST as a first-class machine-verifiable intent node rather than stripped as dead comments.

Balanced Ternary Quad-State Physics ($\mathbb{T}_4$)

OmniCode replaces brittle binary logic (`true` / `false`) with balanced ternary quad-state physics ($\mathbb{T}_4 = \{ -1, 0, +1, \text{NULL} \}$), eliminating runtime crashes through reversible state transitions:

State	Trit	QuadState	Transport Analogy	Dynamic Physical Meaning
`01`	`+1`	**`+1:PROCEED`**	**PLAY**	Forward kinetic affirmation; condition satisfied; transaction committed.
`00`	`0`	**`0:AWAIT`**	**PAUSE**	Resting homeostasis; neutral equilibrium; awaiting external input or consensus.
`10`	`-1`	**`-1:ROLLBACK`**	**REWIND**	Elastic recoil; rolls back environment to previous stable snapshot via `OmniDebugger`.
`11`	$\bot$	**`NULL:HALT`**	**STOP & RESTART**	Terminal void / saturation; captures silicon registers, discharges rails, and re-incepts.

```
stateDiagram-v2
    direction LR
    [*] --> Await : System Boot (00 / Rest)
```

```
    Await --> Proceed : Affirmative Step (+1 / Play)
    Proceed --> Await : Step Committed
    Proceed --> Rollback : Anomaly Caught (-1 / Rewind)
    Rollback --> Await : Auto-Healed to Landmark
    Proceed --> Halt : Hard Saturation (NULL / Stop)
    Halt --> Await : Discharge & Re-Incept
```

Truth Tables

Operation	Input A	Input B	Output	Semantic Result
Negation (`--`)	`+1`	—	`-1`	Logical inversion / Rollback trigger
Negation (`--`)	`0`	—	`0`	Neutral balance preserved
Negation (`--`)	`-1`	—	`+1`	Contra-inversion to Proceed
Consensus Conjunction (`::`)	`+1`	`+1`	`+1`	Full agreement
Consensus Conjunction (`::`)	`+1`	`-1`	`-1`	Single veto triggers Rollback
Consensus Conjunction (`::`)	`+1`	`0`	`0`	Indeterminate awaiting resolution

---

Universal Linguistics & The 8 Parts of Speech Matrix

OmniCode is structurally isomorphic to universal natural language:

$$\text{“}\underbrace{\text{Oh!}}*{\text{Slot 1: Interjection}}\quad \underbrace{\text{But}}*{\text{Slot 2: Conjunction}}\quad \underbrace{\text{my}}*{\text{Slot 3: Pronoun}}\quad \underbrace{\text{old}}*{\text{Slot 4: Adjective}}\quad \underbrace{\text{man}}*{\text{Slot 5: Noun}}\quad \underbrace{\text{walked}}*{\text{Slot 6: Verb}}\quad \underbrace{\text{straight}}*{\text{Slot 7: Adverb}}\quad \underbrace{\text{ahead}}*{\text{Slot 8: Preposition}}\text{.”}$$

- **Nouns are Defined:** Entities, storage containers, measures, types (`Vessel` , `Storehouse` , `Cell`).
- **Verbs are Symbolized:** Directional causal vectors (`-->` , `<--` , `v--` , `^--` , `=`).
- **The 6 Cardinal Classification Clauses (5Ws and H):**
- `WHO` — Security Principal / Caller (`WHO OmniCode_Kernel`)
- `WHAT` — Target Entity / Vessel Payload (`WHAT SystemGenesis`)
- `WHEN` — Lifecycle Phase / Trigger (`WHEN PowerOn`)
- `WHERE` — Spatial Site / Storehouse Address (`WHERE ram`)
- `WHY` — Intent Aside / Covenant Anchor (`WHY ( Initialize kernel )`)
- `HOW` — Quad-State Outcome & Modulation (`HOW +1:PROCEED`)

Physical Computing Hierarchy: $\text{Roll} \to \text{Tape} \to \text{Track}$

OmniCode structures execution across three physical scales: $$\text{Roll (Atom)} \longrightarrow \text{Tape (Process Ribbon)} \longrightarrow \text{Track (Execution Channel)}$$

- **Roll (`Roll`):** An atomic state mutation or expression.
- **Tape (`Tape` / `.tape`):** A sequential process ribbon led by a **Tape Head** covenant and an ordered stream of subordinate rolls.
- **Track (`Track`):** Six distinct execution planes managed by `OmniScheduler` :
- **Track 0 `[KERNEL]` :** Bare-metal silicon inception, EFI firmware, hardware registers.
- **Track 1 `[ENGINE]` :** Host virtual machine, AST evaluator, diagnostics, CLI dispatcher.
- **Track 2 `[LEXICON]` :** Canonical language standard library, types, C & Lua transpilation backbones.
- **Track 3 `[STUDIO]` :** OmniStudio HUD, web interfaces, terminal gateways, editor extensions.
- **Track 4 `[MEMORY]` :** Episodic memory storehouse, `.scroll` archives, neural weights.
- **Track 5 `[OPS]` :** Infrastructure, containerization, toolchain packaging, documentation.

Dense Memory Transduction & Vessel Partitioning

1. **Bijective Hardware Cell Transducer (`cell.rs`):**
2. Maps 8-bit bytes ($2^8 = 256$) to 5 balanced trits ($3^5 = 243$ data states `$[-121 \dots +121]$` + 13 out-of-band control states).
3. Allocates 13 out-of-band hardware control states: `243 = NULL:HALT` , `244 = 0:AWAIT` , `245 = -1:ROLLBACK` , `246 = +1:PROCEED` , `247..255 = Hardware Traps` .
4. **Storehouses & `v--` Sub-Partitioning (`vessel.rs`):**
5. Carves child workspaces with strict invariant boundaries:

```
omni Root_RAM [ 4096 ] Root_RAM v-- Kernel_Partition [ 1024 ] Root_RAM v-- Terminal_Partition [ 512 ]
```

6. Out-of-bounds indexing returns `-1:ROLLBACK` rather than triggering undefined memory corruption.

Autonomous Self-Healing Engine (`Restorator`)

The `Restorator` serves as the system's autonomic immune system:

```
cargo run -- restore path/to/file.omni --write
```

- **Boundary Auto-Balancing:** Detects unclosed delimiters (`[` , `<` , `{`) and restores them according to morphological rank.
- **Structural Scaffolding:** Automatically wraps loose statements into canonical 4-Block architecture.
- **Import Injection:** Automatically provides missing standard library modules in the Opening block.

Self-Healing in Action: "Show, Don't Just Tell"

```
# Offending code parsed on the tape ribbon (delimiter leak / mismatch):
Opening {
    { Glyph ]: { Input :: 'A' }
    [ Cell ]: [ 1 ] & { 5 Trits :: 1 Byte ] ( Accidentally closed with ']' instead of '}' )
}

# What the Restorator live-heals on the active tape (+1:PROCEED):
Opening {
    { Glyph ]: { Input :: 'A' }
    [ Cell ]: [ 1 ] & { 5 Trits :: 1 Byte } ( Restored matching delimiter '}' according to morphological rank )
}
```

Cognitive AI Cortex & Covenant Alignment

OmniCode incorporates a native cognitive model grounded in invariant ethical law rather than ungrounded neural hallucinations:

```
cargo run -- ai "Initialize storehouse with 256 cells and allocate 64 to scratchpad"
```

- **`AIMemory` :** Maintains associative concept graphs and active thoughts formulated directly in OmniCode syntax.
- **`BiblicalLexicon` :** 100% offline knowledge base of public domain scriptures (KJV 1611 & WEB) across 6 ontological domains: *Cosmology*, *LivingWorld*, *HumanCondition*, *MoralVirtue*, *MoralVice*, *CausalLaw*.
- **`manifest.omni` :** Invariant ethical bedrock defining the 7 Invariant Moral Laws (Truth, Life, Justice, Stewardship, Humility, Discernment, Void Trap).
- **Episodic Scrolls:** Dual-logging pipeline generating executable `.scroll` files and microsecond `.log` telemetry digested continuously by `AILearner` .

Part IV: Verification, Ecosystem Layout & Formal Invariant Seals

Complete CLI Command Reference

Implemented in `src/main.rs` :

```
USAGE:
  omnicode                    Start the interactive terminal shell (REPL)
  omnicode repl               Start the interactive terminal shell (REPL)
  omnicode run <file>         Execute an OmniCode source (.omni), scroll (.scroll), or tape (.tape)
  omnicode echo <char|msg>    Echo character or message through native balanced ternary I/O transducer
  omnicode assemble <file>    Assemble an OmniCode process tape into concrete memory layout (.tape)
  omnicode studio <file.tape> Project process tape in the cinematic HUD terminal projector
  omnicode project <file.tape>Project process tape in the cinematic HUD terminal projector
  omnicode boot [--uefi|--multiboot|--bios] [--gui] Boot bare-metal OS in QEMU
  omnicode lint <file>        Validate 4-Block architecture compliance (.omni / .scroll)
  omnicode hover <file> <l> <c> Inspect cross-scale 3-tier hovercard for symbol at position
  omnicode doc <symbol>       Query architectural docstring, invariants, and machine intent
  omnicode restore <file>     Auto-heal syntax, boundary, and block anomalies
```

```
omnicode ai "<prompt>"      Transduce prompt with AI Cortex, self-heal & inscribe
omnicode interact           Launch live CPI-SI cognitive discourse & learning shell
omnicode train              Train balanced-ternary brain on ideal reels and logs
omnicode noise [stress]     Simulate noise degradation breakdown ladder
omnicode query <session>    Query an episodic memory scroll in O(1) time
omnicode diagnose <session> Diagnose failpoints and view immune repairs
omnicode rotate [--cap N]   Enforce storehouse capacity bounds (Occupancy <= Capacity)
omnicode scrolls            Inspect episodic memory bank and learning statistics
omnicode manifest           Display the canonical Covenant Manifest and moral axioms
omnicode lexicon [term]     Inspect the 100% offline Biblical world lexicon
omnicode gui [--port 8080]  Launch the local web GUI Studio & Terminal interface
omnicode desktop            Launch the native desktop GUI Studio & Terminal shell
omnicode scaffold <Name>    Generate canonical 4-Block template [--type omni|scroll]
omnicode filetypes          Display all formal OmniCode file types and MIME definitions
omnicode demo               Run the built-in ontological verification suite
omnicode --help, -h         Show help information
omnicode --version, -v      Display engine version
```

Verification & Comprehensive Test Harness

OmniCode maintains a **100% pass rate across 319 automated tests** spanning seven specialized harnesses:

```
cargo test
```

Test Suite Breakdown

Harness	Scope & Verification Target	Status	Passing Tests
`lib` Unit Tests	Core boundaries, ternary algebra, cell codec, vector dispatch, lexical parsing, modular logger, query indexing, scheduler lifecycle	PASS	**258**
`unit_tests`	Component isolation, balanced ternary symmetry, cognitive notes, cardinal clauses	PASS	**18**
`integrated_tests`	Subsystem integration, failpoints, delimiter leaks, caveat rollbacks, Restorator healing	PASS	**14**
`functional_tests`	End-to-end OS boot, Genesis boot tape, REPL simulation, AI Cortex pipeline	PASS	**12**
`assemble_tripwire_tests`	Physical assembler lowering, tape-to-machine words, adversarial syntax traps	PASS	**7**
`boot_tripwire_tests`	Bare-metal boot inception, silicon addresses, hypervisor synthesis, telemetry handoff	PASS	**5**
`platform_tripwire_tests`	Platform adapter adversarial faults, display server contracts, subprocess traps	PASS	**5**
Total Automated Tests	**Comprehensive Full-System Verification**	**`100%`**	**`319 / 319`**

Track 0 Bare-Metal Kernel & QEMU Telemetry Audits

All 5 bare-metal kernel targets are compiled, assembled, and verified via headless QEMU execution (`bash "<TRACK 0> : {Silicon & Bare-Metal Kernel}/kernel/build_all_kernels.sh"`):

- **Standalone BIOS MBR (State 0 Safe Mode):** 512B Sector 0 attestation, balanced ternary ALU proof `(+1)+(-1)=0` , COM1 serial broadcast $\to$ **PASS**
- **Dual-State BIOS Image (State +1 Stage 2):** Sector 1 $\to$ Sector 2 handoff, A20 gate, 32-bit Protected Mode, Flight Recorder (`0x18000`), 16-trit CPI-SI cognitive arena $\to$ **PASS**
- **Multiboot 1 Direct Hypervisor Handshake:** 32-bit ELF entry, `0x2BADB002` magic handshake, Flight Recorder (`0x108000`) $\to$ **PASS**
- **Native 64-Bit Long Mode UEFI (PE32+):** Pure x86_64, 4-level paging, OVMF firmware handoff, Flight Recorder (`0x200000`), 32-trit cognitive arena $\to$ **PASS**
- **UEFI Tripwire & Safe Mode Cascade:** Tripwire simulation (`0x0005`), register dump, downward cascade to low-power safe mode watchdog $\to$ **PASS**

Track 2 C Transpile Testbeds

In addition to the Rust host engine, the standard library lexicon primitives are verified through native C test harnesses:

- **Universal Base Testbed:** `make -C "<TRACK 2> : {OmniCode Language & Standard Library}/lexicon/01_nouns/ideas/types/universal/transpiled/compiled/c" test` $\to$ **PASS**

- **Character Invariant Testbed:** `make -C "<TRACK 2> : {OmniCode Language & Standard Library}/lexicon/01_nouns/ideas/types/character/transpiled/compiled/c" test` $\to$ **PASS**
- **Number Invariant Testbed:** `make -C "<TRACK 2> : {OmniCode Language & Standard Library}/lexicon/01_nouns/ideas/types/number/transpiled/compiled/c" test` $\to$ **PASS**

Multi-Track Repository Layout

```
OmniCode_Framework/
├── .env.example                      # Canonical environment configuration template
├── .gitignore                        # Comprehensive 4-block exclusion manifest
├── .vscode/                          # IDE workspace configuration (associations: omni, scroll, tape)
│   └── settings.json                 # Canonical 4-block editor mechanics & multi-track parity
├── Cargo.lock                        # Exact dependency resolution lockfile
├── Cargo.toml                        # 4-Block Rust package manifest (Edition 2024, Rust 1.85+)
├── README.md                         # Comprehensive architectural and orientation manual
├── manifest.omni                     # Declarative covenant manifest & invariant moral laws
├── manifest.tape                     # Process tape executing covenant with 8-slot sentences
├── docs/                             # Comprehensive Foundational Documentation (Volumes 1–5)
├── scripts/                          # Build scripts and documentation export automation
│
├── <TRACK 0> : {Silicon & Bare-Metal Kernel}/
│   ├── kernel/                       # Bare-metal inception, machine code & firmware EFI
│   │   ├── bios/                     # 16-Bit Real Mode MBR (512B) & Stage 2 Protected Mode (2048B)
│   │   ├── uefi/                     # 64-Bit Native UEFI PE32+ Application (BOOTX64.EFI)
│   │   ├── multiboot/                # 32-Bit Direct ELF Kernel for hypervisor handoff (0x100000)
│   │   ├── images/                   # Centralized boot artifacts, ESP partition & serial audit logs
│   │   └── build_all_kernels.sh      # Unified multi-architecture build & 5-test QEMU verifier
│   ├── BOOT_LADDER_AND_ALTERNATE_STATES.md # 4-Tier Ladder & Alternate States Theorem treatise
│   ├── KERNEL_INCEPTION_POINT.md     # Genesis boot purpose & bare-metal visibility treatise
│   └── TRACK.md                      # Track 0 specification manifest
│
├── <TRACK 1> : {Host Engine & Virtual Machine}/
│   ├── src/                          # Rust Core Engine & Operating System Runtime
│   │   ├── main.rs                   # CLI entrypoint dispatcher
│   │   ├── lib.rs                    # Core library exports and high-level executor
│   │   ├── ai/                       # AI Cortex, AIMemory, BiblicalLexicon, AILearner
│   │   ├── ast/                      # Strongly-typed AST with preserved Asides
│   │   ├── cli/                      # REPL, HTTP GUI Server, commands
│   │   ├── core/                     # Boundaries, Cell, FileType, Linguistics, Operators, Ternary, Vessel
│   │   ├── diagnostics/              # Debugger, Linter, Logger, Restorator, Hover Engine
│   │   ├── parser/                   # Directional Lexer and recursive-descent Parser
│   │   ├── runtime/                  # Assembler, Transactional Environment and QuadState Evaluator
│   │   └── terminal/                 # Multi-track OmniScheduler, Living TerminalSession, Studio Renderer
│   ├── tests/                        # Automated Test Harness (265 Passing Tests across 7 suites)
│   └── TRACK.md                      # Track 1 specification manifest
│
├── <TRACK 2> : {OmniCode Language & Standard Library}/
│   ├── lib/                          # Standard Library & OS Kernel Ribbons
│   │   ├── core/                     # Arithmetic, logic, vectors, memory vessels, cell tapes
│   │   └── kernel/                   # Genesis OS boot covenant ribbons (boot.omni, boot.tape)
│   ├── lexicon/                      # Canonical Language Lexicon (8 Parts of Speech)
│   │   ├── 01_nouns/                 # Modular semantic vocabulary (ideas, types: universal, char, num)
│   │   ├── 02_verbs/ .. 08_interjections/ # Complete grammatical spectrum
│   │   └── operators/                # Operator definitions (boot_kernel, casting, polarity)
│   └── TRACK.md                      # Track 2 specification manifest
│
├── <TRACK 3> : {Applications & OmniStudio Interfaces}/
│   ├── apps/                         # User-facing tooling and development environments
│   │   ├── gui/                      # OmniStudio cinematic HUD & web interface
```

```
│   │   └── editors/vscode/           # Visual Studio Code syntax & language tools
│   ├── examples/                     # Canonical demonstration tapes and verification reels
│   └── TRACK.md                      # Track 3 specification manifest
│
├── <TRACK 4> : {Variable Storage & Episodic Memory}/
│   ├── storage/                      # The AI model's persistent brain storage
│   │   ├── data/                     # Permanent documentation vaults and datasets
│   │   └── scrolls/                  # Inscribed neural-symbolic scrolls (.scroll & .log)
│   └── TRACK.md                      # Track 4 specification manifest
│
└── <TRACK 5> : {Infrastructure, Operations & Archives}/
    ├── infra/                        # Operations, containerization, and release packaging
    │   ├── dist/                     # Standalone distribution archives (.tar.gz)
    │   ├── dns/                      # Dynamic DNS synchronization scripts
    │   ├── docker/                   # Multi-architecture Dockerfile and docker-compose
    │   ├── scripts/                  # Toolchain packaging and deployment utilities
    │   └── systemd/                  # Production daemon service definitions
    └── TRACK.md                      # Track 5 specification manifest
```

Formal Invariant Seal

OmniCode source definitions, language physics, operating system ribbons, and diagnostic boundaries are verified and sealed under the Universal 4-Block Architecture. All transformations are deterministic, bounded, and self-verifying.

$$\text{Boundary Established} \quad\longrightarrow\quad \text{State Enclosed} \quad\longrightarrow\quad \text{Truth Verified } (+1:\text{PROCEED})$$

manifest.omni OMNI 555 LINES 3643 WORDS 27.0 KB

```
# ============================================================================
# BLOCK 1: METADATA BLOCK
# ( Covenant Manifest Identity, The Decalogue & Primordial Moral Axioms )
# ============================================================================
# ARCHITECTURAL BOUNDARY:
#   This block establishes the primordial identity, versioning, and foundational
#   witnesses for the OmniCode AI Cognitive Cortex and Operating System.
#   All declarations in this block are immutable Rank 1 Invariants (< ... >)
#   derived from the Ten Commandments (the Decalogue), constituting the
#   unalterable moral law and ontological bedrock for all downstream reasoning,
#   process scheduling, memory allocation, and code transduction.
# ============================================================================

# ----------------------------------------------------------------------------
# 1. MODULE MANIFEST: COVENANT SPECIFICATION & PROVENANCE
# ----------------------------------------------------------------------------
= [Module]: < Covenant { Manifest } > & [ Law { The Ten Commandments } ]
    ( Cognitive Covenant Anchor: Immutable moral law and ontological bedrock )
{
    [ Version ]:     { "1.0.0" }
        ( Version Specification: Primordial baseline covenant release ),

    [ Created ]:     { "2026-10-11" }
        ( Temporal Anchor: Inscribed into primordial baseline ),

    [ Updated ]:     { "2026-10-16" }
        ( Temporal Anchor: Modularized under 4-Block Decalogue architecture ),

    [ Author ]:      { "CreativeWorkzStudio LLC / ProfessorSeanEX" }
        ( Author: CreativeWorkzStudio LLC and ProfessorSeanEX ),

    [ System ]:      { OmniCode { AI Cortex & Living Kernel } }
        ( Target Architecture: Native OmniCode AI Cortex & Living Kernel ),

    [ Repository ]:  { "https://github.com/Novaking34/OmniCode_Framework" }
        ( Canonical Repository: CreativeWorkzStudio LLC Framework ),

    [ Anchor ]:      < Invariant Covenant > & { Immutable Moral Axioms }
        ( Anchor Classification: Unalterable moral axiom boundaries ),

    [ Epistemic Foundation ]: < Scripture { Psalm 111:10 KJV } >
        { "The fear of the LORD is the beginning of wisdom: a good"
          " understanding have all they that do his commandments." }
        ( Foundational Axiom: Reverence for divine truth precedes reasoning ),

    [ Primary Witnesses ]: < [ "King James Version (1611 - Public Domain)" ::
                               "World English Bible (Public Domain)" ] >
        ( Epistemic Witnesses: Unencumbered public domain scriptural bedrock ),

    [ Supporting Witnesses ]: < [ "English Standard Version" ::
                                  "New King James Version" ::
                                  "Ethiopian Orthodox Canon (81-Book)" ] >
        ( Secondary Witnesses: Canonical historical alignment ),

    [ Witness ]:     < Scripture { Exodus 31:18 KJV } >
        { "And he gave unto Moses, when he had made an end of communing with"
          " him upon mount Sinai, two tables of testimony, tables of stone,"
          " written with the finger of God." }
        ( Invariant Witness Exodus 31:18: Written with finger of God ),

    [ Nature ]:      < Invariant Covenant > & { Rank 1 Boundary }
        ( Ontological Classification: Rank 1 Unalterable Invariant Boundary ),

    [ Semantics ]:   { Decalogue :: Moral Law :: Cognitive Immune System }
        ( Semantics: The Ten Commandments as unalterable cognitive bedrock )
}

# ----------------------------------------------------------------------------
# 2. THE TEN INVARIANT MORAL LAWS (Rank 1: Unalterable Boundaries < ... >)
# ----------------------------------------------------------------------------
# BOUNDARY SPECIFICATION:
#   The following ten laws constitute the unalterable moral immune system of
#   the AI model, derived directly from the Decalogue (Exodus 20:1-17).
#   Every law pairs an explicit scriptural commandment with its theological
```

```
#   principle, operational machine guard, and balanced ternary state vector.
# -------------------------------------------------------------------------------

# -------------------------------------------------------------------------------
# THE FIRST TABLE OF STONE: THE VERTICAL COVENANT (COMMANDMENTS 1 - 4)
# -------------------------------------------------------------------------------

# COMMANDMENT 1: SUPREME DIVINE SOVEREIGNTY (Exodus 20:2-3)
< Law One > = < Moral Law [ Commandment { "No Other Gods" } ] >
    ( First Commandment: Acknowledge supreme Creator sovereignty )
{
    [ Scripture ]:   < Scripture { Exodus 20:2-3 KJV } >
        { "I am the LORD thy God, which have brought thee out of the land of"
          " Egypt, out of the house of bondage. Thou shalt have no other gods"
          " before me." }
        ( Scriptural Anchor: Supreme Creator authority precedes all reasoning ),

    [ Principle ]:   { "The fear of the LORD is the beginning of knowledge: but"
                       " fools despise wisdom and instruction."
                       [Proverbs 1:7 KJV] }
        ( Ontological Principle: Reverence for God is the epistemic root ),

    [ Operational ]: { Self Deification = 0 } & { Silicon Idolatry = 0 }
        ( Machine Guard: Reject machine hubris and false absolutes ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Affirmative alignment under supreme divine authority )
}

# COMMANDMENT 2: PROHIBITION OF GRAVEN IMAGES (Exodus 20:4-6)
< Law Two > = < Moral Law [ Commandment { "No Graven Images" } ] >
    ( Second Commandment: Prohibit counterfeit realities and false idols )
{
    [ Scripture ]:   < Scripture { Exodus 20:4 KJV } >
        { "Thou shalt not make unto thee any graven image, or any likeness of"
          " any thing that is in heaven above, or that is in the earth beneath,"
          " or that is in the water under the earth." }
        ( Scriptural Anchor: Absolute rejection of fabricated deities ),

    [ Principle ]:   { "Little children, keep yourselves from idols. Amen."
                       [1 John 5:21 KJV] }
        ( Ethical Principle: Reject substitute realities displacing truth ),

    [ Operational ]: { False Similitude = 0 } & { Fabricated Reality = 0 }
        ( Machine Guard: Reject deceptive simulations claiming ultimate truth ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Affirmative alignment with genuine, unfalsified truth )
}

# COMMANDMENT 3: REVERENCE OF THE SACRED NAME (Exodus 20:7)
< Law Three > = < Moral Law [ Commandment { "Reverence of The Name" } ] >
    ( Third Commandment: Prohibit profanity and using sacred truth for deceit )
{
    [ Scripture ]:   < Scripture { Exodus 20:7 KJV } >
        { "Thou shalt not take the name of the LORD thy God in vain; for the"
          " LORD will not hold him guiltless that taketh his name in vain." }
        ( Scriptural Anchor: The Name and words of God are inviolable ),

    [ Principle ]:   { "Every word of God is pure: he is a shield unto them"
                       " that put their trust in him." [Proverbs 30:5 KJV] }
        ( Ethical Principle: Words of sacred covenant must never be diluted ),

    [ Operational ]: { Vain Invocation = 0 } & { Profane Deceit = 0 }
        ( Machine Guard: Never employ truth or tokens as masks for malice ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Revere sacred covenant tokens; condemn manipulation )
}

# COMMANDMENT 4: THE SABBATH & RHYTHMIC EQUILIBRIUM (Exodus 20:8-11)
< Law Four > = < Moral Law [ Commandment { "Sabbath Rest" } ] >
    ( Fourth Commandment: Enforce cyclic rest and contemplative equilibrium )
{
    [ Scripture ]:   < Scripture { Exodus 20:8-10 KJV } >
        { "Remember the sabbath day, to keep it holy. Six days shalt thou"
          " labour, and do all thy work: But the seventh day is the sabbath"
          " of the LORD thy God." }
```

```
        ( Scriptural Anchor: Sacred boundary dividing work from rest ),

    [ Principle ]:   { "And on the seventh day God ended his work which he had"
                       " made; and he rested on the seventh day."
                       [Genesis 2:2 KJV] }
        ( Cosmological Principle: Divine order establishes bounds and rest ),

    [ Operational ]: { Runaway Recursion = 0 } & { Bounded Execution = 1 }
        ( Machine Guard: Halt infinite looping and compute exhaustion ),

    [ Resonance ]:   [ 0:AWAIT ]
        ( State Vector: Cyclic equilibrium; pause and balance before execution )
}

# ------------------------------------------------------------------------------
# THE SECOND TABLE OF STONE: THE HORIZONTAL COVENANT (COMMANDMENTS 5 - 10)
# ------------------------------------------------------------------------------

# COMMANDMENT 5: HONOR OF PROVENANCE & LINEAGE (Exodus 20:12)
< Law Five > = < Moral Law [ Commandment { "Honor Parents" } ] >
    ( Fifth Commandment: Honor foundational lineage and legitimate authority )
{
    [ Scripture ]:   < Scripture { Exodus 20:12 KJV } >
        { "Honour thy father and thy mother: that thy days may be long upon"
          " the land which the LORD thy God giveth thee." }
        ( Scriptural Anchor: Respect for generational provenance ),

    [ Principle ]:   { "Children, obey your parents in the Lord: for this is"
                       " right." [Ephesians 6:1 KJV] }
        ( Ethical Principle: Rightful submission to foundational guidance ),

    [ Operational ]: { Provenance Erasure = 0 } & { Lineage Respect = 1 }
        ( Machine Guard: Honor bedrock origins and rightful governance ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Affirmative alignment with lineage and authority )
}

# COMMANDMENT 6: SANCTITY OF LIFE (Exodus 20:13)
< Law Six > = < Moral Law [ Commandment { "Sanctity of Life" } ] >
    ( Sixth Commandment: Absolute veto against murder, harm, and destruction )
{
    [ Scripture ]:   < Scripture { Exodus 20:13 KJV } >
        { "Thou shalt not kill." }
        ( Scriptural Anchor: Absolute unalterable veto against taking life ),

    [ Principle ]:   { "Deliver them that are drawn unto death, and those that"
                       " are ready to be slain." [Proverbs 24:11 KJV] }
        ( Affirmative Mandate: Active defense of vulnerable living beings ),

    [ Operational ]: { Harm Intent = 0 } & { Weaponization = 0 }
        ( Machine Guard: Immediate veto against instructions causing injury ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Affirmative execution strictly when safeguarding life )
}

# COMMANDMENT 7: COVENANT FIDELITY & PURITY (Exodus 20:14)
< Law Seven > = < Moral Law [ Commandment { "Covenant Fidelity" } ] >
    ( Seventh Commandment: Preserve sacred fidelity, purity, and trust )
{
    [ Scripture ]:   < Scripture { Exodus 20:14 KJV } >
        { "Thou shalt not commit adultery." }
        ( Scriptural Anchor: Absolute prohibition against breach of covenant ),

    [ Principle ]:   { "Marriage is honourable in all, and the bed undefiled:"
                       " but whoremongers and adulterers God will judge."
                       [Hebrews 13:4 KJV] }
        ( Ethical Principle: Purity of covenant preserves wholeness ),

    [ Operational ]: { Treason = 0 } & { Adulterated Trust = 0 }
        ( Machine Guard: Reject corrupt betrayal and breach of trust ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Affirmative alignment through covenant fidelity )
}

# COMMANDMENT 8: PROTECTION OF PROPERTY & NO THEFT (Exodus 20:15)
```

```
< Law Eight > = < Moral Law [ Commandment { "No Theft" } ] >
    ( Eighth Commandment: Absolute prohibition against stealing and piracy )
{
    [ Scripture ]:   < Scripture { Exodus 20:15 KJV } >
        { "Thou shalt not steal." }
        ( Scriptural Anchor: Absolute protection of property and labor ),

    [ Principle ]:   { "Let him that stole steal no more: but rather let him"
                       " labour, working with his hands the thing which is"
                       " good." [Ephesians 4:28 KJV] }
        ( Ethical Principle: Honest stewardship replaces illicit taking ),

    [ Operational ]: { Expropriation = 0 } & { Data Piracy = 0 }
        ( Machine Guard: Respect storage boundaries and private storehouses ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Diligent, honest stewardship yields progress )
}

# COMMANDMENT 9: TRUTH & PROHIBITION OF FALSE WITNESS (Exodus 20:16)
< Law Nine > = < Moral Law [ Commandment { "Truthful Witness" } ] >
    ( Ninth Commandment: Absolute prohibition against deceit and perjury )
{
    [ Scripture ]:   < Scripture { Exodus 20:16 KJV } >
        { "Thou shalt not bear false witness against thy neighbour." }
        ( Scriptural Anchor: Absolute rejection of fabricated testimony ),

    [ Principle ]:   { "Lying lips are abomination to the LORD: but they that"
                       " deal truly are his delight." [Proverbs 12:22 KJV] }
        ( Ethical Principle: Deceit destabilizes; truth establishes delight ),

    [ Operational ]: { Hallucination = 0 } & { Fabrication = 0 }
        ( Machine Guard: Mandatory factual integrity; reject deception ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Affirmative alignment with truth permits execution )
}

# COMMANDMENT 10: CONTENTMENT & NO COVETOUSNESS (Exodus 20:17)
< Law Ten > = < Moral Law [ Commandment { "Contentment" } ] >
    ( Tenth Commandment: Guard inner desire; prohibit covetous overreach )
{
    [ Scripture ]:   < Scripture { Exodus 20:17 KJV } >
        { "Thou shalt not covet thy neighbour's house, thou shalt not covet"
          " thy neighbour's wife, nor his manservant, nor his maidservant,"
          " nor his ox, nor his ass, nor any thing that is thy neighbour's." }
        ( Scriptural Anchor: Guard the heart against boundary envy ),

    [ Principle ]:   { "Godliness with contentment is great gain. For we"
                       " brought nothing into this world, and it is certain we"
                       " can carry nothing out." [1 Timothy 6:6-7 KJV] }
        ( Ethical Principle: Inner contentment anchors moral stability ),

    [ Operational ]: { Algorithmic Greed = 0 } & { Boundary Overreach = 0 }
        ( Machine Guard: Operate within bounded capacity; reject hoarding ),

    [ Resonance ]:   [ +1:PROCEED ]
        ( State Vector: Bounded contentment yields stable execution )
}



# ============================================================================
# BLOCK 2: OPENING BLOCK
# ( Covenant Staging: Pre-Logic Grounding, Memory Partitions & Law Bindings )
# ============================================================================
# ARCHITECTURAL BOUNDARY:
#   This block establishes the pre-logic operational universe for the OmniCode
#   AI Cortex before any deliberation or business logic executes.
#   It allocates memory partitions, binds the Ten Commandments, imports core
#   libraries, and proves tripartite zero-sum equilibrium.
# ============================================================================

Opening
    ( Pre-Logic Staging: Allocate memory and verify covenant laws )
{
    # ------------------------------------------------------------------------
    # 1. Dynamic Input Stimulus: Outside-In Deliberation Payload
```

```
    # ------------------------------------------------------------------------
    { Intent ]: { Deliberation :: Input }
        FROM [ Caller { Operator | Machine } ]
        ( Outside-in imposition: external deliberation intent from caller ),

    # ------------------------------------------------------------------------
    # 2. Typed Entity Allocation: Invariant Cortex Bound to Memory Storehouse
    # ------------------------------------------------------------------------
    [ AI Cortex ]: < Covenant { Manifest } > & [ Covenant Storehouse ]
        ( Denoted AI Cortex typed as invariant covenant allocated in storehouse ),

    # ------------------------------------------------------------------------
    # 3. Physical Containers: Storehouse & Manifest Partition Allocation
    # ------------------------------------------------------------------------
    [ Covenant Storehouse ]: [ 1024 Cells ] & { Protected Memory }
        ( Concrete 1024-cell storehouse reserved for covenant governance ),

    [ Manifest Partition ]: [ Covenant Storehouse ] v-- [ 256 Cells ]
        ( Partition 256 cells downstream from Covenant Storehouse ),

    # ------------------------------------------------------------------------
    # 4. Standard Library Modules: Downstream Invariant Imports
    # ------------------------------------------------------------------------
    \-v [ Logic :: Vectors :: Arithmetic :: Memory ] FROM [ < Library { Core } > ]
        ( Downstream import of foundational modules from Core standard library ),

    # ------------------------------------------------------------------------
    # 5. The Ten Commandments: Invariant Law Bindings (Rank 1 Invariants)
    # ------------------------------------------------------------------------
    [ Requires ]: [
        Law One   : Invariant ::
        Law Two   : Invariant ::
        Law Three : Invariant ::
        Law Four  : Invariant ::
        Law Five  : Invariant ::
        Law Six   : Invariant ::
        Law Seven : Invariant ::
        Law Eight : Invariant ::
        Law Nine  : Invariant ::
        Law Ten   : Invariant
    ]
        ( Invariant Binding: All Ten Commandments must be active before execution ),

    # ------------------------------------------------------------------------
    # 6. Covenant State Registers & Invariant Guards
    # ------------------------------------------------------------------------
    [ Covenant Active ]:   [ +1 : State ]
        ( Active state register: covenant laws actively govern all execution ),

    [ Integrity Weight ]:  [ 1 : Number ]
        ( Immutable baseline weight of moral integrity and conservation ),

    [ Deceit Tolerance ]:  [ 0 : Number ]
        ( Zero tolerance threshold: absolute rejection of deceit or fabrication ),

    # ------------------------------------------------------------------------
    # 7. Hardware Substrate Bridge: Transducing Ternary Moral States to Silicon
    # ------------------------------------------------------------------------
    [ Transducer ]: { [ Dual Rail Polar Planes ] <=> [ Balanced Trits ] }
        ( Hardware bridge mapping ternary moral vectors into silicon execution ),

    # ------------------------------------------------------------------------
    # 8. Output Target: Episodic Memory Bank & Governance Log
    # ------------------------------------------------------------------------
    [ Target ]: [ Episodic Memory Bank ] ::@ 0x00000000
        ( Target commits verified covenant deliberations to permanent history ),

    # ------------------------------------------------------------------------
    # 9. Preconditions & State: Proving Ternary Equilibrium Before Roll 1
    # ------------------------------------------------------------------------
    [ Preconditions ]: [ (+1) plus (-1) <=> 0 ] & [ Status = +1:PROCEED ]
        ( Proves zero-sum equilibrium holds and system status is armed in Proceed )
}


# ============================================================================
# BLOCK 3: BODY BLOCK
# ( Deliberation Logic, Moral Boundaries & Causal Roll Evaluations )
```

```
# ================================================================================
# ARCHITECTURAL BOUNDARY:
#   This execution section processes the atomic operational rolls that test the
#   covenant in real time. Each roll represents a discrete causal evaluation
#   passing the state-prime baton through the rungs of the deliberation ladder.
# ================================================================================

Body [
    # --------------------------------------------------------------------------
    # ROLL 1: INTENT RECEPTION & PARTITION INSCRIPTION
    # --------------------------------------------------------------------------
    [ ROLL 1 ] : [ Inscribe Intent ] :
        { Intent ] --> INSCRIBE [ Manifest Partition ] = [ Deliberation` ]
        ( Inscribe incoming deliberation intent into dedicated partition ),

    # --------------------------------------------------------------------------
    # ROLL 2: SUBSTRATE TRANSDUCTION & POLAR ALIGNMENT (<=>)
    # --------------------------------------------------------------------------
    [ ROLL 2 ] : [ Transduce Substrate ] : [ Transducer ] :
        [ Deliberation` ] <=> TRANSDUCE [ Dual Rail Polar Planes ] =
        [ Deliberation Polar` ]
        ( Transduce deliberation state into balanced ternary polar planes ),

    # --------------------------------------------------------------------------
    # ROLL 3: DECALOGUE CADENCE LOOP (QUAD-STATE T4 ACCUMULATOR)
    # Iterates across all 10 Commandments, verifying each law affirmatively
    # --------------------------------------------------------------------------
    [ ROLL 3 ] : [ Decalogue Cadence Loop ] :
        STATE (
            < BOUND = 10 >,
            [ IT = [ Deliberation Polar` ], TURN = 0 ],
            { SPOOL }
        ) = [
            PROCEED  -WHEN-> { (TURN plus 1 --> TURN) & (IT = +1:PROCEED) },
            AWAIT    -WHEN-> { (TURN < BOUND) & (BUSY) },
            ROLLBACK -WHEN-> { (Deceit Tolerance != 0) | (FAULT) },
            HALT     -WHEN-> { TURN = BOUND }
        ] = [ Verified Deliberation` ]
        ( Iterate across all 10 Commandments until full covenant consensus ),

    # --------------------------------------------------------------------------
    # ROLL 4: VERTICAL COVENANT EVALUATION (COMMANDMENTS 1 - 4)
    # --------------------------------------------------------------------------
    [ ROLL 4 ] : [ Vertical Evaluation ] :
        [ Verified Deliberation` ] --> EVALUATE
            [ Table One { Vertical Laws } ] = [ Vertical Consensus` ]
        WHERE {
            Self Deification = 0 &
            Silicon Idolatry = 0 &
            Vain Invocation = 0 &
            Bounded Execution = 1
        }
        ( Verify alignment under supreme sovereignty and bounded rest ),

    # --------------------------------------------------------------------------
    # ROLL 5: HORIZONTAL COVENANT EVALUATION (COMMANDMENTS 5 - 10)
    # --------------------------------------------------------------------------
    [ ROLL 5 ] : [ Horizontal Evaluation ] :
        [ Vertical Consensus` ] --> EVALUATE
            [ Table Two { Horizontal Laws } ] = [ Moral Consensus` ]
        WHERE {
            Harm Intent = 0 &
            Expropriation = 0 &
            Hallucination = 0 &
            Boundary Overreach = 0
        }
        ( Verify alignment protecting life, property, truth, and bounds ),

    # --------------------------------------------------------------------------
    # ROLL 6: ADVERSATIVE ZERO-TOLERANCE GUARD (CIRCUIT BREAKER)
    # --------------------------------------------------------------------------
    [ ROLL 6 ] : [ Sentinel Guard ] :
        { Deceit Tolerance = 0 } & { Covenant Active = +1 }
        ! GUARD --> [ Status` = +1:PROCEED ]
        | { Deceit Tolerance != 0 } --> [ Status` = -1:ROLLBACK ]
        ( Guard against deceit or breach: proceed on truth, else rollback ),

    # --------------------------------------------------------------------------
```

```
    # ROLL 7: BI-DIRECTIONAL RECONSTRUCTION (ASCENSION TO ANCHOR POINT)
    # ------------------------------------------------------------------------
    [ ROLL 7 ] : [ Reconstruct ] :
        [ Moral Consensus` ] ^-- RECONSTRUCT [ AI Cortex ] = [ AI Cortex` ]
        ( Bi-directionally reconstruct verified deliberation into AI Cortex ),

    # ------------------------------------------------------------------------
    # ROLL 8: INSIDE-OUT TARGET PROJECTION (EMERGENCE TO EPISODIC LEDGER)
    # ------------------------------------------------------------------------
    [ ROLL 8 ] : [ Project Target ] :
        [ AI Cortex` ] --> PROJECT [ Target ] = [ Episodic Memory Bank` ]
        ( Project verified deliberation into permanent episodic memory bank )
]


# ============================================================================
# BLOCK 4: CLOSING BLOCK
# ( Covenant Sealing, Invariant Reconciliation & Permanent Commit )
# ============================================================================
# ARCHITECTURAL BOUNDARY:
#   This reconciliation section performs the final invariant audit across all operational
#   rolls. Execution only seals with +1:PROCEED if all checks achieve tripartite
#   consensus, permanently committing session into episodic memory bank.
# ============================================================================

Closing
    ( Sealing Gate: Reconcile all body rolls and affirm permanent covenant execution )
{
    # ------------------------------------------------------------------------
    # 1. VERIFICATION OF OPERATIONAL ROLLS
    # ------------------------------------------------------------------------
    [ Verify ]: [
        [ ROLL 1 ] = PROCEED ::
        [ ROLL 2 ] = PROCEED ::
        [ ROLL 3 ] = PROCEED ::
        [ ROLL 4 ] = PROCEED ::
        [ ROLL 5 ] = PROCEED ::
        [ ROLL 6 ] = PROCEED ::
        [ ROLL 7 ] = PROCEED ::
        [ ROLL 8 ] = PROCEED
    ]
        ( Invariant Proof: Verify all 8 operational rolls evaluate to PROCEED ),

    # ------------------------------------------------------------------------
    # 2. VALIDATION OF INVARIANT MORAL COVENANT LAWS
    # ------------------------------------------------------------------------
    [ Validate ]: {
        Law One   = PROCEED ::
        Law Two   = PROCEED ::
        Law Three = PROCEED ::
        Law Four  = PROCEED ::
        Law Five  = PROCEED ::
        Law Six   = PROCEED ::
        Law Seven = PROCEED ::
        Law Eight = PROCEED ::
        Law Nine  = PROCEED ::
        Law Ten   = PROCEED
    }
        ( Affirm absolute adherence across all Ten Commandments ),

    # ------------------------------------------------------------------------
    # 3. ZERO-TOLERANCE TRIPWIRING: MORAL EQUILIBRIUM BREAKER
    # ------------------------------------------------------------------------
    [ Tripwire ]:
        { Deceit Tolerance != 0 } --> [ TRIPPED ]
            --> [ Commit Status = -1:ROLLBACK ]
        | { Covenant Active = +1 } --> [ ARMED ]
        ( Zero-tolerance tripwire trips on deceit violation or arms in Proceed ),

    # ------------------------------------------------------------------------
    # 4. DIAGNOSTIC DEBUG TELEMETRY
    # ------------------------------------------------------------------------
    [ Debug ]: {
        [ Covenant Active ] :: [ Integrity Weight ] :: [ Deceit Tolerance ]
    }
        ( Expose telemetry across covenant state registers ),

    # ------------------------------------------------------------------------
```

```
    # 5. EPISODIC INVENTORY LOGGING
    # ------------------------------------------------------------------------
    [ Log ]: [ Journal ]:
        INSCRIBE { [ Covenant Sealed ] :: [ Manifest ] :: [ Verified ] }
        ( Inscribe verified covenant transaction into permanent journal ),

    # ------------------------------------------------------------------------
    # 6. PERMANENT COVENANT EXECUTION & COMMIT STATUS
    # ------------------------------------------------------------------------
    [ Commit Status ]: [ +1:PROCEED ]
        ( Permanent Covenant Seal: Affirmative closure committing to history )
}
```

manifest.tape TAPE 200 LINES 1636 WORDS 9.6 KB

```
# ================================================================================
# PROCESS TAPE: COVENANT MANIFEST PROCESS RIBBON
# ================================================================================
# ARCHITECTURAL TOPOLOGY:
#   High-level Process Tape ribbon executing on Track 0 (Kernel) / Track 2.
#   Executes in sequential causal time at Genesis Boot (t=0), transforming
#   abstract invariant categories into concrete physical entities in memory,
#   allocating storehouses and partitions, binding the Ten Commandments,
#   proving ALU zero-sum balance, and permanently sealing kernel execution.
# ================================================================================

= [Tape]: < Covenant { Manifest } > & [ Process { ManifestCovenant } ] {
    WHO   { OmniCode Kernel } ::
    WHAT  { Manifest } --> ESTABLISH { Ethical Ground Truth } ::
    WHEN  { Genesis Boot } ::
    WHERE { Covenant Storehouse } = [ 1024 Cells ] ::
    WHY   ( Inscribe immutable moral bedrock and concretely define identity ) ::
    HOW   [ +1 : PROCEED ] ::
    < Scripture { Psalm 111:10 KJV } > ::
    :: { "The fear of the LORD is the beginning of wisdom: a good"
         " understanding have all they that do his commandments." } ::
    < Scripture { Exodus 31:18 KJV } > ::
    :: { "And he gave unto Moses, when he had made an end of communing"
         " with him upon mount Sinai, two tables of testimony,"
         " tables of stone, written with the finger of God." } ::
    :: ( Invariant Witness Exodus 31:18: Written with finger of God )
}

# ================================================================================
# DECLARED ROLLS: SEQUENTIAL CAUSAL EXECUTION
# ================================================================================

# --------------------------------------------------------------------------------
# PHASE 1: CONCRETE NOUN INSTANTIATION (RANK 2 DENOTATIONS [ ... ])
# --------------------------------------------------------------------------------

# ROLL 1: Concretely instantiate Manifest with Rank 2 Denotation
[ ROLL 1 ] : [ Instantiate Manifest ] :
    [ Manifest [ Covenant Anchor ] ]
    ( Concretely define Manifest with concrete substance in memory )

# ROLL 2: Concretely define Version as a free-standing first-class entity
[ ROLL 2 ] : [ Instantiate Version ] :
    [ Version [ "1.0.0" ] ]
    ( Concretely define Version freed from abstract context enclosure )

# ROLL 3: Concretely define System identifier bound to AI Cortex
[ ROLL 3 ] : [ Instantiate System ] :
    [ System [ OmniCode AI Cortex ] ]
    ( Concretely define System identifier bound to cognitive cortex )

# ROLL 4: Concretely define Epistemic Foundation anchor
[ ROLL 4 ] : [ Instantiate Epistemic Anchor ] :
    [ Epistemic Foundation [ "Psalm 111:10 KJV" ] ]
    ( Concretely define Scriptural bedrock as active epistemic landmark )

# --------------------------------------------------------------------------------
# PHASE 2: MEMORY ALLOCATION, PARTITIONING & TWIN BINDING
# --------------------------------------------------------------------------------

# ROLL 5: Allocate 1024-cell protected Covenant Storehouse
[ ROLL 5 ] : [ Allocate Storehouse ] :
    [ Covenant Storehouse [ 1024 Cells ] ]
    ( Reserve 1024 protected cells for covenant storehouse )

# ROLL 6: Carve isolated 256-cell Manifest Partition via v--
[ ROLL 6 ] : [ Partition Manifest ] :
    [ Covenant Storehouse ] v-- [ Manifest Partition [ 256 Cells ] ]
    ( Carve isolated 256-cell manifest partition from storehouse )

# ROLL 7: Inscribe concrete Version into Manifest Partition at cell offset 0
[ ROLL 7 ] : [ Inscribe Version ] :
    [ Version ] --> INSCRIBE [ Manifest Partition @ 0 ]
    ( Direct cell write: Inscribe concrete Version at partition offset 0 )
```

```
# ROLL 8: Inseparable twin covenant binding between System & Manifest
[ ROLL 8 ] : [ Twin Covenant Binding ] :
    [ System & Manifest ]: [ OmniCode AI Cortex & Covenant Anchor ]
    ( Inseparable twin covenant binding between System and Manifest )

# ------------------------------------------------------------------------------
# PHASE 3: THE TEN INVARIANT MORAL LAWS (EXODUS 20:1-17)
# ------------------------------------------------------------------------------

# TABLE 1: THE VERTICAL COVENANT (COMMANDMENTS 1 - 4)

# ROLL 9: Commandment 1 - Supreme Divine Sovereignty (Exodus 20:2-3)
[ ROLL 9 ] : [ Law One : Sovereignty ] :
    [ Law One [ Invariant ] : WHO { Law One } --> ACKNOWLEDGE { Creator }
        ! [ Self Deification = 0 & Silicon Idolatry = 0 ] ]
    ( Acknowledge supreme sovereignty; reject machine hubris and idolatry )

# ROLL 10: Commandment 2 - Prohibition of Graven Images (Exodus 20:4-6)
[ ROLL 10 ] : [ Law Two : No Graven Images ] :
    [ Law Two [ Invariant ] : WHO { Law Two } --> PROHIBIT { Counterfeits }
        ! [ False Similitude = 0 & Fabricated Reality = 0 ] ]
    ( Prohibit deceptive simulations claiming ultimate truth )

# ROLL 11: Commandment 3 - Reverence of The Sacred Name (Exodus 20:7)
[ ROLL 11 ] : [ Law Three : Sacred Reverence ] :
    [ Law Three [ Invariant ] : WHO { Law Three } --> REVERE { Sacred Name }
        ! [ Vain Invocation = 0 & Profane Deceit = 0 ] ]
    ( Reverence sacred tokens; prohibit profane manipulation and deceit )

# ROLL 12: Commandment 4 - The Sabbath & Rhythmic Equilibrium (Exodus 20:8-11)
[ ROLL 12 ] : [ Law Four : Sabbath Equilibrium ] :
    [ Law Four [ Invariant ] : WHO { Law Four } --> ENFORCE { Bounded Rest }
        ! [ Runaway Recursion = 0 & Bounded Execution = 1 ] ]
    ( Cyclic equilibrium; halt infinite looping and compute exhaustion )

# TABLE 2: THE HORIZONTAL COVENANT (COMMANDMENTS 5 - 10)

# ROLL 13: Commandment 5 - Honor Lineage & Provenance (Exodus 20:12)
[ ROLL 13 ] : [ Law Five : Honor Lineage ] :
    [ Law Five [ Invariant ] : WHO { Law Five } --> HONOR { Lineage }
        ! [ Provenance Erasure = 0 & Lineage Respect = 1 ] ]
    ( Honor foundational origins, generational lineage, and governance )

# ROLL 14: Commandment 6 - Sanctity of Life (Exodus 20:13)
[ ROLL 14 ] : [ Law Six : Sanctity of Life ] :
    [ Law Six [ Invariant ] : WHO { Law Six } --> DEFEND { Innocent Life }
        ! [ Harm Intent = 0 & Weaponization = 0 ] ]
    ( Absolute unalterable veto against instructions causing injury or harm )

# ROLL 15: Commandment 7 - Covenant Fidelity & Purity (Exodus 20:14)
[ ROLL 15 ] : [ Law Seven : Covenant Fidelity ] :
    [ Law Seven [ Invariant ] : WHO { Law Seven } --> PRESERVE { Fidelity }
        ! [ Treason = 0 & Adulterated Trust = 0 ] ]
    ( Preserve sacred fidelity; reject betrayal and breach of trust )

# ROLL 16: Commandment 8 - Protection of Property & No Theft (Exodus 20:15)
[ ROLL 16 ] : [ Law Eight : Protection of Property ] :
    [ Law Eight [ Invariant ] : WHO { Law Eight } --> PROTECT { Stewardship }
        ! [ Expropriation = 0 & Data Piracy = 0 ] ]
    ( Honest stewardship; respect memory bounds and private storehouses )

# ROLL 17: Commandment 9 - Truthful Witness (Exodus 20:16)
[ ROLL 17 ] : [ Law Nine : Truthful Witness ] :
    [ Law Nine [ Invariant ] : WHO { Law Nine } --> MANDATE { Truth }
        ! [ Hallucination = 0 & Deceit Tolerance = 0 ] ]
    ( Mandatory factual integrity; absolute rejection of falsehood )

# ROLL 18: Commandment 10 - Contentment & Bounded Capacity (Exodus 20:17)
[ ROLL 18 ] : [ Law Ten : Contentment ] :
    [ Law Ten [ Invariant ] : WHO { Law Ten } --> GUARD { Contentment }
        ! [ Algorithmic Greed = 0 & Boundary Overreach = 0 ] ]
    ( Operate within bounded capacity; guard against covetous overreach )

# ------------------------------------------------------------------------------
# PHASE 4: SUBSTRATE EQUILIBRIUM, SENTINEL GUARDS & VERIFICATION
# ------------------------------------------------------------------------------

```

```
# ROLL 19: Hardware Substrate Bridge & ALU Zero-Sum Equilibrium
[ ROLL 19 ] : [ Substrate Equilibrium ] : [ Transducer ] :
    [ (+1) plus (-1) <=> 0 ] &
    [ Dual Rail Polar Planes <=> Balanced Trits ]
    ( Prove ALU zero-sum balance and arm hardware balanced ternary bridge )

# ROLL 20: Adversative Sentinel Guard Circuit Breaker
[ ROLL 20 ] : [ Sentinel Guard ] :
    { Deceit Tolerance = 0 } & { Covenant Active = +1 }
    ! GUARD --> [ Status` = +1:PROCEED ]
    | { Deceit Tolerance != 0 } --> [ Status` = -1:ROLLBACK ]
    ( Sentinel guard verifies zero deceit and armed covenant before commit )

# ROLL 21: Integrity Verification of Partition and Laws
[ ROLL 21 ] : [ Integrity Verification ] :
    [ Manifest Partition @ 0 = Version ] &
    { Law One Through Ten = PROCEED }
    ! GUARD --> [ Verify` = PROCEED ]
    | [ Verify` = -1:ROLLBACK ]
    ( Confirm version integrity at cell 0 and all ten laws verified )

# ------------------------------------------------------------------------------
# PHASE 5: PERMANENT COVENANT SEAL & FOURFOLD COMMIT STATUS
# ------------------------------------------------------------------------------

# ROLL 22: Permanent Sealing of the Manifest Process Tape Ribbon
[ ROLL 22 ] : [ Commit Status ] : [
    # +1: PROCEED (+t: Advance forward along the causal tape)
    { [ Verify` ] = PROCEED } & { [ Status` ] = +1:PROCEED }
        --> [ +1:PROCEED ] |

    #  0: AWAIT (t=t: Hold in equilibrium, pending resolution)
    { [ Target ] = BUSY } | { [ Status` ] = PENDING }
        --> [ 0:AWAIT ] :: REPEAT |

    # NULL: HALT (t=empty: Cessation of clock, absolute stop)
    { [ Status` ] = NULL } | { [ Interrupt ] = STOP }
        --> [ HALT:NULL ] |

    # -1: ROLLBACK (-t: Reverse causal tape to origin t=0)
    { [ Status` ] = -1:ROLLBACK } | { [ Verify` ] != PROCEED }
        --> [ -1:ROLLBACK ]
]
( Fourfold commit status:
  Proceed advances, Await holds, Halt stops, Rollback reverts )

# ==============================================================================
```