CDL HazMat Test Questions and Answers

69 practice questions with answers and explanations, grouped by topic

Written from the Commercial Driver's License Manual (Version 07/20/2026 (form DMV 60A), AAMVA, Virginia DMV edition). Each answer names the manual section it comes from.

Take this test online with instant explanations:

https://cdl-testprep.com/cdl-practice-test/hazmat/

How to use this PDF: answer the questions in Part 1 first, then check yourself with the answer key in Part 2.

Passing score on each CDL knowledge test: at least 80% correct (49 CFR 383.135).

These are our own practice questions, not the questions on the real test. CDL Test Prep is an independent study site and is not affiliated with any DMV, state agency or the FMCSA.

Part 1: Questions

Intent of the regulations (4 questions)

1. What can be the result of not complying with the hazardous materials regulations?

- **A.** Fines and jail time
- **B.** A verbal warning only
- **C.** A retraining class only
- **D.** A fuel tax penalty only

2. If a law enforcement officer stops your hazardous materials vehicle, what may the officer check?

- **A.** Only your fuel receipts and toll road records
- **B.** Your papers, placards, and HM endorsement
- **C.** Only your vehicle registration and insurance card
- **D.** Only the sales invoices for all of your cargo

3. Whom are the hazardous materials regulations intended to protect?

- **A.** Only the shipper and the carrier company
- **B.** You, others nearby, and the environment
- **C.** Only police and firefighters at a crash
- **D.** Only the owner of the cargo being moved

4. To communicate the risk of a hazardous material, who must put hazard warning labels on its packages?

- **A.** The driver
- **B.** The consignee
- **C.** The shipper
- **D.** The inspecting officer

Shipper, carrier and driver duties (5 questions)

5. Before transporting a hazardous materials shipment, what does the carrier check?

- **A.** That the consignee has already paid for it
- **B.** That the cargo is insured for its full value
- **C.** That the shipper prepared it correctly
- **D.** That the driver has repacked every package

6. According to the driver's duties, when does the driver placard the vehicle, if placards are required?

- **A.** After the first rest stop
- **B.** When crossing a state line
- **C.** After an officer asks
- **D.** At the time of loading

7. When does the driver report a hazardous materials accident or incident to the proper government agency?

- **A.** Only when the shipper asks the driver to make the report
- **B.** When it occurs while the driver has physical control
- **C.** Only when the vehicle has to be towed from the scene
- **D.** Only when it happens on an interstate highway

8. Which of these is an exception to the shipper certifying on the shipping paper that the shipment was prepared according to the rules?

- **A.** Hauling shipments that weigh under 1,000 pounds
- **B.** Making trips that stay entirely inside one state
- **C.** Pulling cargo tanks you or your employer supplied
- **D.** Carrying shipments only during nighttime hours

9. Who uses the hazardous materials regulations to determine a product's identification number, proper shipping name, and hazard class?

- **A.** The shipper
- **B.** The driver
- **C.** The consignee
- **D.** The fire department

Communication rules (22 questions)

10. When may you accept the shipper's certification that a package is properly packaged?

- **A.** Unless a package is clearly unsafe or not HMR compliant
- **B.** Only after you open and inspect each package yourself
- **C.** Only when the shipper is also your own employer
- **D.** Never, because the driver must re-certify every package

11. In what order are the parts of a hazardous material's basic description listed?

- **A.** Shipping name, hazard class, ID number, packing group
- **B.** Hazard class, ID number, packing group, shipping name
- **C.** ID number, shipping name, hazard class, packing group
- **D.** Packing group, shipping name, ID number, hazard class

12. A bulk package holds only the residue of a hazardous material. What is the placard rule?

- **A.** It must still be placarded
- **B.** Its placards must be removed
- **C.** It needs placards only over 1,001 pounds
- **D.** It is marked EMPTY instead of placarded

13. Which types of packages does the manual say are often used for hazardous materials shipments?

- **A.** Envelopes and mailing tubes
- **B.** Paper sacks and gift boxes
- **C.** Mesh bags and wooden crates
- **D.** Cylinders and drums

14. You are using DANGEROUS placards for a mixed Table 2 load. You must use the specific placard for a Table 2 material if you loaded how much of it at one place?

- **A.** 1,001 pounds or more
- **B.** 2,205 pounds or more
- **C.** 3,000 pounds or more
- **D.** 5,000 pounds or more

15. Besides describing the hazardous materials correctly, what must shippers include on shipping papers?

- **A.** An emergency response telephone number
- **B.** The driver's home telephone number
- **C.** The carrier's insurance policy number
- **D.** A list of the planned fuel stops

16. Column 3 of the Hazardous Materials Table shows the entry Forbidden for a material. What does this mean for you?

- **A.** Transport it only with a police escort
- **B.** Transport it only in a closed van
- **C.** Transport it only with Table 1 placards
- **D.** Never transport that material

17. When are you allowed to move an improperly placarded vehicle?

- **A.** Only for short trips of less than 25 miles
- **B.** Only when the load weighs under 1,001 pounds
- **C.** Only while on the shipper's or carrier's own property
- **D.** Only in an emergency, to protect life or property

18. The words INHALATION HAZARD appear on a shipping paper. When must you display both the hazard class placard and the POISON INHALATION HAZARD placard?

- **A.** Always, even for small amounts
- **B.** Only for 1,001 pounds or more
- **C.** Only when it is in bulk packaging
- **D.** Only on trips that cross state lines

19. If a diamond-shaped hazard label will not fit on a package, what may the shipper do?

- **A.** Ship the package without any hazard label at all
- **B.** Print the label only on the shipping paper
- **C.** Put the label on the trailer door instead
- **D.** Put the label on a tag securely attached to it

20. To whom may you hand over a hazardous waste shipment?

- **A.** A registered carrier or a disposal/treatment facility
- **B.** Any carrier that happens to have an empty trailer
- **C.** Any business that is willing to sign the manifest
- **D.** Any person the shipper names to you by telephone

21. What does the Marine Pollutant marking on bulk packages look like?

- **A.** An orange diamond with a wave and the letters MP
- **B.** A white triangle with an X through a fish
- **C.** A blue square with a fish and a drop of oil
- **D.** A black circle with a boat and an X through it

22. If a package needs more than one hazard label, where must the labels be placed?

- **A.** On opposite sides of the package
- **B.** One on the package and one on the shipping paper
- **C.** On the top and bottom of the package
- **D.** Close together, near the proper shipping name

23. What do the letters NA in front of an identification number indicate?

- **A.** A shipping name used only for transportation by air
- **B.** A material that is not regulated on the highway
- **C.** A name used only in the U.S. and to and from Canada
- **D.** A material that needs no placards in any amount

24. How many different hazard classes are there?

- **A.** Five
- **B.** Six
- **C.** Seven
- **D.** Nine

25. A hazardous materials shipping paper has more than one page. What must the first page show?

- **A.** The driver's signature and license number
- **B.** The total number of pages
- **C.** The planned route for the trip
- **D.** The weight of every package listed

26. How far must each placard be from any other markings on the vehicle?

- **A.** At least one inch
- **B.** At least three inches
- **C.** At least six inches
- **D.** At least ten inches

27. How long must shippers keep a copy of shipping papers for hazardous materials that are not hazardous waste?

- **A.** 1 year
- **B.** 2 years
- **C.** 3 years
- **D.** 5 years

28. How much of a Placard Table 1 material must be on the vehicle before placards are required?

- **A.** Any amount at all
- **B.** 1,001 pounds or more
- **C.** 2,205 pounds or more
- **D.** A full bulk package

29. Except for bulk packaging, Placard Table 2 hazard classes need placards only when the total amount transported is:

- **A.** 101 pounds or more
- **B.** 501 pounds or more
- **C.** 1,001 pounds or more
- **D.** 2,205 pounds or more

30. Where does the shipper of a hazardous waste put the word WASTE on the shipping paper?

- **A.** After the hazard class
- **B.** Before the proper shipping name
- **C.** In the HM column in place of an X
- **D.** At the bottom of the last page

31. Why must hazardous materials shipping papers be easy to locate after an accident?

- **A.** Tow operators need them to set their towing fees
- **B.** You may be hurt and unable to describe the hazards
- **C.** The shipper has to sign them again at the scene
- **D.** Insurance adjusters need them before help arrives

Loading and unloading (14 questions)

32. What should you do before loading or unloading hazardous materials?

- **A.** Start the engine and let it idle in neutral
- **B.** Set the parking brake so the vehicle won't move
- **C.** Remove all of the placards from the vehicle
- **D.** Open each package to check what is inside

33. When must you close all manholes and valves on a tank of hazardous materials before moving it?

- **A.** Only when the tank is more than half full
- **B.** Only when the trip is longer than one mile
- **C.** Whenever it holds any amount, however small
- **D.** Only when the tank holds a flammable liquid

34. When may the liquid discharge valves on a compressed gas tank be open?

- **A.** Whenever the tank is less than half full
- **B.** While driving on the highway
- **C.** Only when loading and unloading
- **D.** While parked overnight to vent pressure

35. Which hazardous materials package may you empty while it is on the vehicle?

- **A.** A steel drum
- **B.** A gas cylinder
- **C.** A cargo tank
- **D.** A fiberboard box

36. What must you do before loading or unloading any explosives?

- **A.** Turn your engine off
- **B.** Turn the cargo heater on
- **C.** Uncouple the trailer
- **D.** Remove the placards

37. If safety requires an emergency transfer of Division 1.1, 1.2, or 1.3 explosives on a public roadway, what must you do?

- **A.** Light road flares all around both of the vehicles
- **B.** Remove the placards from both of the vehicles
- **C.** Keep both engines running during the whole transfer
- **D.** Set out red reflectors, flags, or electric lanterns

38. When filling a cargo tank of flammable liquid through an open filling hole, when should the tank be grounded?

- **A.** Before opening the filling hole, until after it is closed
- **B.** After the filling hole is opened, until the tank is half full
- **C.** Only after the filling hole is closed again
- **D.** Only when the weather is hot and dry

39. On cargo tanks and other bulk packaging, how tall must the black identification numbers be?

- **A.** 25 mm (1 inch)
- **B.** 50 mm (2 inches)
- **C.** 75 mm (3 inches)
- **D.** 100 mm (3.9 inches)

40. Which is the most common type of cargo tank used for liquids?

- **A.** MC306
- **B.** MC331
- **C.** MC338
- **D.** DOT 110A

41. When loading hazardous materials, what does the manual say about using hooks?

- **A.** Do not use hooks at all
- **B.** Use them only on drums
- **C.** Use them only on cartons
- **D.** Use them only with a helper

42. You cannot have an overhang or tailgate load of which of these?

- **A.** Class 8 (Corrosives)
- **B.** Division 2.2 (Non-Flammable Gases)
- **C.** Class 4 (Flammable Solids)
- **D.** Class 9 (Miscellaneous)

43. Where must you never load a package labeled POISON or POISON INHALATION HAZARD?

- **A.** In a closed van-type trailer
- **B.** Behind a secured cargo bulkhead
- **C.** In the driver's cab or sleeper
- **D.** On a flat, even cargo floor

44. The qualified person watching a cargo tank being loaded or unloaded must be within how many feet of the tank?

- **A.** 10 feet
- **B.** 15 feet
- **C.** 25 feet
- **D.** 50 feet

45. The total transport index of all radioactive packages in a single vehicle must not exceed:

- **A.** 10
- **B.** 25
- **C.** 50
- **D.** 100

Driving and parking rules (12 questions)

46. A person attending a parked placarded vehicle from outside it must stay within how many feet and keep it in clear view?

- **A.** 50 feet
- **B.** 100 feet
- **C.** 200 feet
- **D.** 300 feet

47. Whenever your vehicle is placarded, which of these should you avoid if another route exists?

- **A.** Crowds, tunnels, narrow streets, and alleys
- **B.** Interstate highways and rural two-lane roads
- **C.** Weigh stations and roadside inspection sites
- **D.** Toll roads, bypasses, and designated truck routes

48. A driver transporting chlorine in cargo tanks must have which item in the vehicle?

- **A.** A radiation survey meter
- **B.** An approved gas mask
- **C.** A second fire extinguisher
- **D.** A set of road flares

49. With Division 1.1, 1.2, or 1.3 explosives, you may let someone else watch your parked vehicle only if it is:

- **A.** On the shipper's, carrier's, or consignee's property
- **B.** In a well-lit and busy truck stop parking lot
- **C.** On the road shoulder with the hazard flashers on
- **D.** Within clear sight of a police or fire station

50. While a vehicle containing hazardous materials is being fueled, where must someone always be?

- **A.** In the cab, keeping the engine running
- **B.** At the rear of the trailer, watching traffic
- **C.** Inside the station, paying for the fuel
- **D.** At the nozzle, controlling the fuel flow

51. Your vehicle with an empty tank used for Class 3 flammable liquids breaks down. Which stopped vehicle signals should you use?

- **A.** Reflective triangles or red electric lights
- **B.** Flares, because the tank is now empty
- **C.** Fuses placed on the road behind the vehicle
- **D.** Any burning signal set at least 100 feet back

52. You must not smoke within how many feet of a placarded cargo tank used for Class 3 flammable liquids?

- **A.** 5 feet
- **B.** 10 feet
- **C.** 15 feet
- **D.** 25 feet

53. How should you make hazardous materials shipping papers stand out from your other papers?

- **A.** Keep them at the bottom of the stack
- **B.** Seal them in an envelope in the glove box
- **C.** Staple them to the back of the logbook
- **D.** Tab them or keep them on top of the stack

54. When a placarded vehicle stops before a railroad crossing, how far from the nearest rail must it stop?

- **A.** 15 to 50 feet
- **B.** 50 to 100 feet
- **C.** 100 to 150 feet
- **D.** 200 to 300 feet

55. What is the only acceptable way to check tire pressure?

- **A.** Kick the tire and listen
- **B.** Strike the tire with a mallet
- **C.** Use a tire pressure gauge
- **D.** Look at how much the tire bulges

56. What does the manual say about uncoupling a trailer loaded with hazardous materials on a public street?

- **A.** You may leave it there for up to one hour
- **B.** Do not uncouple it and leave it there
- **C.** You may leave it there if it is placarded
- **D.** You may leave it there if its brakes are set

57. What must you have and follow when transporting Division 1.1, 1.2, or 1.3 explosives?

- **A.** A police escort vehicle
- **B.** A second licensed driver
- **C.** A daylight-only travel permit
- **D.** A written route plan

Emergencies (12 questions)

58. Who pays for cleaning up parking lots, roadways, and drainage ditches contaminated by hazardous materials from a vehicle?

- **A.** The carrier
- **B.** The state
- **C.** The shipper
- **D.** The fire department

59. What was CHEMTREC created to provide?

- **A.** Towing and repair services for disabled trucks
- **B.** Technical information about hazardous materials
- **C.** Hazardous materials endorsement tests for drivers
- **D.** Route permits for drivers hauling explosives

60. At a crash involving hazardous materials, where should you keep people?

- **A.** Close by, to help with the cleanup
- **B.** Far away and upwind
- **C.** Downwind, out of the traffic lanes
- **D.** Inside their vehicles with windows open

61. How is the Emergency Response Guidebook (ERG) indexed?

- **A.** By shipper name and city of origin
- **B.** By carrier name and truck number
- **C.** By shipping date and destination
- **D.** By shipping name and ID number

62. Before separating vehicles in a collision involving explosives, how far from the vehicles and occupied buildings should you place the explosives?

- **A.** At least 100 feet
- **B.** At least 200 feet
- **C.** At least 300 feet
- **D.** At least 500 feet

63. When should you fight a hazardous materials fire?

- **A.** Whenever you have a fire extinguisher on board
- **B.** Always, even before you call anyone for help
- **C.** Only if the fire started inside the cargo
- **D.** Only if trained and equipped to do it safely

64. If you discover a cargo leak, how should you identify the hazardous materials that are leaking?

- **A.** Carefully sniff the air near the leaking material
- **B.** Touch a little of the material with a gloved hand
- **C.** Use shipping papers, labels, or package location
- **D.** Open the leaking package and look at what is inside

65. You or your employer must phone the National Response Center when estimated property damage from a hazardous materials incident exceeds:

- **A.** $50,000
- **B.** $75,000
- **C.** $100,000
- **D.** $250,000

66. A vehicle was involved in a leak of Division 2.3 or Division 6.1 poisons. What must happen before it is used again?

- **A.** It must sit parked for 24 hours
- **B.** It must get new placards
- **C.** It must be re-registered by the carrier
- **D.** It must be checked for stray poison

67. After a spill of radioactive material, when may the vehicle be used again?

- **A.** After it has been parked outdoors for 24 hours
- **B.** After all of its placards have been replaced
- **C.** After cleaning and a check with a survey meter
- **D.** After the driver signs a written release form

68. When you send someone for help during a hazardous materials spill, which information should you give that person?

- **A.** The total dollar value of the cargo on board
- **B.** Your CDL number and the date it expires
- **C.** Your exact location and direction of travel
- **D.** The time and place of your last rest break

69. Within how many days of an incident must carriers make detailed written reports?

- **A.** 5 days
- **B.** 10 days
- **C.** 15 days
- **D.** 30 days

Part 2: Answer key

Each answer has a short explanation in our own words and the CDL manual section it comes from. Reread that section for every question you missed.

Intent of the regulations

1. **A. Fines and jail time**
   Breaking the hazardous materials rules is not only unsafe; it can lead to fines and even time in jail.
   Manual section 9.1.3 Assure Safe Drivers and Equipment

2. **B. Your papers, placards, and HM endorsement**
   Officers who stop a hazmat vehicle may look at the shipping papers, the placards and the endorsement on your license, and may also test what you know.
   Manual section 9.1.3 Assure Safe Drivers and Equipment

3. **B. You, others nearby, and the environment**
   The rules exist to keep the driver, nearby people and the environment safe, not just one business or group.
   Manual section 9.1.1 Contain the Material

4. **C. The shipper**
   Labeling packages is the shipper's job, along with providing shipping papers, emergency response information and placards.
   Manual section 9.1.2 Communicate the Risk

Shipper, carrier and driver duties

5. **C. That the shipper prepared it correctly**
   Before the trip, the carrier confirms that the shipper prepared the shipment properly, and it refuses shipments that are not.
   Manual section 9.2.2 The Carrier

6. **D. At the time of loading**
   Any required placards are put on the vehicle by the driver at the time it is loaded.
   Manual section 9.2.3 The Driver

7. **B. When it occurs while the driver has physical control**
   The driver's reporting duty covers accidents and incidents that happen while the driver has physical control of the hazardous materials.
   Manual section 9.2.3 The Driver

8. **C. Pulling cargo tanks you or your employer supplied**
   The shipper does not certify the shipment when the cargo tank you are pulling was supplied by you or by your employer.
   Manual section 9.2.1 The Shipper

9. **A. The shipper**
   Working out the identification number, shipping name, hazard class and related details from the regulations is a shipper duty.
   Manual section 9.2.1 The Shipper

Communication rules

10. **A. Unless a package is clearly unsafe or not HMR compliant**
    You can rely on the shipper's signed certification about packaging unless a package is obviously unsafe or out of line with the regulations.
    Manual section 9.3.6 Shipper's Certification

11. **C. ID number, shipping name, hazard class, packing group**
The basic description goes from identification number to proper shipping name to hazard class or division, then the packing group when there is one.
Manual section 9.3.5 The Item Description

12. **A. It must still be placarded**
Bulk packages, and the vehicles carrying them, keep their placards even when only residue is left inside.
Manual section 9.3.11 Placard Tables

13. **D. Cylinders and drums**
The kind of package is a clue: cylinders and drums frequently hold hazardous materials.
Manual section 9.3.8 Recognizing Hazardous Materials

14. **B. 2,205 pounds or more**
The DANGEROUS placard cannot stand in for the specific placard of any Table 2 material when 2,205 pounds or more of it was loaded at a single place.
Manual section 9.3.11 Placard Tables

15. **A. An emergency response telephone number**
Shippers must put an emergency response phone number on the shipping papers along with a correct description of the materials.
Manual section 9.3.1 Definitions

16. **D. Never transport that material**
A material listed as Forbidden may not be transported at all.
Manual section 9.3.3 Lists of Regulated Products

17. **D. Only in an emergency, to protect life or property**
Placards go on before you drive; a vehicle without proper placards may be moved only in an emergency to protect life or property.
Manual section 9.3.10 Placarding

18. **A. Always, even for small amounts**
For materials marked as an inhalation hazard, both placards are required no matter how little of the material is carried.
Manual section 9.3.3 Lists of Regulated Products

19. **D. Put the label on a tag securely attached to it**
When a label cannot fit, it can go on a tag firmly attached to the package, as is done with some compressed gas cylinders.
Manual section 9.3.2 Package Labels

20. **A. A registered carrier or a disposal/treatment facility**
Hazardous waste may be passed only to another registered carrier or to a disposal or treatment facility.
Manual section 9.3.9 Hazardous Waste Manifest

21. **B. A white triangle with an X through a fish**
The Marine Pollutant mark is a white triangle showing a fish crossed out with an X; it is a marking, not a placard.
Manual section 9.3.3 Lists of Regulated Products

22. **D. Close together, near the proper shipping name**
Several labels on one package are grouped close together next to the proper shipping name.
Manual section 9.3.7 Package Markings and Labels

23. **C. A name used only in the U.S. and to and from Canada**
NA marks a proper shipping name meant for use inside the United States and for shipments to and from Canada; ID is the prefix tied to air transport.
Manual section 9.3.3 Lists of Regulated Products

24. **D. Nine**
Hazardous materials are sorted into nine hazard classes, and each class reflects the kind of risk the material poses.
Manual section 9.3.1 Definitions

25. **B. The total number of pages**
Multi-page shipping papers carry page numbers, and page one states how many pages there are in all, such as Page 1 of 4.
Manual section 9.3.4 The Shipping Paper

26. **B. At least three inches**
Each placard needs a gap of three inches or more from other markings so it can be seen clearly.
Manual section 9.3.10 Placarding

27. **B. 2 years**
Shippers keep shipping papers, or an electronic image of them, for two years after the first carrier accepts the material; hazardous waste papers are kept for three years.
Manual section 9.3.5 The Item Description

28. **A. Any amount at all**
Placard Table 1 materials need placards no matter how small the quantity.
Manual section 9.3.11 Placard Tables

29. **C. 1,001 pounds or more**
For non-bulk Table 2 materials, placards are needed once the combined total from all shipping papers, packaging included, reaches 1,001 pounds.
Manual section 9.3.11 Placard Tables

30. **B. Before the proper shipping name**
For hazardous waste, the word WASTE goes in front of the proper shipping name, as in Waste Acetone.
Manual section 9.3.5 The Item Description

31. **B. You may be hurt and unable to describe the hazards**
If the driver is hurt, the papers tell firefighters and police what hazardous materials are on board so they can limit damage and injury.
Manual section 9.3.1 Definitions

Loading and unloading

32. **B. Set the parking brake so the vehicle won't move**
The vehicle must be secured with the parking brake so it cannot move before any loading or unloading starts.
Manual section 9.4.1 General Loading Requirements

33. **C. Whenever it holds any amount, however small**
Manholes and valves are closed before any move to prevent leaks, even for a tiny amount of product or a short distance.
Manual section 9.5.2 Tank Loading

34. **C. Only when loading and unloading**
The liquid discharge valves stay closed at all times other than during loading and unloading.
Manual section 9.5.4 Compressed Gas

35. **C. A cargo tank**
A cargo tank may be emptied on the vehicle, but no other package may be emptied while it is on board.
Manual section 9.4.1 General Loading Requirements

36. **A. Turn your engine off**

The engine has to be shut off before any explosives are loaded or unloaded; after that, the cargo space is checked.

Manual section 9.4.1 General Loading Requirements

37. **D. Set out red reflectors, flags, or electric lanterns**

An emergency roadside transfer of these explosives calls for red reflectors, flags or electric lanterns to warn other road users.

Manual section 9.4.1 General Loading Requirements

38. **A. Before opening the filling hole, until after it is closed**

The ground connection goes on before the filling hole is opened and stays on until the hole has been closed again.

Manual section 9.5.3 Flammable Liquids

39. **D. 100 mm (3.9 inches)**

Identification numbers on bulk packaging are shown in black figures 100 mm, about 3.9 inches, high.

Manual section 9.5.1 Markings

40. **A. MC306**

The MC306 is the usual cargo tank for liquids, while the MC331 is the usual one for gases.

Manual section 9.5 Bulk Packaging Marking, Loading and Unloading

41. **A. Do not use hooks at all**

Hooks, like any other tool that could damage containers or packaging, are not to be used when loading hazardous materials.

Manual section 9.4 Loading and Unloading

42. **C. Class 4 (Flammable Solids)**

Flammable solids, like explosives and oxidizers, must ride in a closed cargo space rather than hang over the tailgate, unless the fire and water resistant exception applies.

Manual section 9.4.1 General Loading Requirements

43. **C. In the driver's cab or sleeper**

Poison-labeled packages must stay out of the cab and sleeper and away from food meant for people or animals.

Manual section 9.4.1 General Loading Requirements

44. **C. 25 feet**

The person attending cargo tank loading or unloading must stay within 25 feet and have a clear view of the tank.

Manual section 9.5.2 Tank Loading

45. **C. 50**

Radiation from Class 7 packages adds up, so the combined transport index in one vehicle is capped at 50.

Manual section 9.4.1 General Loading Requirements

Driving and parking rules

46. **B. 100 feet**

An attendant outside the vehicle must stay within 100 feet with a clear view of it; one inside must be awake and out of the sleeper berth.

Manual section 9.6.3 Attending Parked Vehicles

47. **A. Crowds, tunnels, narrow streets, and alleys**

Placarded vehicles should route around crowded and built-up places, tunnels, narrow streets and alleys unless there is no other way.

Manual section 9.6.5 Route Restrictions

48. B. An approved gas mask

Chlorine cargo tank drivers must carry an approved gas mask, along with a kit for controlling leaks in dome cover plate fittings.

Manual section 9.6.11 Equipment for Chlorine

49. A. On the shipper's, carrier's, or consignee's property

Someone other than the driver may watch an explosives-laden vehicle only while it sits on the shipper's, carrier's or consignee's property.

Manual section 9.6.1 Parking with Division 1.1, 1.2, or 1.3 Explosives

50. D. At the nozzle, controlling the fuel flow

With the engine shut off, a person has to stay at the fuel nozzle the whole time and control the flow.

Manual section 9.6.7 Refuel with Engine Off

51. A. Reflective triangles or red electric lights

Burning signals are not allowed around flammable liquid tanks even when they are empty, so reflective triangles or red electric lights are used.

Manual section 9.6.4 No Flares!

52. D. 25 feet

Smoking is banned within 25 feet of a placarded cargo tank used for flammable liquids or Division 2.1 gases.

Manual section 9.6.6 No Smoking

53. D. Tab them or keep them on top of the stack

Hazardous materials papers are tabbed or placed on top of the pile so others can find them quickly after a crash.

Manual section 9.6.10 Where to Keep Shipping Papers and Emergency Response Information

54. A. 15 to 50 feet

The required stop is made between 15 and 50 feet before the closest rail.

Manual section 9.6.12 Stop before Railroad Crossings

55. C. Use a tire pressure gauge

A tire pressure gauge is the only accepted method for checking tire pressure.

Manual section 9.6.9 Check Tires

56. B. Do not uncouple it and leave it there

A trailer carrying hazardous materials must not be dropped and left behind on a public street.

Manual section 9.6.2 Parking a Placarded Vehicle Not Transporting Division 1.1, 1.2, or 1.3) Explosives

57. D. A written route plan

These explosives require a written route plan, usually prepared in advance by the carrier, which the driver keeps and follows.

Manual section 9.6.5 Route Restrictions

Emergencies

58. A. The carrier

Cleanup costs fall on the carrier and can be huge, which is one reason not to leave a long trail of contamination.

Manual section 9.7.3 Fires

59. B. Technical information about hazardous materials

CHEMTREC runs a 24-hour toll-free line that gives emergency personnel technical facts about hazardous materials.

Manual section 9.7.5 Required Notification

60. **B. Far away and upwind**
Bystanders should be kept at a distance and on the upwind side of the scene.
Manual section 9.7.2 Crashes/Incidents

61. **D. By shipping name and ID number**
Responders look up materials in the guidebook by shipping name and ID number, which is why those entries must be correct on the shipping paper.
Manual section 9.7.1 Emergency Response Guidebook (ERG)

62. **B. At least 200 feet**
The explosives come out before the vehicles are pulled apart and are set down 200 feet or more from the vehicles and occupied buildings.
Manual section 9.7.4 Responses to Specific Hazards

63. **D. Only if trained and equipped to do it safely**
Fighting a hazmat fire takes special training and protective gear, so a driver without both should leave it to firefighters.
Manual section 9.7.3 Fires

64. **C. Use shipping papers, labels, or package location**
Identify a leak from the paperwork, the labels and where the package sits, never by touching or smelling the material.
Manual section 9.7.3 Fires

65. **A. $50,000**
Estimated property damage of more than 50,000 dollars is one of the events that requires a call to the National Response Center.
Manual section 9.7.5 Required Notification

66. **D. It must be checked for stray poison**
After a poison leak, the vehicle has to be inspected for leftover poison before it goes back into service.
Manual section 9.7.4 Responses to Specific Hazards

67. **C. After cleaning and a check with a survey meter**
A vehicle involved in a radioactive spill stays out of use until it has been cleaned and tested with a survey meter.
Manual section 9.7.4 Responses to Specific Hazards

68. **C. Your exact location and direction of travel**
The person going for help must be able to tell responders exactly where you are and which way you were heading, along with the other listed details.
Manual section 9.7.3 Fires

69. **D. 30 days**
Besides the phone call, the carrier must file a detailed written report no later than 30 days after the incident.
Manual section 9.7.5 Required Notification

Keep practicing online

This list with a hide-answers switch: https://cdl-testprep.com/cdl-practice-test/hazmat/questions-and-answers/
Every CDL practice test: https://cdl-testprep.com/cdl-practice-test/