

# whirl dev

---

- Add `write_biocompute()` to create [BioCompute Objects](#) containing the logs in a standardised JSON format.

## whirl 0.2.1

---

- `start_strace` now reports an error if strace process cannot be used.

## whirl 0.2.0

---

- Initial CRAN release.
- Default `input` argument of `run()` set to "`_whirl.yml`".
- Added RStudio addins for running all scripts and the active script.
- Fix typo in `track_files_discards` option.
- Increases unit test coverage and skips `run()` tests etc. when Quarto is not available.

## whirl 0.1.7

---

- Enable redirection of logs through the `log_dir` argument in `run()`.
- Changed the title on the individual logs to the script name and moved the path to a distinct section within the title-block.
- Fixed a bug where the hyperlink in the summary files was not rendered correctly.
- Fixed a bug where the installed python packages were not listed in the log.
- Enable the use of R expressions in the yaml configuration file.
- Enables the user to define the working directory for each script with the `execute_dir` option.

## whirl 0.1.6

---

- Added support for logging of Python scripts with `run()`.
- Improved unit tests for `run()`.
- Fixing a bug where the queue was not returned correctly in some instances.

- Switched to using `Sys.glob()` instead of `utils::glob2rx()`.

## whirl 0.1.4

---

- Add `use_whirl()` utility function.

## whirl 0.1.3

---

- Adding additional arguments to `run()` allowing the user to:
  - control the verbosity level
  - specify whether renv should be checked
  - specify which files to track
  - adjust the output format of the log files.

## whirl 0.1.1

---

- Fix enabling rendering of md log formats("gfm", "commonmark", "markua").

## whirl 0.1.0

---

- First version publicly available on GitHub.

## whirl 0.0.5

---

- Updated documentation
- README and vignettes are now ready for users.

## whirl 0.0.4

---

- Adjusting `run()` to unify execution of scripts, lists of scripts, and configuration files.
- Using multiple independent `callr::r_session` when executing several scripts.
- Cleanup of namespace and exported functions.

## whirl 0.0.3

---

- Initial version of `run()`.
- Substituting spinner with progress bar when executing single scripts.

## whirl 0.0.2

---

- Update so that the execution (including order of execution) can be controlled through a config file.

## whirl 0.0.1

---

- First version of package.