Integration Requirement Document

ImpexCube Import API

APRIL 6, 2026

SCMCUBE TECHNOLOGIES

Chennai

V_1.2.0.0.0

Integration Requirement Document
ImpexCube Import API

Project Name: ImpexCube Import API

Version No.: 1.2.0.0.0

Date: 06/04/2026

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	06/04/2026	Manikandan	System Admin	Baseline Version for ImpexCube Integration

---

1. Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing the ImpexCube API for user authentication and automated Job Creation. This document details the technical approach for data integration between external systems and the ImpexCube web service.

1.2 Overall Description

- Users will share authentication credentials to obtain a secure token.
- Using that token, users will push Job Creation details (CHA details, Bill of Entry, IGM, and Container data) to the ImpexCube system.
- The system will process the data and return an acknowledgment containing the Job Number or a corresponding error message.

1.3 Technical Approach

1. All data will be shared through REST web services over secure HTTP (HTTPS).

2. The request must be structured as a JSON Object passed within the body of a `POST` request.
3. The response will be sent in JSON format containing data objects and standard HTTP status codes.

---

2. Data Transmission & Authentication Mechanism

To communicate with the system, clients must first authenticate to receive a JWT access token. This token represents the user session.

2.1 Authentication (Login) API

- **Method:** `POST`
- **URL:** `http://testimpexapi.impexcube.in/api/Authentication/login`
- **Query Parameters:**
  - `username` (Required)
  - `password` (Required)
  - `CompanyBrCode` (Required)
  - `Fyear` (Required)

Request Example (C#):

C#
```
var client = new HttpClient();
var request = new HttpRequestMessage(HttpMethod.Post,
"http://testimpexapi.impexcube.in/api/Authentication/login?username=test&pa
ssword=testabc&CompanyBrCode=8A6EE027-A8FF-40E3-9468-
00F1BB57F1C&Fyear=2026-2027");
request.Headers.Add("accept", "*/*");
var response = await client.SendAsync(request);
response.EnsureSuccessStatusCode();
Console.WriteLine(await response.Content.ReadAsStringAsync());
```

Success Response (200 OK):

JSON

```
{
    "success": true,
    "message": "Authentication successful",
    "data": {
        "userName": "SCM018",
        "companyName": "IMPEXCUBE PVT LTD",
        "branch": "Chennai",
        "fyear": "2026-2027",
        "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
        "tokenExpiresIn": "2026-04-05T09:06:19.8398223+05:30"
    },
    "statusCode": 200,
    "errors": null
}
```

Failed Response (401 Unauthorized):

JSON
```
{
    "success": false,
    "message": "Invalied User Details",
    "data": null,
    "statusCode": 401,
    "errors": null
}
```

---

3. Job Creation Specifications

Once authorized, clients can use the Bearer token to create jobs.

- **Method:** `POST`
- **URL:** `http://testimpexapi.impexcube.in/api/ImpJobCreation/CreateJob`
- **Headers Required:**
  - `Authorization: Bearer {Paste_accessToken_Here}`
  - `Content-Type: application/json`

3.1 Field Requirements Table

S.No.	Field Name	Field Description	Format	Required
1	Custom House Code	Custom station tracking code	String	Required
2	User Job No.	Unique user job identifier	Numeric/String	Required
3	IEC Code	Importer Exporter Code	Numeric String	Required
4	Name of the importer	Registered company name	String	Required
5	Mode of Transport	Transport mode (e.g., S: Sea, A: Air)	Char (1)	Required
6	MAWB.BL No	Master Airway Bill or Bill of Lading No	String	Required

S.No.	Field Name	Field Description	Format	Required
7	Total No. Of Packages	Quantity of packages being moved	String	Required
8	Container Number	Registered freight container number	String	Required

3.2 Full Job Creation Request Payload

The request body must follow this exact raw JSON format:

JSON


```
{
  "CHADetails": {
    "CHA Code": "sdfdf",
    "CHA Branch Code": "dsssdfd",
    "Financial Year": "dfdf",
    "SenderID": "PROTRANS"
  },
  "BE_Details": {
    "Custom House Code": "INMAA1",
    "User Job RNo": "1236",
    "User Job No.": "122511236",
    "User Job Date": "20260403",
    "BE Number": "",
    "BE Date": "",
    "BE Type": "H",
    "IEC Code": "0412041936",
    "Branch Sr. No": "0",
    "Name of the importer": "POLYHOSE KOHYEI INDIA PRIVATE LIMITED",
    "Address 1": "NO.46, BASERA GROUND FLOOR, BESANT ",
    "Address 2": "AVENUE, ADYAR ,",
    "City": "CHENNAI",
    "State": "TAMILNADU",
    "Pin": "600020",
    "Class": "P",
    "Mode of Transport": "S",
    "ImporterType": "P",
    "Kachcha BE": "N",
    "High sea sale flag": "N",
    "Port of Origin": "KRBUS",
    "CHA Code": "AAECR8936PCH001",
    "Country of Origin": "KR",
    "Country of Consignment": "KR",
    "Port Of Shipment": "KRBUS",
    "Green Channel Requested": "N",
    "Section 48 Requested": "N",
    "Whether Prior BE": "A",
    "Authorized Dealer Code": "6480008",
    "First Check Requested": "N",
    "Warehouse Code": "",
    "Warehouse Customs Site ID": "",
```

```
    "Ware house BE No": "",
    "Ware house BE Date": "",
    "No of packages released": "",
    "Package Code": "",
    "Gross Weight": "",
    "Unit of Measurement": "",
    "Additional Charges": "",
    "Miscellaneous load": "",
    "Unique Consignment": "",
    "UCR Type": "",
    "Payment method code": "T"
  },
  "IGMS": [
    {
      "IGM No.": "",
      "IGM Date": "",
      "Inward Date": "",
      "Gateway IGM Number": "",
      "Gateway IGM date": "",
      "Gateway Port Code": "",
      "MAWB.BL No": "005GX04819",
      "MAWB.BL Date": "20260318",
      "HAWB.HBL No": "",
      "HAWB.HBL Date": "",
      "Total No. Of Packages": "32",
      "Gross Weight": "37008.000",
      "Unit Quantity Code": "KGS",
      "Package Code": "PLT",
      "Marks And Numbers 1": "AS PER BL",
      "Marks And Numbers 2": "",
      "Marks And Numbers 3": ""
    }
  ],
  "CONTAINER": [
    {
      "IGM Number": "",
      "IGM Date": "",
      "LCL.FCL": "F",
      "Container Number": "FCIU6234120",
      "Seal Number": "NA",
      "Truck Number": ""
    },
    {
      "IGM Number": "",
      "IGM Date": "",
      "LCL.FCL": "F",
      "Container Number": "WHSU2746612",
      "Seal Number": "NA",
      "Truck Number": ""
    }
  ],
  "SupportingDocumentList": [
    {
      "DocumentCode": "",
      "DocumentName": "",
      "DocumentFilePath": "",
      "DocumentFileFormat": ""
    }
  ]
}
```

3.3 Job Creation Responses

1. Success Response (201 Created):

JSON
```
{
    "success": true,
    "message": "Job Created successful",
    "data": [
        {
            "JobNo": "122511236"
        }
    ],
    "statusCode": 201,
    "errors": null
}
```

2. Failed Response - Duplicate Job (409 Conflict):

JSON
```
{
    "success": false,
    "message": "JobNo Already Exists",
    "data": [
        {
            "ErrorMsg": "JobNo Already Exists",
            "Code": "409"
        }
    ],
    "statusCode": 409,
    "errors": null
}
```

---

4. Status Codes Summary

The API uses standard HTTP status codes to communicate execution state:

- **Status Code 200/201:** Success. Request recognized and resource properly established.
- **Status Code 400:** Bad Request. Check payload format or missing required JSON properties.
- **Status Code 401:** Unauthenticated. Token is either missing, invalid, or expired (user must re-authenticate).
- **Status Code 409:** Conflict. The job reference is a duplicate of a record already existing in the platform.
- **Status Code 500:** Internal Server Error. The request crashed processing on the target host.