


# Country: Afghanistan

## School-aged children and adolescents







### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 1 study (1 national)




# Country: Albania

## School-aged children and adolescents



Boys 5 studies (5 national)



### Adults

Women
3 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (2 national)




# Country: Algeria

## School-aged children and adolescents



#### Boys 1 study (1 national)



Women
4 studies (2 national)

Underweight

Obesity


Combined burden


80

60

20


1990
2022
1990
2022
1990
2022







## Country: American Samoa

## School-aged children and adolescents







### Adults

Women
5 studies (5 national)

Underweight

Obesity

Combined burden


1

40

20


1990
2022
1990
2022
1990
2022


### Men 5 studies (5 national)



# Country: Andorra

## School-aged children and adolescents





1990

2022


1990


2022

Boys

1990


2022






# Country: Angola

## School-aged children and adolescents



#### Boys 1 study (0 national)



### Adults

Women
1 study (0 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 1 study (0 national)





# Country: Antigua & Barbuda

## School-aged children and adolescents




### Boys 1 study (1 national)











# Country: Argentina

## School-aged children and adolescents



Boys 7 studies (4 national)



### Adults

Women
14 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 13 studies (3 national)




## Country: Armenia

## School-aged children and adolescents



Boys 3 studies (3 national)



### Adults

Women
5 studies (5 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022
1990
2022


# Men 2 studies (2 national)




## Country: Australia

## School-aged children and adolescents

Girls



Boys 28 studies (21 national)



Adults

Women

1990

2022


1990

2022

2022

1990

Men 27 studies (12 national)



## Country: Austria

## School-aged children and adolescents

Girls 22 studies (5 national) Thinness Obesity Combined burden

50 40 Prevalence (%) 10


1990

2022

1990

2022

Boys 59 studies (42 national)



Adults

Women


1990

2022

0


8 studies (2 national) Underweight Obesity Combined burden 80 Prevalence (%) 20 1990 2022 1990 1990 2022 2022

Men 45 studies (39 national)




# Country: Azerbaijan

## School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
5 studies (5 national)

Underweight

Obesity

Combined burden


80

40

20


1990
2022
1990
2022

# Men 3 studies (3 national)




# Country: Bahamas

## School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Bahrain

## School-aged children and adolescents




Boys 2 studies (2 national)




### Adults

# Men 5 studies (3 national)




# Country: Bangladesh

## School-aged children and adolescents



#### Boys 4 studies (3 national)



### Adults

Women
21 studies (13 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 14 studies (6 national)




# Country: Barbados

## School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
5 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

### Men 5 studies (3 national)




# Country: Belarus

## School-aged children and adolescents



Boys 2 studies (2 national)



Women
2 studies (2 national)

Underweight

Obesity

Combined burden

80

60


20


1990

2022

1990


2022






## Country: Belgium

## School-aged children and adolescents



Boys 20 studies (2 national)



### Adults

Women
28 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 30 studies (4 national)




# Country: Belize

## School-aged children and adolescents



#### Boys 1 study (1 national)



Women
2 studies (2 national)


Underweight


80

60

20


1990
2022
1990
2022
1990
2022






# Country: Benin

## School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
8 studies (7 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (2 national)




# Country: Bermuda


## School-aged children and adolescents








### Adults




#### Men No studies



# Country: Bhutan


## School-aged children and adolescents



1990

2022

Boys 2 studies (2 national)



### Adults

1990

2022

Women
3 studies (2 national)


Underweight Obesity Combined burden

80

60


20

1990 2022 1990 2022 1990 2022




2022

1990




# Country: Bolivia

## School-aged children and adolescents



Boys 2 studies (2 national)



Women 6 studies (6 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Bosnia & Herzegovina

## School-aged children and adolescents



# Boys 3 studies (0 national)



### Adults

Women
3 studies (0 national)

Underweight

Obesity

Combined burden


80

40

20


1990
2022
1990
2022

# Men 3 studies (0 national)




## Country: Botswana

## School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
2 studies (2 national)

Underweight

Obesity

Combined burden

80

60

20

1990

2022


1990

2022

1990

2022


# Men 2 studies (2 national)




# Country: Brazil

## School-aged children and adolescents

Girls



Boys 85 studies (31 national)



Women 60 studies (10 national)

Underweight Obesity Combined burden

80


60

90

20


1990 2022 1990 2022 1990 2022






# Country: Brunei Darussalam

## School-aged children and adolescents



### Boys 4 studies (4 national)



### Adults

Women
2 studies (2 national)

Underweight

Obesity

Combined burden

80

60

20


1990

2022

1990

2022

### Men 2 studies (2 national)



# Country: Bulgaria

Girls

## School-aged children and adolescents

33 studies (5 national)

Thinness
Obesity
Combined burden

40

40

10

Thinness
Obesity
Thinness
Thinness
Obesity
Thinness
Thin


1990

2022

1990

2022

Boys 33 studies (5 national)



### Adults

1990

2022

0

Women
5 studies (3 national)

Underweight

Obesity

Combined burden


80

40

20


1990
2022
1990
2022
1990
2022






# Country: Burkina Faso

## School-aged children and adolescents



Boys
3 studies (1 national)



### Adults

Women
10 studies (7 national)

Underweight

Obesity


Combined burden

80

20


1990
2022
1990
2022

#### Men 5 studies (2 national)




# Country: Burundi

## School-aged children and adolescents



Boys No studies



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men No studies




# Country: Cabo Verde

## School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
2 studies (2 national)

Underweight

Obesity

Combined burden

80

60

20

1990

2022


1990

2022

1990


2022

# Men 2 studies (2 national)




# Country: Cambodia

## School-aged children and adolescents



### Boys 1 study (1 national)



### Adults

Women
8 studies (8 national)

Underweight
Obesity
Combined burden


80

60

20


1990
2022
1990
2022

# Men 2 studies (2 national)




## Country: Cameroon

## School-aged children and adolescents



Boys 5 studies (0 national)



### Adults

Women
14 studies (5 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

### Men 9 studies (0 national)




# Country: Canada

## School-aged children and adolescents



Boys 11 studies (8 national)



### Adults

Women

24 studies (10 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022


Men 24 studies (10 national)





## Country: Central African Republic

## School-aged children and adolescents











# Country: Chad

## School-aged children and adolescents







### Adults

Women
4 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 1 study (0 national)




# Country: Chile

### School-aged children and adolescents



Boys 8 studies (6 national)



### Adults

Women
13 studies (5 national)

Underweight

0 besity

Combined burden


80

60

20

1990
2022
1990
2022
1990
2022


# Men 14 studies (5 national)




# Country: China

### School-aged children and adolescents

chool-aged children and adolescents



Boys 51 studies (27 national)



Adults

Women
130 studies (47 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022

Men 134 studies (49 national)



# Country: Colombia

### School-aged children and adolescents

Girls 14 studies (6 national) Thinness Combined burden Obesity

50 40 Prevalence (%) 10


1990

2022

1990

2022

Boys 14 studies (6 national)




### Adults

1990


2022

0

Women 19 studies (9 national) Underweight 80









# Country: Comoros

### School-aged children and adolescents







### Adults

Women
3 studies (3 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

# Men 1 study (1 national)




## Country: Congo

### School-aged children and adolescents



#### Boys 4 studies (0 national)



### Adults

Women
9 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 4 studies (0 national)




# Country: Cook Islands

### School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
2 studies (2 national)

Underweight

Obesity


Combined burden

40

20


1990 2022 1990 2022 1990 2022

# Men 2 studies (2 national)




## Country: Costa Rica

### School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
10 studies (9 national)

Underweight

0 besity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

#### Men 9 studies (8 national)




# Country: Cote d'Ivoire

### School-aged children and adolescents



Boys
3 studies (0 national)



### Adults

Women
7 studies (4 national)

Underweight
Obesity
Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 3 studies (0 national)




# Country: Croatia

### School-aged children and adolescents



Boys 10 studies (6 national)



### Adults

Women
9 studies (4 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

#### Men 9 studies (4 national)




# Country: Cuba

### School-aged children and adolescents



Boys 6 studies (3 national)



### Adults

Women
8 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 8 studies (3 national)




## Country: Cyprus

### School-aged children and adolescents



Boys 5 studies (3 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)



# Country: Czechia

Girls

### School-aged children and adolescents

Thinness Obesity Combined burden

50

40

(%) 30

10


1990

2022

1990

2022

Boys 12 studies (6 national)



### Adults

1990

2022

0

Women
17 studies (13 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 17 studies (13 national)




# Country: Denmark

### School-aged children and adolescents



Boys 64 studies (21 national)



### Adults

Women
33 studies (1 national)

Underweight

Obesity

Combined burden

80


60

20

20


1990
2022
1990
2022

#### Men 57 studies (23 national)




# Country: Djibouti


### School-aged children and adolescents








### Adults




#### Men No studies



# Country: Dominica

### School-aged children and adolescents




1990

2022

1990

2022

Boys 2 studies (2 national)



### Adults

1990

2022

Women
1 study (1 national)

Underweight
Obesity
Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 1 study (1 national)




# Country: Dominican Republic

### School-aged children and adolescents



Boys 4 studies (4 national)



### Adults

Women
7 studies (7 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

#### Men 5 studies (5 national)




# Country: DR Congo

### School-aged children and adolescents



Boys
3 studies (0 national)



Women
10 studies (3 national)

Underweight

0 besity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022






# Country: Ecuador

### School-aged children and adolescents



Boys 5 studies (4 national)



### Adults

Women
7 studies (6 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 6 studies (5 national)




## Country: Egypt


### School-aged children and adolescents



Boys 7 studies (7 national)




Men 8 studies (6 national)




# Country: El Salvador

### School-aged children and adolescents



#### Boys 1 study (1 national)



Women
4 studies (3 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022







# Country: Equatorial Guinea


### School-aged children and adolescents






Men






# Country: Eritrea

### School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
4 studies (4 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Estonia


Girls

### School-aged children and adolescents

ochool-aged children and adolescents



Boys 13 studies (12 national)



### Adults

Women

12 studies (9 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 14 studies (9 national)




# Country: Eswatini

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Ethiopia

### School-aged children and adolescents



Boys 6 studies (4 national)



### Adults

Women
11 studies (6 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 7 studies (4 national)




# Country: Fiji


### School-aged children and adolescents




#### Boys 4 studies (2 national)



### Adults




#### Men 6 studies (3 national)




# Country: Finland

### School-aged children and adolescents


Girls




Boys 16 studies (14 national)



Women
39 studies (19 national)




Men 46 studies (20 national)




# Country: France

### School-aged children and adolescents



Boys 18 studies (9 national)



Women
24 studies (6 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

Men 25 studies (6 national)





# Country: French Polynesia


### School-aged children and adolescents




Boys 2 studies (2 national)












# Country: Gabon

### School-aged children and adolescents







### Adults

Women
4 studies (3 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

# Men 1 study (0 national)




# Country: Gambia

### School-aged children and adolescents



Boys No studies



### Adults

Women
6 studies (5 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 3 studies (2 national)




# Country: Georgia

### School-aged children and adolescents



Boys 4 studies (4 national)



Women
2 studies (2 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022





## Country: Germany

### School-aged children and adolescents




1990

2022

1990

2022

Boys 29 studies (16 national)



### Adults

1990

2022

0

Women
63 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

Men 82 studies (14 national)




# Country: Ghana

### School-aged children and adolescents



Boys 5 studies (2 national)



### Adults

Women
19 studies (8 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022


# Men 12 studies (3 national)




## Country: Greece

### School-aged children and adolescents

chool-aged children and adolescents



Boys 37 studies (24 national)



Women
13 studies (6 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Greenland

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Grenada


### School-aged children and adolescents









Women 1 study (1 national) Underweight Obesity Combined burden 80 Prevalence (%) 20 1990 2022 2022 1990 2022 1990






## Country: Guatemala

### School-aged children and adolescents



Boys 7 studies (4 national)



### Adults

Women
15 studies (10 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

#### Men 7 studies (2 national)




# Country: Guinea

### School-aged children and adolescents



#### Boys 1 study (0 national)



### Adults

Women
5 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 1 study (0 national)




# Country: Guinea Bissau


### School-aged children and adolescents








### Adults




#### Men No studies




## Country: Guyana

### School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
2 studies (2 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

#### Men 2 studies (2 national)




# Country: Haiti

### School-aged children and adolescents



Boys No studies



### Adults

Women
7 studies (5 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 2 studies (0 national)




# Country: Honduras


### School-aged children and adolescents








### Adults




# Men 1 study (0 national)




# Country: Hungary

### School-aged children and adolescents

Girls



Boys 18 studies (15 national)



Women
13 studies (8 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022







# Country: Iceland


### School-aged children and adolescents





Boys





# Country: India

Girls

### School-aged children and adolescents

chool-aged children and adolescents

Thinness Obesity Combined burden

To 40

40

20

10


1990

2022

1990

2022

Boys 52 studies (17 national)




### Adults

0


Women

1990

2022




Men 92 studies (17 national)




# Country: Indonesia

### School-aged children and adolescents



Boys 11 studies (9 national)



### Adults

Women
13 studies (8 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022


# Men 13 studies (8 national)




# Country: Iran

### School-aged children and adolescents


chool-aged children and adolescents




Boys 50 studies (18 national)



Women
91 studies (18 national)
Underweight




Men 93 studies (18 national)




# Country: Iraq

### School-aged children and adolescents



Boys 2 studies (1 national)



Women
2 studies (2 national)


Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022







# Country: Ireland

### School-aged children and adolescents

ochoor-aged children and adolescents



Boys 23 studies (17 national)



Adults

Women
9 studies (9 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022


Men 9 studies (9 national)




# Country: Israel

### School-aged children and adolescents

Girls




Boys 15 studies (15 national)




Adults

Women



Men 23 studies (16 national)



# Country: Italy

Girls

### School-aged children and adolescents

31 studies (7 national)

Thinness Obesity Combined burden

50

40

40

10


1990

2022

1990

2022

Boys 30 studies (7 national)



### Adults

1990

2022

0

Women 56 studies (8 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 61 studies (8 national)




# Country: Jamaica

### School-aged children and adolescents



Boys 5 studies (5 national)



Women 8 studies (6 national)

Underweight Obesity Combined burden

80


60

20

20

1990 2022 1990 2022 1990 2022


Men 8 studies (6 national)




## Country: Japan

### School-aged children and adolescents


ochoor-aged children and adolescents




Boys 82 studies (56 national)



Women 93 studies (43 national)




Men 92 studies (43 national)




# Country: Jordan

### School-aged children and adolescents



Boys 8 studies (5 national)



### Adults

Women
14 studies (12 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 7 studies (5 national)




# Country: Kazakhstan

### School-aged children and adolescents



Boys 8 studies (3 national)



### Adults

Women
9 studies (3 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022


#### Men 8 studies (1 national)




## Country: Kenya

### School-aged children and adolescents







### Adults

Women
9 studies (7 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 4 studies (2 national)




# Country: Kiribati

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
4 studies (2 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022


#### Men 4 studies (2 national)




# Country: Kuwait

### School-aged children and adolescents

criooi-aged crilidren and adolescents




Boys 17 studies (15 national)




Adults

Women




Men 27 studies (24 national)




# Country: Kyrgyzstan

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
4 studies (4 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

#### Men 2 studies (2 national)




# Country: Lao PDR

### School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
3 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (1 national)




# Country: Latvia

### School-aged children and adolescents



Boys 5 studies (5 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Lebanon

### School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
3 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (3 national)




# Country: Lesotho

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
5 studies (5 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (3 national)




# Country: Liberia

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
5 studies (5 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

# Men 3 studies (3 national)




# Country: Libya

### School-aged children and adolescents



#### Boys 1 study (1 national)



Women
2 studies (1 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Lithuania

### School-aged children and adolescents



Boys 7 studies (5 national)



### Adults

Women
11 studies (2 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

# Men 11 studies (2 national)




# Country: Luxembourg

### School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
3 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 3 studies (2 national)




## Country: Madagascar

### School-aged children and adolescents



Boys No studies



### Adults

Women
6 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 2 studies (0 national)




# Country: Malawi

### School-aged children and adolescents



#### Boys 4 studies (2 national)



### Adults

Women
11 studies (8 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022

#### Men 5 studies (2 national)



## Country: Malaysia

### School-aged children and adolescents

Girls
15 studies (13 national)

Thinness Obesity Combined burde

Thinness Obesity Combined burden


50

40


10

1990 2022 1990 2022 1990 2022


Boys 15 studies (13 national)



Women
11 studies (11 national)




Men
11 studies (11 national)




# Country: Maldives

### School-aged children and adolescents



Boys 5 studies (4 national)



### Adults

Women
6 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 4 studies (2 national)




## Country: Mali

## School-aged children and adolescents



Boys
3 studies (0 national)



#### Adults

Women
10 studies (5 national)

Underweight

0 besity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 3 studies (0 national)




## Country: Malta

## School-aged children and adolescents



Boys 6 studies (6 national)



#### Adults

Women
3 studies (1 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (1 national)




## Country: Marshall Islands

## School-aged children and adolescents



Boys 2 studies (2 national)



#### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022


# Men 2 studies (2 national)




## Country: Mauritania

## School-aged children and adolescents







Women
3 studies (2 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






## Country: Mauritius

## School-aged children and adolescents



#### Boys 4 studies (2 national)



#### Adults

Women
8 studies (6 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022

#### Men 8 studies (6 national)




## Country: Mexico


Girls

## School-aged children and adolescents

chool-aged children and adolescents




Boys 13 studies (13 national)




Women
26 studies (22 national)

Underweight




Men 24 studies (20 national)




## Country: Micronesia

## School-aged children and adolescents



Boys
3 studies (0 national)



Women 6 studies (0 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






## Country: Moldova

## School-aged children and adolescents



Boys
3 studies (3 national)



#### Adults

Women
3 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




## Country: Mongolia

## School-aged children and adolescents



Boys 5 studies (5 national)



#### Adults

Women
6 studies (6 national)

Underweight

Obesity

Combined burden


80

40

20

1990
2022
1990
2022

#### Men 6 studies (6 national)



# Country: Montenegro

## School-aged children and adolescents


Girls
13 studies (8 national)

Thinness Obesity Combined burden

50
40

(%) 30
20

Boys 24 studies (19 national)



#### Adults

1990

2022

10

Women
2 studies (2 national)

Underweight

Obesity

Combined burden

80

40

20

1990
2022
1990
2022


1990

2022

1990


2022

# Men 13 studies (13 national)




# Country: Morocco

## School-aged children and adolescents



Boys 2 studies (2 national)



#### Adults

Women
4 studies (4 national)

Underweight
Obesity
Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 2 studies (2 national)




## Country: Mozambique

## School-aged children and adolescents



#### Boys 4 studies (1 national)



#### Adults

Women
5 studies (5 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




## Country: Myanmar

## School-aged children and adolescents



Boys 2 studies (1 national)



#### Adults

Women
6 studies (3 national)

Underweight

Obesity

Combined burden


80

40

20


1990
2022
1990
2022

# Men 5 studies (2 national)




## Country: Namibia

## School-aged children and adolescents



#### Boys 1 study (0 national)



Women
5 studies (4 national)

Underweight

Obesity


Combined burden


80

40

20


1990
2022
1990
2022






## Country: Nauru


## School-aged children and adolescents



Boys
3 studies (3 national)









## Country: Nepal

## School-aged children and adolescents

Girls




Boys 10 studies (4 national)




#### Adults

Women
17 studies (9 national)




# Men 13 studies (5 national)




## Country: Netherlands

## School-aged children and adolescents



Boys 10 studies (5 national)



Women
29 studies (1 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

Men 30 studies (1 national)



## Country: New Zealand

## School-aged children and adolescents




1990

2022

1990

2022

Boys 17 studies (16 national)



#### Adults

1990

2022

0

Women
18 studies (15 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022


Men
18 studies (15 national)





## Country: Nicaragua

## School-aged children and adolescents











## Country: Niger

## School-aged children and adolescents



Boys 2 studies (2 national)



#### Adults

Women
6 studies (6 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




## Country: Nigeria

## School-aged children and adolescents



Boys 8 studies (1 national)



#### Adults

1990

2022

10

0

Women
22 studies (7 national)

Underweight Obesity Combined burden

80

60

20

1990 2022 1990 2022 1990 2022


1990

2022

1990


2022

# Men 19 studies (3 national)




## Country: Niue

## School-aged children and adolescents



Boys 3 studies (3 national)



Women
1 study (1 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022







## Country: North Korea


## School-aged children and adolescents






Boys






## Country: North Macedonia


## School-aged children and adolescents




Boys 5 studies (5 national)



#### Adults




#### Men No studies




## Country: Norway

## School-aged children and adolescents



Boys 19 studies (5 national)



#### Adults

Women
20 studies (0 national)

Underweight Obesity Combined burden

80


60

20

20


1990 2022 1990 2022 1990 2022

#### Men 20 studies (0 national)




# Country: Oman

## School-aged children and adolescents



#### Boys 4 studies (4 national)



#### Adults

Women
6 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 6 studies (4 national)




# Country: Pakistan

## School-aged children and adolescents



Boys 5 studies (3 national)



Women
11 studies (7 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022







## Country: Palau

## School-aged children and adolescents


ochoor-aged children and adolescents




Boys 14 studies (14 national)



Women
2 studies (2 national)




Men
2 studies (2 national)




# Country: Panama

## School-aged children and adolescents



#### Boys 4 studies (3 national)



#### Adults

Women
3 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (2 national)




# Country: Papua New Guinea

## School-aged children and adolescents



#### Boys 1 study (1 national)



Women
3 studies (1 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






## Country: Paraguay

## School-aged children and adolescents



Boys 2 studies (2 national)



Women
1 study (1 national)


Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022






## Country: Peru


Girls

## School-aged children and adolescents

ochoor-aged children and adolescents



Boys 21 studies (16 national)



Adults

Women

40 studies (26 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022
1990
2022

Men 30 studies (16 national)




## Country: Philippines

## School-aged children and adolescents



Boys 9 studies (6 national)



#### Adults

1990

2022

10

0

Women
30 studies (8 national)

Underweight Obesity Combined burden

80

60

20

1990 2022 1990 2022 1990 2022


1990

2022

1990

2022

# Men 12 studies (7 national)



## Country: Poland

Girls

## School-aged children and adolescents

31 studies (9 national)

Thinness Obesity Combined burden

50

40

20

10

1990


Ī

2022

1990

2022

Boys 47 studies (13 national)



#### Adults

1990

2022

0

Women 35 studies (11 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 53 studies (15 national)



## Country: Portugal

## School-aged children and adolescents




1990

2022

1990

2022

Boys 48 studies (25 national)



#### Adults

1990

2022

Women
11 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022


Men 26 studies (19 national)




# Country: Puerto Rico


## School-aged children and adolescents






Boys






# Country: Qatar

### School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Romania

### School-aged children and adolescents



Boys 31 studies (7 national)



Women
9 studies (6 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022







# Country: Russian Federation

### School-aged children and adolescents

chool-aged children and adolescents



Boys 28 studies (13 national)



### Adults

Girls

Women
41 studies (15 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

Men 42 studies (15 national)




# Country: Rwanda

### School-aged children and adolescents



Boys 4 studies (4 national)



### Adults

Women
7 studies (7 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 4 studies (4 national)




# Country: Samoa

### School-aged children and adolescents



Boys 2 studies (2 national)



Women
9 studies (7 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Sao Tome & Principe

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
3 studies (3 national)

Underweight

Obesity

Combined burden


80

40

20


1990
2022
1990
2022

# Men 3 studies (3 national)




# Country: Saudi Arabia

### School-aged children and adolescents




Boys 9 studies (7 national)




### Adults

# Men 15 studies (12 national)




# Country: Senegal

### School-aged children and adolescents



Boys 2 studies (1 national)



### Adults

Women
10 studies (5 national)

Underweight
Obesity
Combined burden


80

60

20

1990
2022
1990
2022
1990
2022


#### Men 5 studies (2 national)




# Country: Serbia

### School-aged children and adolescents


Girls




Boys 25 studies (8 national)



Women 12 studies (4 national)




Men
12 studies (4 national)




# Country: Seychelles

### School-aged children and adolescents

criooi-aged crilidren and adolescents



Boys 22 studies (22 national)



Adults

Women
5 studies (5 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

Men 5 studies (5 national)




# Country: Sierra Leone

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
4 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (3 national)




# Country: Singapore

### School-aged children and adolescents



Boys 3 studies (3 national)



### Adults

Women
14 studies (10 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022

# Men 14 studies (10 national)



# Country: Slovakia

Girls

### School-aged children and adolescents

Thinness Obesity Combined burden

To 40

40

20

10


1990

2022

1990

2022

Boys 11 studies (10 national)



### Adults

1990

2022

Women
7 studies (7 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022


#### Men 7 studies (7 national)




## Country: Slovenia

### School-aged children and adolescents

chool-aged children and adolescents



Boys 52 studies (50 national)



Women 60 studies (58 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Solomon Islands

### School-aged children and adolescents



Boys 7 studies (1 national)



### Adults

Women
7 studies (1 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 7 studies (1 national)




# Country: Somalia


### School-aged children and adolescents





Boys







# Country: South Africa

### School-aged children and adolescents

onoor-aged officient and adolescent



Boys 25 studies (11 national)



Adults

Women

22 studies (12 national)

Underweight Obesity Combined burden

80

60

40

20

1990

2022


1990

2022

2022


1990

Men 22 studies (12 national)




# Country: South Korea

### School-aged children and adolescents




Boys 48 studies (47 national)




### Adults

Women

41 studies (38 national) Underweight




Men 60 studies (57 national)




# Country: South Sudan

### School-aged children and adolescents



#### Boys 1 study (0 national)



Women
1 study (0 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






## Country: Spain

### School-aged children and adolescents



Boys 33 studies (8 national)



Women 37 studies (7 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

Men
38 studies (7 national)




# Country: Sri Lanka

### School-aged children and adolescents



Boys 5 studies (5 national)



### Adults

Women
9 studies (5 national)

Underweight

Obesity

Combined burden

80

60

20

1990

2022


1990

2022

1990


2022

#### Men 8 studies (4 national)





# Country: St. Kitts & Nevis


### School-aged children and adolescents




#### Boys 1 study (1 national)











# Country: St. Lucia

### School-aged children and adolescents



#### Boys 1 study (1 national)



Women
4 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






## Country: St. Vincent & the Grenadines


### School-aged children and adolescents




#### Boys 2 studies (2 national)



### Adults




# Men 1 study (1 national)




## Country: State of Palestine

### School-aged children and adolescents




Boys 5 studies (5 national)




### Adults

#### Men 7 studies (4 national)




# Country: Sudan

### School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women
3 studies (1 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (1 national)




# Country: Suriname

### School-aged children and adolescents



#### Boys 1 study (0 national)



Women
1 study (0 national)


Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022







# Country: Sweden

### School-aged children and adolescents


Girls




Boys 90 studies (59 national)



Women 36 studies (3 national)




Men 70 studies (32 national)




# Country: Switzerland

### School-aged children and adolescents



Boys 50 studies (24 national)



### Adults

Women
10 studies (1 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 29 studies (20 national)





# Country: Syrian Arab Republic


### School-aged children and adolescents
















# Country: Taiwan

### School-aged children and adolescents



Boys 9 studies (9 national)



### Adults

Women
12 studies (8 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

# Men 12 studies (8 national)




# Country: Tajikistan

### School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
4 studies (4 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

# Men 1 study (1 national)




# Country: Tanzania

### School-aged children and adolescents



Boys 2 studies (0 national)



### Adults

Women
12 studies (6 national)

Underweight

Obesity

Combined burden


80

60

20

1990
2022
1990
2022
1990
2022

# Men 7 studies (1 national)




# Country: Thailand


### School-aged children and adolescents

Girls
14 studies (13 national)

Thinness Obesity Combined bure



Boys 14 studies (13 national)



### Adults

Women

1990

2022

9 studies (9 national)

Underweight Obesity Combined burden

80

60

20

20

1


1990

2022

1990


2022






# Country: Timor-Leste

### School-aged children and adolescents



Boys 5 studies (2 national)



### Adults

Women
7 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 5 studies (2 national)




# Country: Togo

### School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
5 studies (4 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)




# Country: Tokelau

# School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
2 studies (2 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 2 studies (2 national)




# Country: Tonga

# School-aged children and adolescents



Boys 6 studies (4 national)



### Adults

Women
5 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 5 studies (3 national)





# Country: Trinidad & Tobago


# School-aged children and adolescents




#### Boys 4 studies (4 national)











# Country: Tunisia

# School-aged children and adolescents



Boys 3 studies (2 national)



### Adults

Women
5 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 5 studies (3 national)




# Country: Turkiye

# School-aged children and adolescents



Boys 7 studies (5 national)



### Adults

Women 30 studies (23 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 23 studies (17 national)




# Country: Turkmenistan

# School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
3 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 2 studies (2 national)



# Country: Tuvalu

# School-aged children and adolescents




1990

2022

1990

2022

Boys 2 studies (2 national)



### Adults

1990

2022

Women
1 study (1 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Uganda

# School-aged children and adolescents



Boys 8 studies (5 national)



### Adults

Women
12 studies (7 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 10 studies (5 national)




# Country: Ukraine

# School-aged children and adolescents



Boys 8 studies (4 national)



### Adults

Women
3 studies (3 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022

#### Men 2 studies (2 national)




# Country: United Arab Emirates

# School-aged children and adolescents



Boys 5 studies (5 national)



Women
5 studies (3 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: United Kingdom

# School-aged children and adolescents



Boys 104 studies (56 national)



### Adults

Women 85 studies (50 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

#### Men 88 studies (51 national)




# Country: Uruguay

# School-aged children and adolescents



Boys 8 studies (7 national)



Women
6 studies (3 national)

Underweight Obesity Combined burden


80

60

20

1990 2022 1990 2022 1990 2022






# Country: USA


# School-aged children and adolescents

Girls
61 studies (28 national)


Thinness Obesity Combined burden




Boys 61 studies (28 national)



Women
70 studies (26 national)




Men 64 studies (25 national)




# Country: Uzbekistan

# School-aged children and adolescents



Boys
3 studies (3 national)



Women
5 studies (4 national)

Underweight

Obesity


Combined burden

40

20


1990 2022 1990 2022 1990 2022






# Country: Vanuatu

# School-aged children and adolescents



#### Boys 1 study (0 national)



Women
4 studies (3 national)


Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022






# Country: Venezuela

# School-aged children and adolescents



Boys 2 studies (1 national)



### Adults

Women
13 studies (3 national)

Underweight

Obesity

Combined burden


80

60

20


1990
2022
1990
2022
1990
2022

# Men 13 studies (3 national)



# Country: Viet Nam

# School-aged children and adolescents




1990

2022

1990

2022

Boys 11 studies (9 national)



### Adults

1990

2022

0

Women
25 studies (12 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

Men 25 studies (12 national)




# Country: Yemen

# School-aged children and adolescents



Boys
3 studies (3 national)



### Adults

Women
5 studies (5 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (3 national)




# Country: Zambia

# School-aged children and adolescents



#### Boys 1 study (1 national)



### Adults

Women 8 studies (6 national)

Underweight Obesity Combined burden


80

60

20


1990 2022 1990 2022 1990 2022

# Men 3 studies (1 national)




# Country: Zimbabwe

# School-aged children and adolescents



Boys 2 studies (2 national)



### Adults

Women
9 studies (6 national)

Underweight Obesity Combined burden

80

60

20

1990 2022 1990 2022 1990 2022

#### Men 6 studies (3 national)

