

Country: Afghanistan

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 1 study (1 national)



Women
2 studies (2 national)




Men
1 study (1 national)




Country: Albania

School-aged children and adolescents


Girls
5 studies (5 national)




Boys 5 studies (5 national)



Women
3 studies (2 national)




Men
3 studies (2 national)




Country: Algeria

School-aged children and adolescents


Girls
1 study (1 national)




Boys 1 study (1 national)



Women
4 studies (2 national)




Men
4 studies (2 national)




Country: American Samoa

School-aged children and adolescents






Boys 1 study (1 national)




Adults

Women
5 studies (5 national)




Men 5 studies (5 national)




Country: Andorra

School-aged children and adolescents



Boys No studies



Adults

1990

Women
1 study (1 national)

2022

1990


2022

1990


2022

1990

2022




Men 1 study (1 national)




Country: Angola

School-aged children and adolescents

Girls
1 study (0 national)




Boys 1 study (0 national)




Adults

Women
1 study (0 national)



Men 1 study (0 national)




Country: Antigua & Barbuda


School-aged children and adolescents

Girls
1 study (1 national)

Thinness Obesity Combined burden




Boys 1 study (1 national)




Adults

Women No studies




Men No studies




Country: Argentina

School-aged children and adolescents


Girls
8 studies (5 national)




Boys 7 studies (4 national)



Women
14 studies (4 national)




Men
13 studies (3 national)




Country: Armenia

School-aged children and adolescents


Girls
6 studies (6 national)




Boys
3 studies (3 national)



Women 5 studies (5 national)




Men
2 studies (2 national)




Country: Australia

School-aged children and adolescents

Girls
28 studies (21 national)




Boys 28 studies (21 national)




Adults

Women 26 studies (12 national)




Men 27 studies (12 national)




Country: Austria

School-aged children and adolescents


Girls
22 studies (5 national)




Boys 59 studies (42 national)



Women 8 studies (2 national)




Men 45 studies (39 national)




Country: Azerbaijan

School-aged children and adolescents

Girls
4 studies (4 national)




Boys 2 studies (2 national)




Adults

Women 5 studies (5 national)




Men 3 studies (3 national)




Country: Bahamas

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Bahrain

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
5 studies (3 national)




Men
5 studies (3 national)




Country: Bangladesh

School-aged children and adolescents

Girls 4 studies (3 national)




Boys 4 studies (3 national)




Adults

Women
21 studies (13 national)




Men 14 studies (6 national)




Country: Barbados

School-aged children and adolescents


Girls
1 study (1 national)




Boys 1 study (1 national)



Women 5 studies (3 national)




Men
5 studies (3 national)




Country: Belarus

School-aged children and adolescents

Girls
2 studies (2 national)




Boys 2 studies (2 national)




Adults

Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Belgium

School-aged children and adolescents


Girls
19 studies (2 national)




Boys 20 studies (2 national)



Women 28 studies (4 national)




Men 30 studies (4 national)




Country: Belize

School-aged children and adolescents


Girls
1 study (1 national)




Boys 1 study (1 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Benin

School-aged children and adolescents


Girls
5 studies (5 national)




Boys 1 study (1 national)



Women 8 studies (7 national)




Men
3 studies (2 national)




Country: Bermuda

School-aged children and adolescents








Adults

Women No studies


Men No studies




Country: Bhutan

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
3 studies (2 national)




Men
3 studies (2 national)




Country: Bolivia

School-aged children and adolescents


Girls
4 studies (4 national)




Boys 2 studies (2 national)



Women
6 studies (6 national)




Men
2 studies (2 national)




Country: Bosnia & Herzegovina

School-aged children and adolescents

Girls
3 studies (0 national)




Boys 3 studies (0 national)




Adults

Women
3 studies (0 national)




Men 3 studies (0 national)




Country: Botswana

School-aged children and adolescents


Girls
1 study (1 national)




Boys 1 study (1 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Brazil

School-aged children and adolescents


Girls 86 studies (32 national)




Boys 85 studies (31 national)



Women 60 studies (10 national)





Men 52 studies (8 national)




Country: Brunei Darussalam

School-aged children and adolescents






Boys 4 studies (4 national)




Adults

Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Bulgaria

School-aged children and adolescents


Girls
33 studies (5 national)




Boys 33 studies (5 national)



Women
5 studies (3 national)




Men
5 studies (3 national)




Country: Burkina Faso

School-aged children and adolescents


Girls
6 studies (4 national)




Boys
3 studies (1 national)



Women
10 studies (7 national)





Men
5 studies (2 national)




Country: Burundi

School-aged children and adolescents







Boys No studies



Women
2 studies (2 national)




Men No studies




Country: Cabo Verde

School-aged children and adolescents


Girls
1 study (1 national)




Boys 1 study (1 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Cambodia

School-aged children and adolescents


Girls
6 studies (6 national)




Boys 1 study (1 national)



Women 8 studies (8 national)




Men
2 studies (2 national)




Country: Cameroon

School-aged children and adolescents


Girls
9 studies (4 national)




Boys 5 studies (0 national)



Women
14 studies (5 national)




Men
9 studies (0 national)




Country: Canada

School-aged children and adolescents


Girls
11 studies (8 national)




Boys 11 studies (8 national)



Women 24 studies (10 national)




Men 24 studies (10 national)




Country: Central African Republic

School-aged children and adolescents



Boys No studies



Adults

1990

Women
5 studies (1 national)

2022

1990


2022

1990


2022

1990

2022





Men 4 studies (0 national)




Country: Chad

School-aged children and adolescents







Boys No studies



Women




Men
1 study (0 national)




Country: Chile

School-aged children and adolescents


Girls 8 studies (6 national)




Boys 8 studies (6 national)



Women
13 studies (5 national)




Men
14 studies (5 national)




Country: China

School-aged children and adolescents

Girls
50 studies (27 national)




Boys 51 studies (27 national)




Adults

Women
130 studies (47 national)




Men 134 studies (49 national)




Country: Colombia

School-aged children and adolescents

Girls
14 studies (6 national)




Boys 14 studies (6 national)




Adults

Women
19 studies (9 national)




Men 16 studies (6 national)




Country: Comoros

School-aged children and adolescents


Girls
1 study (1 national)




Boys No studies



Women
3 studies (3 national)




Men
1 study (1 national)




Country: Congo

School-aged children and adolescents


Girls
7 studies (3 national)




Boys 4 studies (0 national)



Women
9 studies (3 national)




Men
4 studies (0 national)




Country: Cook Islands

School-aged children and adolescents

Girls
3 studies (3 national)




Boys
3 studies (3 national)




Adults

Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Costa Rica

School-aged children and adolescents


Girls
3 studies (3 national)




Boys
3 studies (3 national)



Women
10 studies (9 national)




Men
9 studies (8 national)




Country: Cote d'Ivoire

School-aged children and adolescents


Girls
6 studies (3 national)




Boys
3 studies (0 national)



Women 7 studies (4 national)




Men
3 studies (0 national)




Country: Croatia

School-aged children and adolescents


Girls
11 studies (6 national)




Boys 10 studies (6 national)



Women
9 studies (4 national)




Men
9 studies (4 national)




Country: Cuba

School-aged children and adolescents


Girls
6 studies (3 national)




Boys 6 studies (3 national)



Women 8 studies (3 national)




Men 8 studies (3 national)




Country: Cyprus

School-aged children and adolescents


Girls
5 studies (3 national)




Boys 5 studies (3 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Czechia

School-aged children and adolescents


Girls
12 studies (6 national)




Boys 12 studies (6 national)



Women
17 studies (13 national)




Men 17 studies (13 national)




Country: Denmark

School-aged children and adolescents

Girls
46 studies (3 national)




Boys 64 studies (21 national)




Adults

Women
33 studies (1 national)




Men 57 studies (23 national)




Country: Djibouti

School-aged children and adolescents






Boys No studies




Adults

Women No studies




Men No studies




Country: Dominica

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
1 study (1 national)




Men
1 study (1 national)




Country: Dominican Republic

School-aged children and adolescents


Girls
5 studies (5 national)




Boys 4 studies (4 national)



Women
7 studies (7 national)




Men
5 studies (5 national)




Country: DR Congo

School-aged children and adolescents


Girls
6 studies (3 national)




Boys
3 studies (0 national)



Women
10 studies (3 national)




Men
7 studies (0 national)




Country: Ecuador

School-aged children and adolescents

Girls
6 studies (5 national)




Boys 5 studies (4 national)




Adults

Women
7 studies (6 national)




Men 6 studies (5 national)




Country: Egypt

School-aged children and adolescents


Girls
6 studies (6 national)




Boys 7 studies (7 national)



Women
14 studies (12 national)





Men 8 studies (6 national)




Country: El Salvador

School-aged children and adolescents






Boys 1 study (1 national)




Adults

Women
4 studies (3 national)





Men 2 studies (1 national)




Country: Equatorial Guinea

School-aged children and adolescents







Adults

1990

Women
1 study (1 national)

2022

1990


2022

1990


2022

1990

2022




Men No studies




Country: Eritrea

School-aged children and adolescents

Girls
1 study (1 national)




Boys 1 study (1 national)




Adults

Women
4 studies (4 national)




Men 2 studies (2 national)




Country: Estonia

School-aged children and adolescents


Girls
13 studies (12 national)




Boys 13 studies (12 national)



Women
12 studies (9 national)




Men
14 studies (9 national)




Country: Eswatini

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
2 studies (2 national)




Men
2 studies (2 national)




Country: Ethiopia

School-aged children and adolescents


Girls
10 studies (6 national)




Boys 6 studies (4 national)



Women
11 studies (6 national)




Men 7 studies (4 national)




Country: Fiji

School-aged children and adolescents


Girls
4 studies (2 national)




Boys 4 studies (2 national)



Women
6 studies (3 national)




Men 6 studies (3 national)




Country: Finland

School-aged children and adolescents

Girls
16 studies (14 national)




Boys 16 studies (14 national)




Adults

Women
39 studies (19 national)




Men 46 studies (20 national)




Country: France

School-aged children and adolescents

Girls
19 studies (9 national)




Boys 18 studies (9 national)




Adults

Women
24 studies (6 national)




Men 25 studies (6 national)




Country: French Polynesia

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
1 study (1 national)




Men
1 study (1 national)




Country: Gabon

School-aged children and adolescents


Girls
3 studies (2 national)




Boys 1 study (0 national)



Women
4 studies (3 national)




Men
1 study (0 national)




Country: Gambia

School-aged children and adolescents


Girls
3 studies (3 national)




Boys No studies



Women
6 studies (5 national)




Men
3 studies (2 national)




Country: Georgia

School-aged children and adolescents


Girls
4 studies (4 national)




Boys 4 studies (4 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Germany

School-aged children and adolescents


Girls
10 studies (4 national)




Boys 29 studies (16 national)



Women 63 studies (2 national)




Men 82 studies (14 national)




Country: Ghana

School-aged children and adolescents


Girls
9 studies (5 national)




Boys 5 studies (2 national)



Women
19 studies (8 national)




Men
12 studies (3 national)




Country: Greece

School-aged children and adolescents

Girls
38 studies (24 national)




Boys 37 studies (24 national)




Adults

Women
13 studies (6 national)




Men 13 studies (5 national)




Country: Greenland

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
2 studies (2 national)




Men
2 studies (2 national)




Country: Grenada

School-aged children and adolescents







Boys No studies



Women
1 study (1 national)




Men
1 study (1 national)




Country: Guatemala

School-aged children and adolescents

Girls
13 studies (10 national)




Boys 7 studies (4 national)




Adults

Women
15 studies (10 national)




Men 7 studies (2 national)




Country: Guinea

School-aged children and adolescents


Girls
4 studies (3 national)




Boys 1 study (0 national)



Women
5 studies (4 national)




Men
1 study (0 national)




Country: Guinea Bissau


Girls

School-aged children and adolescents











Adults

Women
1 study (1 national)




Men No studies




Country: Guyana

School-aged children and adolescents


Girls
3 studies (3 national)




Boys
3 studies (3 national)



Women
2 studies (2 national)





Men 2 studies (2 national)




Country: Haiti

School-aged children and adolescents







Boys No studies



Women
7 studies (5 national)




Men
2 studies (0 national)




Country: Honduras

School-aged children and adolescents


Girls
2 studies (2 national)




Boys No studies



Women




Men
1 study (0 national)




Country: Hungary

School-aged children and adolescents


Girls
18 studies (15 national)




Boys 18 studies (15 national)



Women
13 studies (8 national)




Men
15 studies (8 national)




Country: Iceland

School-aged children and adolescents






Boys No studies



Adults


Women

17 studies (0 national)



Men


17 studies (0 national)




Country: India

School-aged children and adolescents


Girls
51 studies (17 national)




Boys 52 studies (17 national)



Women 92 studies (18 national)




Men 92 studies (17 national)




Country: Indonesia

School-aged children and adolescents


Girls
11 studies (9 national)




Boys 11 studies (9 national)



Women
13 studies (8 national)




Men
13 studies (8 national)




Country: Iran

School-aged children and adolescents


Girls
52 studies (18 national)




Boys 50 studies (18 national)



Women
91 studies (18 national)




Men 93 studies (18 national)




Country: Iraq

School-aged children and adolescents


Girls
2 studies (1 national)




Boys 2 studies (1 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Ireland

School-aged children and adolescents


Girls
25 studies (19 national)




Boys 23 studies (17 national)



Women
9 studies (9 national)




Men
9 studies (9 national)




Country: Israel

School-aged children and adolescents

Girls
15 studies (15 national)




Boys 15 studies (15 national)




Adults

Women
23 studies (16 national)




Men 23 studies (16 national)




Country: Italy

School-aged children and adolescents

Girls
31 studies (7 national)




Boys 30 studies (7 national)




Adults

Women 56 studies (8 national)




Men 61 studies (8 national)




Country: Jamaica

School-aged children and adolescents


Girls
6 studies (6 national)




Boys 5 studies (5 national)



Women 8 studies (6 national)




Men 8 studies (6 national)




Country: Japan

School-aged children and adolescents

Girls 82 studies (56 national)




Boys 82 studies (56 national)




Adults

Women 93 studies (43 national)




Men 92 studies (43 national)




Country: Jordan

School-aged children and adolescents


Girls
8 studies (5 national)




Boys 8 studies (5 national)



Women
14 studies (12 national)




Men
7 studies (5 national)




Country: Kazakhstan

School-aged children and adolescents


Girls
11 studies (5 national)




Boys 8 studies (3 national)



Women
9 studies (3 national)




Men 8 studies (1 national)




Country: Kenya

School-aged children and adolescents


Girls
7 studies (5 national)




Boys 4 studies (2 national)



Women
9 studies (7 national)




Men
4 studies (2 national)




Country: Kiribati

School-aged children and adolescents


Girls
3 studies (3 national)




Boys 2 studies (2 national)



Women




Men
4 studies (2 national)




Country: Kuwait

School-aged children and adolescents


Girls
15 studies (15 national)




Boys 17 studies (15 national)



Women 25 studies (24 national)




Men 27 studies (24 national)




Country: Kyrgyzstan

School-aged children and adolescents

Girls
4 studies (4 national)




Boys 2 studies (2 national)




Adults

Women
4 studies (4 national)




Men 2 studies (2 national)




Country: Lao PDR

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 1 study (1 national)



Women
3 studies (2 national)




Men 2 studies (1 national)




Country: Latvia

School-aged children and adolescents

Girls
5 studies (5 national)




Boys 5 studies (5 national)




Adults

Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Lebanon

School-aged children and adolescents


Girls
3 studies (3 national)




Boys
3 studies (3 national)



Women
3 studies (3 national)




Men
3 studies (3 national)




Country: Lesotho

School-aged children and adolescents


Girls
3 studies (3 national)




Boys 2 studies (2 national)



Women 5 studies (5 national)




Men
3 studies (3 national)




Country: Liberia

School-aged children and adolescents


Girls
4 studies (4 national)




Boys 2 studies (2 national)



Women
5 studies (5 national)




Men
3 studies (3 national)




Country: Libya

School-aged children and adolescents

Girls
1 study (1 national)




Boys 1 study (1 national)




Adults

Women
2 studies (1 national)




Men 2 studies (1 national)




Country: Lithuania

School-aged children and adolescents

Girls
7 studies (5 national)




Boys 7 studies (5 national)




Adults

Women
11 studies (2 national)




Men 11 studies (2 national)




Country: Luxembourg

School-aged children and adolescents

Girls
1 study (1 national)




Boys 1 study (1 national)




Adults

Women
3 studies (2 national)




Men 3 studies (2 national)




Country: Madagascar

School-aged children and adolescents


Girls
3 studies (3 national)




Boys No studies



Women
6 studies (4 national)




Men
2 studies (0 national)




Country: Malawi

School-aged children and adolescents


Girls
8 studies (6 national)




Boys 4 studies (2 national)



Women
11 studies (8 national)




Men 5 studies (2 national)




Country: Malaysia

School-aged children and adolescents


Girls
15 studies (13 national)




Boys 15 studies (13 national)



Women
11 studies (11 national)




Men
11 studies (11 national)




Country: Maldives

School-aged children and adolescents


Girls
3 studies (2 national)




Boys 5 studies (4 national)



Women 6 studies (4 national)




Men
4 studies (2 national)




Country: Mali

School-aged children and adolescents


Girls
8 studies (4 national)




Boys
3 studies (0 national)



Women
10 studies (5 national)




Men
3 studies (0 national)




Country: Malta

School-aged children and adolescents


Girls
6 studies (6 national)




Boys 6 studies (6 national)



Women
3 studies (1 national)




Men
3 studies (1 national)




Country: Marshall Islands

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
2 studies (2 national)




Men 2 studies (2 national)




Country: Mauritania

School-aged children and adolescents

Girls
2 studies (1 national)




Boys 1 study (0 national)




Adults

Women
3 studies (2 national)




Men 1 study (0 national)




Country: Mauritius

School-aged children and adolescents


Girls
4 studies (2 national)




Boys 4 studies (2 national)



Women 8 studies (6 national)




Men 8 studies (6 national)




Country: Mexico

School-aged children and adolescents


Girls
15 studies (15 national)




Boys 13 studies (13 national)



Women 26 studies (22 national)




Men 24 studies (20 national)




Country: Micronesia

School-aged children and adolescents


Girls
3 studies (0 national)




Boys
3 studies (0 national)



Women
6 studies (0 national)




Men
6 studies (0 national)




Country: Moldova

School-aged children and adolescents


Girls
4 studies (4 national)




Boys
3 studies (3 national)



Women
3 studies (3 national)




Men
2 studies (2 national)




Country: Mongolia

School-aged children and adolescents


Girls
5 studies (5 national)




Boys 5 studies (5 national)



Women
6 studies (6 national)




Men
6 studies (6 national)




Country: Montenegro

School-aged children and adolescents


Girls
13 studies (8 national)




Boys 24 studies (19 national)



Women
2 studies (2 national)




Men
13 studies (13 national)




Country: Morocco

School-aged children and adolescents


Girls
3 studies (3 national)




Boys 2 studies (2 national)



Women
4 studies (4 national)




Men
2 studies (2 national)




Country: Mozambique

School-aged children and adolescents


Girls
6 studies (3 national)




Boys 4 studies (1 national)



Women 5 studies (5 national)




Men
2 studies (2 national)




Country: Myanmar

School-aged children and adolescents


Girls
3 studies (2 national)




Boys 2 studies (1 national)



Women
6 studies (3 national)




Men
5 studies (2 national)




Country: Namibia

School-aged children and adolescents


Girls
3 studies (2 national)




Boys 1 study (0 national)



Women
5 studies (4 national)




Men 2 studies (1 national)




Country: Nauru

School-aged children and adolescents


Girls
4 studies (4 national)




Boys
3 studies (3 national)



Women
6 studies (6 national)




Men
6 studies (6 national)




Country: Nepal

School-aged children and adolescents


Girls
12 studies (6 national)




Boys 10 studies (4 national)



Women
17 studies (9 national)




Men 13 studies (5 national)




Country: Netherlands

School-aged children and adolescents

Girls
10 studies (5 national)




Boys 10 studies (5 national)




Adults

Women
29 studies (1 national)




Men 30 studies (1 national)




Country: New Zealand

School-aged children and adolescents


Girls
17 studies (16 national)




Boys 17 studies (16 national)



Women
18 studies (15 national)





Men 18 studies (15 national)




Country: Nicaragua

School-aged children and adolescents







Boys No studies



Women
6 studies (5 national)




Men
1 study (0 national)




Country: Niger

School-aged children and adolescents


Girls
4 studies (4 national)




Boys 2 studies (2 national)



Women 6 studies (6 national)




Men
2 studies (2 national)




Country: Nigeria

School-aged children and adolescents


Girls
12 studies (4 national)




Boys 8 studies (1 national)



Women
22 studies (7 national)




Men
19 studies (3 national)




Country: Niue

School-aged children and adolescents

Girls
3 studies (3 national)




Boys
3 studies (3 national)




Adults

Women
1 study (1 national)




Men 1 study (1 national)




Country: North Korea

School-aged children and adolescents






Boys No studies




Adults

Women No studies




Men No studies




Country: North Macedonia

School-aged children and adolescents


Girls
6 studies (6 national)




Boys 5 studies (5 national)



Women
1 study (1 national)




Men No studies




Country: Norway

School-aged children and adolescents


Girls
19 studies (5 national)




Boys 19 studies (5 national)



Women 20 studies (0 national)




Men
20 studies (0 national)




Country: Oman

School-aged children and adolescents


Girls
4 studies (4 national)




Boys 4 studies (4 national)



Women
6 studies (4 national)




Men 6 studies (4 national)




Country: Pakistan

School-aged children and adolescents

Girls
5 studies (3 national)




Boys 5 studies (3 national)




Adults

Women
11 studies (7 national)




Men 9 studies (5 national)




Country: Palau

School-aged children and adolescents


Girls
14 studies (14 national)




Boys 14 studies (14 national)



Women
2 studies (2 national)




Men
2 studies (2 national)




Country: Panama

School-aged children and adolescents


Girls
4 studies (3 national)




Boys 4 studies (3 national)



Women
3 studies (2 national)





Men
3 studies (2 national)




Country: Papua New Guinea

School-aged children and adolescents






Boys 1 study (1 national)




Adults

Women
3 studies (1 national)




Men 3 studies (1 national)




Country: Paraguay

School-aged children and adolescents

Girls
2 studies (2 national)




Boys 2 studies (2 national)




Adults

Women
1 study (1 national)




Men 1 study (1 national)




Country: Peru

School-aged children and adolescents


Girls
29 studies (24 national)




Boys 21 studies (16 national)



Women 40 studies (26 national)




Men 30 studies (16 national)




Country: Philippines

School-aged children and adolescents


Girls
26 studies (10 national)




Boys 9 studies (6 national)



Women
30 studies (8 national)




Men
12 studies (7 national)




Country: Poland

School-aged children and adolescents


Girls
31 studies (9 national)




Boys 47 studies (13 national)



Women
35 studies (11 national)




Men 53 studies (15 national)




Country: Portugal

School-aged children and adolescents

Girls
32 studies (9 national)




Boys 48 studies (25 national)




Adults

Women
11 studies (3 national)




Men 26 studies (19 national)




Country: Puerto Rico

School-aged children and adolescents






Boys No studies




Adults

Women




Men 3 studies (2 national)




Country: Qatar

School-aged children and adolescents


Girls
3 studies (3 national)




Boys
3 studies (3 national)



Women
2 studies (2 national)




Men
2 studies (2 national)




Country: Romania

School-aged children and adolescents


Girls
31 studies (7 national)




Boys 31 studies (7 national)



Women
9 studies (6 national)




Men
9 studies (6 national)




Country: Russian Federation

School-aged children and adolescents


Girls
28 studies (13 national)




Boys 28 studies (13 national)



Women
41 studies (15 national)




Men 42 studies (15 national)




Country: Rwanda

School-aged children and adolescents

Girls
7 studies (7 national)




Boys 4 studies (4 national)




Adults

Women
7 studies (7 national)




Men 4 studies (4 national)




Country: Samoa

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
9 studies (7 national)




Men
9 studies (7 national)




Country: Sao Tome & Principe

School-aged children and adolescents

Girls
2 studies (2 national)




Boys 2 studies (2 national)




Adults

Women
3 studies (3 national)




Men 3 studies (3 national)




Country: Saudi Arabia

School-aged children and adolescents

Girls
9 studies (7 national)




Boys 9 studies (7 national)




Adults

Women
15 studies (12 national)




Men 15 studies (12 national)




Country: Senegal

School-aged children and adolescents


Girls
3 studies (2 national)




Boys 2 studies (1 national)



Women
10 studies (5 national)




Men 5 studies (2 national)




Country: Serbia

School-aged children and adolescents


Girls
24 studies (7 national)




Boys 25 studies (8 national)



Women
12 studies (4 national)




Men
12 studies (4 national)




Country: Seychelles

School-aged children and adolescents

Girls
22 studies (22 national)




Boys 22 studies (22 national)




Adults

Women
5 studies (5 national)




Men
5 studies (5 national)




Country: Sierra Leone

School-aged children and adolescents

Girls
3 studies (3 national)




Boys 2 studies (2 national)




Adults

Women




Men 3 studies (3 national)




Country: Singapore

School-aged children and adolescents


Girls
3 studies (3 national)




Boys
3 studies (3 national)



Women
14 studies (10 national)




Men
14 studies (10 national)




Country: Slovakia

School-aged children and adolescents


Girls
11 studies (10 national)




Boys
11 studies (10 national)



Women 7 studies (7 national)




Men
7 studies (7 national)




Country: Slovenia

School-aged children and adolescents

Girls
52 studies (50 national)




Boys 52 studies (50 national)




Adults

Women 60 studies (58 national)




Men 60 studies (58 national)




Country: Solomon Islands

School-aged children and adolescents

Girls
6 studies (1 national)




Boys 7 studies (1 national)




Adults

Women
7 studies (1 national)




Men 7 studies (1 national)




Country: Somalia

School-aged children and adolescents






Boys No studies




Adults

Women




Men 1 study (0 national)




Country: South Africa

School-aged children and adolescents


Girls
25 studies (11 national)




Boys 25 studies (11 national)



Women
22 studies (12 national)




Men 22 studies (12 national)




Country: South Korea

School-aged children and adolescents


Girls
29 studies (28 national)




Boys 48 studies (47 national)



Women




Men 60 studies (57 national)




Country: South Sudan

School-aged children and adolescents


Girls




Boys 1 study (0 national)



Women
1 study (0 national)




Men
1 study (0 national)




Country: Spain

School-aged children and adolescents


Girls
33 studies (8 national)




Boys 33 studies (8 national)



Women 37 studies (7 national)




Men
38 studies (7 national)




Country: Sri Lanka

School-aged children and adolescents


Girls
5 studies (5 national)




Boys 5 studies (5 national)



Women
9 studies (5 national)





Men 8 studies (4 national)




Country: St. Kitts & Nevis

School-aged children and adolescents






Boys 1 study (1 national)




Adults

Women
1 study (0 national)





Men 1 study (0 national)




Country: St. Lucia

School-aged children and adolescents






Boys 1 study (1 national)




Adults

Women





Men 4 studies (3 national)




Country: St. Vincent & the Grenadines

School-aged children and adolescents






Boys 2 studies (2 national)




Adults

Women
1 study (1 national)




Men 1 study (1 national)




Country: State of Palestine

School-aged children and adolescents

Girls
7 studies (5 national)




Boys 5 studies (5 national)




Adults

Women 7 studies (4 national)




Men 7 studies (4 national)




Country: Sudan

School-aged children and adolescents


Girls
1 study (1 national)




Boys 1 study (1 national)



Women
3 studies (1 national)




Men 3 studies (1 national)




Country: Suriname

School-aged children and adolescents

Girls
1 study (0 national)




Boys 1 study (0 national)




Adults

Women
1 study (0 national)




Men 1 study (0 national)




Country: Sweden

School-aged children and adolescents

Girls
35 studies (30 national)




Boys 90 studies (59 national)




Adults

Women 36 studies (3 national)




Men 70 studies (32 national)




Country: Switzerland

School-aged children and adolescents


Girls
31 studies (5 national)




Boys 50 studies (24 national)



Women
10 studies (1 national)




Men 29 studies (20 national)




Country: Syrian Arab Republic

School-aged children and adolescents



Boys No studies



Adults

1990

Women

2022

1990

2022

1990


2022

1990

2022

1 study (1 national) Proportion of Underweight Obesity Combined burden combined burden composed of obesity 100 80 Percentage (%) 20 2022 2022 2022 1990 1990 1990 2022 1990


Men 1 study (1 national)




Country: Taiwan

School-aged children and adolescents


Girls
9 studies (9 national)




Boys 9 studies (9 national)



Women
12 studies (8 national)




Men
12 studies (8 national)




Country: Tajikistan

School-aged children and adolescents


Girls
6 studies (6 national)




Boys
3 studies (3 national)



Women
4 studies (4 national)




Men
1 study (1 national)




Country: Tanzania

School-aged children and adolescents


Girls
5 studies (3 national)




Boys 2 studies (0 national)



Women
12 studies (6 national)




Men
7 studies (1 national)




Country: Thailand

School-aged children and adolescents


Girls
14 studies (13 national)




Boys 14 studies (13 national)



Women
9 studies (9 national)




Men
12 studies (9 national)




Country: Timor-Leste

School-aged children and adolescents


Girls
6 studies (3 national)




Boys 5 studies (2 national)



Women
7 studies (3 national)




Men 5 studies (2 national)




Country: Togo

School-aged children and adolescents


Girls
3 studies (3 national)




Boys 2 studies (2 national)



Women
5 studies (4 national)




Men
2 studies (2 national)




Country: Tokelau

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
2 studies (2 national)




Men
2 studies (2 national)




Country: Tonga

School-aged children and adolescents

Girls
6 studies (4 national)




Boys 6 studies (4 national)




Adults

Women
5 studies (3 national)



Men 5 studies (3 national)




Country: Trinidad & Tobago

School-aged children and adolescents


Girls
4 studies (4 national)

Thinness Obesity Combined burden composed of obesity

O Thinness Obesity Combined burden composed of obesity



Boys 4 studies (4 national)



Adults

1990

20

Women
4 studies (3 national)

2022

1990


2022

1990


2022

1990

2022




Men 4 studies (3 national)




Country: Tunisia

School-aged children and adolescents


Girls
3 studies (2 national)




Boys 3 studies (2 national)



Women
5 studies (3 national)




Men
5 studies (3 national)




Country: Turkiye

School-aged children and adolescents


Girls
9 studies (7 national)




Boys 7 studies (5 national)



Women 30 studies (23 national)




Men 23 studies (17 national)




Country: Turkmenistan

School-aged children and adolescents


Girls
3 studies (3 national)




Boys
3 studies (3 national)



Women
3 studies (3 national)




Men 2 studies (2 national)




Country: Tuvalu

School-aged children and adolescents


Girls
2 studies (2 national)




Boys 2 studies (2 national)



Women
1 study (1 national)




Men
1 study (1 national)




Country: Uganda

School-aged children and adolescents


Girls
9 studies (6 national)




Boys 8 studies (5 national)



Women
12 studies (7 national)




Men 10 studies (5 national)




Country: Ukraine

School-aged children and adolescents


Girls
8 studies (4 national)




Boys 8 studies (4 national)



Women
3 studies (3 national)




Men 2 studies (2 national)




Country: United Arab Emirates

School-aged children and adolescents

Girls
5 studies (5 national)




Boys 5 studies (5 national)




Adults

Women
5 studies (3 national)




Men 4 studies (3 national)




Country: United Kingdom

School-aged children and adolescents


Girls
104 studies (56 national)




Boys 104 studies (56 national)



Women 85 studies (50 national)




Men 88 studies (51 national)




Country: Uruguay

School-aged children and adolescents


Girls
9 studies (8 national)




Boys 8 studies (7 national)



Women
6 studies (3 national)




Men
6 studies (3 national)




Country: USA

School-aged children and adolescents


Girls
61 studies (28 national)




Boys 61 studies (28 national)



Women 70 studies (26 national)




Men 64 studies (25 national)




Country: Uzbekistan

School-aged children and adolescents

Girls
4 studies (4 national)




Boys
3 studies (3 national)




Adults

Women
5 studies (4 national)




Men 4 studies (3 national)




Country: Vanuatu

School-aged children and adolescents


Girls
1 study (0 national)




Boys 1 study (0 national)



Women
4 studies (3 national)




Men
3 studies (2 national)




Country: Venezuela

School-aged children and adolescents


Girls
2 studies (1 national)




Boys 2 studies (1 national)



Women
13 studies (3 national)




Men 13 studies (3 national)




Country: Viet Nam

School-aged children and adolescents


Girls
11 studies (9 national)




Boys 11 studies (9 national)



Women 25 studies (12 national)




Men 25 studies (12 national)




Country: Yemen

School-aged children and adolescents


Girls
4 studies (4 national)




Boys
3 studies (3 national)



Women
5 studies (5 national)




Men
3 studies (3 national)




Country: Zambia

School-aged children and adolescents


Girls
4 studies (4 national)




Boys 1 study (1 national)



Women 8 studies (6 national)




Men
3 studies (1 national)




Country: Zimbabwe

School-aged children and adolescents


Girls
4 studies (4 national)



Boys 2 studies (2 national)



Women
9 studies (6 national)



Men 6 studies (3 national)

