

# Country: Afghanistan

#### School-aged children and adolescents







Boys

1 study (1 national)

#### Adults







Proportion of


# Country: Albania


# School-aged children and adolescents






Boys






# Country: Algeria

#### School-aged children and adolescents





Boys


1 study (1 national)


Thinness

Obesity

Combined burden

#### Adults







Proportion of combined burden

composed of obesity

# Country: American Samoa


#### School-aged children and adolescents






Boys


1 study (1 national)








# Country: Andorra

# School-aged children and adolescents













# Country: Angola

#### School-aged children and adolescents













# Country: Antigua & Barbuda

#### School-aged children and adolescents













# Country: Argentina

#### School-aged children and adolescents











# Country: Armenia

#### School-aged children and adolescents





Boys


3 studies (3 national)


Thinness

Obesity

Combined burden

#### Adults






Proportion of


combined burden


composed of obesity


# Country: Australia

#### School-aged children and adolescents













# Country: Austria

# School-aged children and adolescents













# Country: Azerbaijan

#### School-aged children and adolescents













# Country: Bahamas

#### School-aged children and adolescents












# Country: Bahrain


#### School-aged children and adolescents






Boys








# Country: Bangladesh

#### School-aged children and adolescents













# Country: Barbados

#### School-aged children and adolescents










# Country: Belarus

#### School-aged children and adolescents



# Prevalence (%) 1990

# 40 Proportion (%) 60 20 2022 1990 2022 1990 2022 1990 2022 Adults


Boys


2 studies (2 national)

Thinness

Obesity

Combined burden






Proportion of combined burden


80


composed of obesity


# Country: Belgium


#### School-aged children and adolescents















# Country: Belize

#### School-aged children and adolescents











# Country: Benin

#### School-aged children and adolescents





Boys


1 study (1 national)


Thinness

Obesity

Combined burden

#### Adults






Proportion of


combined burden


composed of obesity


# Country: Bermuda

#### School-aged children and adolescents













# Country: Bhutan

#### School-aged children and adolescents












# Country: Bolivia


# School-aged children and adolescents






Boys








# Country: Bosnia & Herzegovina

#### School-aged children and adolescents













# Country: Botswana

#### School-aged children and adolescents













# Country: Brazil

# School-aged children and adolescents













# Country: Brunei Darussalam

#### School-aged children and adolescents













# Country: Bulgaria

#### School-aged children and adolescents













# Country: Burkina Faso

#### School-aged children and adolescents













# Country: Burundi

#### School-aged children and adolescents













# Country: Cabo Verde

#### School-aged children and adolescents













# Country: Cambodia

#### School-aged children and adolescents












# Country: Cameroon


#### School-aged children and adolescents






Boys








# Country: Canada

#### School-aged children and adolescents













# Country: Central African Republic

#### School-aged children and adolescents













# Country: Chad

#### School-aged children and adolescents













#### Country: Chile

#### School-aged children and adolescents












#### Country: China


#### School-aged children and adolescents






Boys








#### Country: Colombia

#### School-aged children and adolescents













#### Country: Comoros

#### School-aged children and adolescents









#### Country: Congo

1990

2022

1990

2022


1990


2022

2022


1990


#### School-aged children and adolescents






#### Adults Women Proportion of 9 studies (3 national) combined burden composed of obesity Underweight Combined burden Obesity 80 80 Proportion (%) 60 20 20







#### Country: Cook Islands


#### School-aged children and adolescents






Boys







#### Country: Costa Rica


#### School-aged children and adolescents



# Prevalence (%) 1990











#### Country: Cote d'Ivoire

#### School-aged children and adolescents













#### Country: Croatia

#### School-aged children and adolescents













#### Country: Cuba


#### School-aged children and adolescents















#### Country: Cyprus

#### School-aged children and adolescents













#### Country: Czechia

#### School-aged children and adolescents









Combined burden

Proportion of

80

20

Proportion (%)

combined burden

composed of obesity

Boys

40


12 studies (6 national)


Thinness


Obesity


#### Country: Denmark

#### School-aged children and adolescents













#### Country: Djibouti

#### School-aged children and adolescents












#### Country: Dominica


#### School-aged children and adolescents






Boys








#### Country: Dominican Republic

#### School-aged children and adolescents













#### Country: DR Congo

#### School-aged children and adolescents













#### Country: Ecuador

#### School-aged children and adolescents













#### Country: Egypt

#### School-aged children and adolescents













#### Country: El Salvador

#### School-aged children and adolescents













#### Country: Equatorial Guinea

#### School-aged children and adolescents













#### Country: Eritrea

#### School-aged children and adolescents













#### Country: Estonia

#### School-aged children and adolescents













#### Country: Eswatini

#### School-aged children and adolescents













#### Country: Ethiopia

#### School-aged children and adolescents













#### Country: Fiji

#### School-aged children and adolescents













#### Country: Finland

#### School-aged children and adolescents












#### Country: France


#### School-aged children and adolescents






Boys








#### Country: French Polynesia

#### School-aged children and adolescents











#### Country: Gabon

#### School-aged children and adolescents





Boys


1 study (0 national)


Thinness

Obesity

Combined burden

#### Adults






Proportion of


combined burden


composed of obesity


#### Country: Gambia

#### School-aged children and adolescents













#### Country: Georgia

#### School-aged children and adolescents












#### Country: Germany


#### School-aged children and adolescents






Boys








#### Country: Ghana

#### School-aged children and adolescents













#### Country: Greece

#### School-aged children and adolescents












#### Country: Greenland


#### School-aged children and adolescents






Boys








# Country: Grenada

#### School-aged children and adolescents












# Country: Guatemala


#### School-aged children and adolescents






Boys







# Country: Guinea


# School-aged children and adolescents



# 1990 2022 1990 2022 19 Adults











# Country: Guinea Bissau

# School-aged children and adolescents












# Country: Guyana


#### School-aged children and adolescents






Boys








# Country: Haiti

# School-aged children and adolescents













# Country: Honduras

#### School-aged children and adolescents











# Country: Hungary

#### School-aged children and adolescents





Boys


18 studies (15 national)


Obesity

Combined burden

Thinness

#### Adults






Proportion of combined burden


80


composed of obesity


# Country: Iceland

# School-aged children and adolescents













# Country: India

# School-aged children and adolescents













# Country: Indonesia

#### School-aged children and adolescents












# Country: Iran


#### School-aged children and adolescents






Boys








# Country: Iraq


#### School-aged children and adolescents














# Country: Ireland


# School-aged children and adolescents






Boys








# Country: Israel

# School-aged children and adolescents













# Country: Italy


#### School-aged children and adolescents














# Country: Jamaica


#### School-aged children and adolescents






Boys







# Country: Japan


#### School-aged children and adolescents






Boys








# Country: Jordan

#### School-aged children and adolescents













# Country: Kazakhstan

#### School-aged children and adolescents











# Country: Kenya

# School-aged children and adolescents







Boys

4 studies (2 national)

#### **Adults**







Proportion of


combined burden


# Country: Kiribati

#### School-aged children and adolescents













# Country: Kuwait

#### School-aged children and adolescents













# Country: Kyrgyzstan

#### School-aged children and adolescents











# Country: Lao PDR

#### School-aged children and adolescents







Boys

1 study (1 national)

#### Adults






Proportion of


combined burden


composed of obesity


# Country: Latvia

# School-aged children and adolescents













# Country: Lebanon

#### School-aged children and adolescents













# Country: Lesotho

#### School-aged children and adolescents













# Country: Liberia

# School-aged children and adolescents











# Country: Libya

# School-aged children and adolescents





Boys


1 study (1 national)


Thinness

Obesity

Combined burden

#### Adults







Proportion of combined burden


composed of obesity


# Country: Lithuania

#### School-aged children and adolescents












# Country: Luxembourg


#### School-aged children and adolescents






Boys








# Country: Madagascar

# School-aged children and adolescents












# Country: Malawi


#### School-aged children and adolescents






Boys







# Country: Malaysia


#### School-aged children and adolescents






Boys





# Country: Maldives

#### School-aged children and adolescents



#### 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 2022 1990 Adults


Boys


5 studies (4 national)

Thinness

Obesity

Combined burden





Proportion of


80


combined burden

composed of obesity


### Country: Mali


### School-aged children and adolescents





Boys





### Country: Malta

20

1990

2022


1990


2022

1990

2022

### School-aged children and adolescents







### Adults Women Proportion of 3 studies (1 national) combined burden composed of obesity Underweight Combined burden Obesity 100 80 80 Proportion (%)

20

2022


1990







### Country: Marshall Islands


### School-aged children and adolescents






Boys








### Country: Mauritania

### School-aged children and adolescents













### Country: Mauritius

### School-aged children and adolescents













### Country: Mexico

### School-aged children and adolescents













### Country: Micronesia

### School-aged children and adolescents













### Country: Moldova

### School-aged children and adolescents











### Country: Mongolia

### School-aged children and adolescents





Boys


5 studies (5 national)


Thinness

Obesity

Combined burden

#### Adults






Proportion of


combined burden


composed of obesity


### Country: Montenegro

### School-aged children and adolescents











### Country: Morocco

### School-aged children and adolescents






#### composed of obesity Thinness Obesity Combined burden 80 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 1990 2022


Proportion of

combined burden

Boys


2 studies (2 national)








### Country: Mozambique

### School-aged children and adolescents













## Country: Myanmar

### School-aged children and adolescents













### Country: Namibia

### School-aged children and adolescents













### Country: Nauru

### School-aged children and adolescents












### Country: Nepal


### School-aged children and adolescents















### Country: Netherlands

### School-aged children and adolescents











### Country: New Zealand

### School-aged children and adolescents






Boys


17 studies (16 national)

Obesity

Combined burden

Thinness






Proportion of combined burden


80


composed of obesity


### Country: Nicaragua

### School-aged children and adolescents













### Country: Niger

### School-aged children and adolescents













### Country: Nigeria

### School-aged children and adolescents










### Country: Niue

### School-aged children and adolescents





#### composed of obesity Thinness Obesity Combined burden 100 80 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 1990 2022

Proportion of combined burden

Boys


3 studies (3 national)








### Country: North Korea

### School-aged children and adolescents












### Country: North Macedonia


### School-aged children and adolescents






Boys







### Country: Norway


### School-aged children and adolescents






Boys








### Country: Oman

### School-aged children and adolescents











### Country: Pakistan

### School-aged children and adolescents






Boys


5 studies (3 national)

Thinness

Obesity

Combined burden





Proportion of


80


combined burden


composed of obesity


### Country: Palau

### School-aged children and adolescents













### Country: Panama

### School-aged children and adolescents










### Country: Papua New Guinea

### School-aged children and adolescents



#### 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 1990 2022 Adults


Boys


1 study (1 national)

Thinness

Obesity

Combined burden






Proportion of combined burden


80


composed of obesity


### Country: Paraguay

### School-aged children and adolescents













### Country: Peru

### School-aged children and adolescents













### Country: Philippines

### School-aged children and adolescents











### Country: Poland

### School-aged children and adolescents





47 studies (13 national)


Obesity


Combined burden

Thinness

Boys

#### Adults






Proportion of


combined burden

composed of obesity


### Country: Portugal


### School-aged children and adolescents






Boys








### Country: Puerto Rico

### School-aged children and adolescents










# Country: Qatar

# School-aged children and adolescents



# 80 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 1990 2022

Boys


3 studies (3 national)


Thinness

Obesity

Combined burden

#### Adults







Proportion of combined burden


composed of obesity


# Country: Romania

# School-aged children and adolescents













# Country: Russian Federation

# School-aged children and adolescents













# Country: Rwanda

# School-aged children and adolescents













# Country: Samoa

# School-aged children and adolescents










# Country: Sao Tome & Principe

# School-aged children and adolescents




#### 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 2022 1990 Adults


Boys

2 studies (2 national)

Thinness

Obesity





Combined burden

Proportion of


80


combined burden


composed of obesity


# Country: Saudi Arabia

# School-aged children and adolescents













# Country: Senegal

# School-aged children and adolescents












# Country: Serbia


# School-aged children and adolescents






Boys








# Country: Seychelles

# School-aged children and adolescents












# Country: Sierra Leone

# School-aged children and adolescents



# Prevalence (%) 1990 2022 Adults





Proportion of

80

60

20

Proportion (%)

combined burden

composed of obesity

Boys

40

2 studies (2 national)


Thinness


Obesity


Combined burden


# Country: Singapore

# School-aged children and adolescents













# Country: Slovakia

# School-aged children and adolescents











# Country: Slovenia

# School-aged children and adolescents





Boys


40


52 studies (50 national)

Obesity

Combined burden

Thinness





Proportion of combined burden

80

60

20

1990


2022


Proportion (%)


composed of obesity


# Country: Solomon Islands

# School-aged children and adolescents













# Country: Somalia

# School-aged children and adolescents













# Country: South Africa

# School-aged children and adolescents













# Country: South Korea


# School-aged children and adolescents















# Country: South Sudan

# School-aged children and adolescents













# Country: Spain

# School-aged children and adolescents













# Country: Sri Lanka

# School-aged children and adolescents













# Country: St. Kitts & Nevis

# School-aged children and adolescents













# Country: St. Lucia

# School-aged children and adolescents













# Country: St. Vincent & the Grenadines

# School-aged children and adolescents










# Country: State of Palestine

# School-aged children and adolescents



# 80 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 1990 2022


Boys


5 studies (5 national)

Thinness

Obesity

#### Adults





Combined burden


Proportion of


combined burden

composed of obesity


# Country: Sudan


# School-aged children and adolescents






Boys








# Country: Suriname

# School-aged children and adolescents













# Country: Sweden

# School-aged children and adolescents












# Country: Switzerland


# School-aged children and adolescents






Boys








# Country: Syrian Arab Republic

# School-aged children and adolescents













# Country: Taiwan

# School-aged children and adolescents











# Country: Tajikistan

# School-aged children and adolescents







Boys

3 studies (3 national)

#### Adults







Proportion of


combined burden


# Country: Tanzania

# School-aged children and adolescents













# Country: Thailand

# School-aged children and adolescents













# Country: Timor-Leste

# School-aged children and adolescents













# Country: Togo

# School-aged children and adolescents













# Country: Tokelau

### School-aged children and adolescents













# Country: Tonga

### School-aged children and adolescents













# Country: Trinidad & Tobago

### School-aged children and adolescents













# Country: Tunisia

### School-aged children and adolescents












# Country: Turkiye


### School-aged children and adolescents






Boys







# Country: Turkmenistan


### School-aged children and adolescents






Boys








# Country: Tuvalu

# School-aged children and adolescents













# Country: Uganda

### School-aged children and adolescents












# Country: Ukraine


### School-aged children and adolescents






Boys







### Country: United Arab Emirates


### School-aged children and adolescents






Boys








### Country: United Kingdom

### School-aged children and adolescents












### Country: Uruguay


### School-aged children and adolescents






Boys








# Country: USA

# School-aged children and adolescents













# Country: Uzbekistan

### School-aged children and adolescents












# Country: Vanuatu


### School-aged children and adolescents






Boys






# Country: Venezuela


### School-aged children and adolescents






Boys


2 studies (1 national)





# Country: Viet Nam

### School-aged children and adolescents



### 40 Prevalence (%) Proportion (%) 60 20 1990 2022 1990 2022 1990 2022 2022 1990 Adults


Boys


11 studies (9 national)

Thinness

Obesity

Combined burden





Proportion of


80


combined burden


composed of obesity


# Country: Yemen

### School-aged children and adolescents












# Country: Zambia


# School-aged children and adolescents





Boys





# Country: Zimbabwe

### School-aged children and adolescents

